VITAL STATISTICS

MISSISSIPPI

1980

****

MISSISSIPPI STATE DEPARTMENT OF HEALTH
OFFICE OF PUBLIC HEALTH STATISTICS
DAVID LOHRISCH, PH.D., DIRECTOR

P. O. BOX 1700
JACKSON, MISSISSIPPI 39205

TELEPHONE NUMBER 601-354-6607

TABLE OF CONTENTS

Page

INTRODUCTION

Description of Bulletin 1
Definitions of Live Birth and Fetal Death 1
Occurrence and Residence Allocation 1
Population 2
Rates 2
Classification of Cause of Death 2

SUMMARY TABLES, 1980

POPULATION

Table P1. Census Population and Percentage Distribution, by Age, Race, and Sex 5
Table P2. Census Population, Change since Previous Census, and Components of Change, by Year and Race 6

LIVE BIRTHS

Table A1. Live Births and Percentage Distribution, by Type of Facility, Attendant, and Race 7
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1980 8
Table A3. Live Births and Average per Day, by Month 8
Table A4. Fertility Rates, by Year and Race, Mississippi and the United States, 1950, 1960, 1970, 1980 9
Table A5. Live Births, Percentage Distribution, and Fertility Rates, by Age of Mother and Race 9
Table A6. Live Births and Percentage Distribution, by Years of School Completed by Father and Mother and Race 10
Table A7. Illegitimate Live Births and Percent of Total Live Births in Specified Group, by Age of Mother and Race 11
Table A8. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race 12
Table A9. Median Number of Months between Last Delivery to Mothers Who Had Had Previous Pregnancies and Live Birth in 1980, by Race and Outcome of Last Delivery 13
Table A10. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race 13
Table A11. Live Births and Percentage Distribution, by Maturity and Race .. 14
Table A12. Congenital Malformations Reported on Live Birth Certificates, by System or Organs Affected and Race 14

FETAL DEATHS

Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race 15
Table B2. Reportable Fetal Deaths and Fetal Death Ratios, by Age of Mother and Race 16
Table B3. Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race 16
Table B4. Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race, 1978-1980 17

DEATHS

Table C1. Deaths and Average per Day, by Month 18
Table C2. Deaths and Percentage Distribution, and Rates, by Age and Race 18

Page

SUMMARY TABLES, 1980

DEATHS (Continued)

Table C3. Deaths, by Age, Race, and Sex, and Male/Female Ratios by Age and Race 19
Table C4. Death Rates, by Age, Race, and Sex 19
Table C5. Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race 20
Table C6. Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause 21
Table C7. Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race 22
Table C8. Deaths from Major Chronic Respiratory Diseases, 1955, 1960, 1965, 1970, 1975, 1980 22
Table C9. Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race 23
Table C10. Deaths from Selected Types of Accidents, by Sex, also by Age 24
Table C11. Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1980 25
Table C12. Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race 26
Table C13. Deaths and Mortality Rates for Six Leading Causes of Infant Deaths, by Cause and Race 26

MARRIAGES

Table D1. Marriages and Average per Day, by Month 27
Table D2. Brides and Grooms and Percentage Distribution, by Age and Race 27
Table D3. Median Age of Bride and Groom, for All Marriages and First Marriages, by Race 28
Table D4. Brides and Grooms and Percentage Distribution, by Marriage Order and Race 28
Table D5. Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race 29
Table D6. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride 30

DIVORCES

Table E1. Divorces and Rates by Race, Census Years, 1940-1980 31
Table E2. Divorces and Percentage Distribution, by Cause and Race 31
Table E3. Divorces and Percentage Distribution, by Number of Minor Children and Race 32
Table E4. Divorces and Percentage Distribution, by Number of Years Married and Race 32

MAJOR TABLES, 1980

POPULATION

Table 1. Census Population and Percent Change since 1970, by Place (Counties, Towns of 10,000 or More) and Race, Mississippi, as of April 1, 1980 35

Pag

MAJOR TABLES, 1980

LIVE BIRTHS

Table 2. Live Births, by Place of Occurrence and Race, also Live Births and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1980 3

Table 3. Live Births, by County of Residence, Race, and Attendant, also by County of Residence and Sex, Mississippi, 1980 4

Table 4. Fertility Rates, by County of Residence 4

Table 5A. Total Live Births, by County of Residence and Age of Mother, Mississippi, 1980 4

Table 5B. White Live Births, by County of Residence and Age of Mother, Mississippi, 1980 4

Table 5C. Nonwhite Live Births, by County of Residence and Age of Mother, Mississippi, 1980 4

Table 6. Illegitimate Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1980 5

Table 7A. Total Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1980 5

Table 7B. White Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1980 5

Table 7C. Nonwhite Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1980 5

Table 8. Immature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1980 5

Table 9. Premature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1980 6

FETAL DEATHS

Table 10. Reportable Fetal Deaths, by County of Occurrence and Race, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race, Mississippi, 1980 6

DEATHS

Table 11. Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1980 6

Table 12. Deaths, by Cause and Race, Mississippi Residents, 1980 6

Table 13. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1980 8

Table 14A. Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1980 9

Table 14B. Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1976-1980 (5-Year Average)... 9

Table 15. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1980 9

Table 16. Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1980 9

MARRIAGES

Table 17. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1980 9

Page

JOR TABLES, 1980

DIVORCES

Table 18. Divorces, by County of Occurrence and Race, also Total Rates, Mississippi, 1980 100

DEATHS (COUNTY AND STATE SUMMARIES)

Table 19. Deaths and Rates for Selected Causes Used for Ranking Leading Causes, by Race, Residents
The Counties (in alphabetical order) 103
The State 144

ME SERIES TABLES

Table 20. Live Births and Rates, by Year and Race, Mississippi, 1913-1980, (Occurrence Data 1913-1943, Residence Data 1944-1980) 147
Table 21. Deaths and Rates, by Year and Race, Mississippi, 1913-1980, (Occurrence Data 1913-1943, Residence Data 1944-1980) 149
Table 22. Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1980, (Occurrence Data 1913-1943, Residence Data 1944-1980) 151
Table 23. Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1980, (Occurrence Data 1917-1943, Residence Data 1944-1980) 153
Table 24. Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1980, (Occurrence Data 1924-1944, Residence Data 1945-1980) 155
Table 25. Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1980, (Occurrence Data 1924-1943, Residence Data 1944-1980) 157
Table 26. Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1980 159

VITAL STATISTICS
MISSISSIPPI, 1980

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, and coroners. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1980; the second part contains major statistical tables for 1980. Time series tables numbered 20 through 26 are presented in the third part.

Definitions of Live Birth and Fetal Death

The definition adopted by the Mississippi State Board of Health for use in Mississippi are those formulated by the World Health Organization and are recommended by the National Center for Health Statistics. They are as follows:

> Live birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.
>
> Fetal death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by he usual residence of the mother. For deaths it was determined by the usual residence f the decedent except that deaths of inmates of institutions were reallocated to the ocation of the institution regardless of length of stay.

Marriages were classified according to place of issuance of marriage license, lace of occurrence of marriage, and place of residence of bride. However, the figures n brides who were Mississippi residents are incomplete since there is no exchange among he states of transcripts of marriage records for nonresidents and the out-of-state arriages of Mississippi brides could not be included. Divorces were classified only ccording to place where the decree was granted, as there is no information regarding lace of residence on the record.

opulation

Figures from the U.S. Census of April 1, 1980, were used in this bulletin, and everal types of rates and special compilations were prepared which can be done only hen detailed population data of the type which comes from the decennial census are vailable. Population figures for the age groups under 1 and 1-4 were estimated, since he Census Bureau only published state data for the age group under 5.

ates

Population-based rates for the state included those for live births, total deaths, nd deaths from specific causes, except maternal and certain conditions originating in the erinatal period. Figures on live births were used as the base for calculating fetal eath ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal eaths, and deaths from certain conditions originating in the perinatal period, as the irth counts represent the groups at risk more accurately than do general population igures.

lassification of Cause of Death

Causes of death were assigned according to the Ninth Revision International tatistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision as first used in 1979, and is not markedly different from the Eighth Revision. However, he periodic changes in the classification system which have occurred through the years ave resulted in an unavoidable lack of comparability for some causes, and caution hould be used in analyzing long-term trends.

SUMMARY TABLES, 1980

In this section, all tables on live births, fetal deaths, and deaths present residence data unless otherwise specified; all information on marriages and divorces is occurrence data.

POPULATION

Table P1. Census population and percentage distribution, by age, race, and sex Mississippi, 1980

	Number					Percent				
		White		Nonwhite			White		Nonwhite	
ge	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
otal	2,520,638	788,620	826,570	425,258	480,190	100.0	100.0	100.0	100.0	100.0
nder 1	46,210	12,615	11,968	10,973	10,654	1.8	1.6	1.4	2.6	2.2
-4	169,069	47,167	44,205	38,944	38,753	6.7	6.0	5.3	9.2	8.1
-9	219,048	62,296	58,927	49,136	48,689	8.7	7.9	7.1	11.6	10.1
0-14	226,276	65,232	61,180	50,320	49,544	9.0	8.3	7.4	11.8	10.3
5-19	258,878	76,414	72,455	54,576	55,433	10.3	9.7	8.8	12.8	11.5
0-24	233,505	73,557	70,536	41,931	47,481	9.3	9.3	8.5	9.9	9.9
5-29	197,129	64,158	63,959	32,206	36,806	7.8	8.1	7.7	7.6	7.7
0-34	172,410	60,664	60,600	23,468	27,678	6.8	7.7	7.3	5.5	5.8
5-39	138,089	49,774	50,933	16,837	20,545	5.5	6.3	6.2	4.0	4.3
0-44	122,416	44,254	44,721	14,401	19,040	4.8	5.6	5.4	3.4	4.0
5-49	113,662	40,813	42,475	12,752	17,622	4.5	5.2	5.1	3.0	3.7
0-54	118,157	41,599	44,449	13,282	18,827	4.7	5.3	5.4	3.1	3.9
5-59	112,768	38,917	43,685	12,631	17,535	4.5	4.9	5.3	3.0	3.6
0-64	103,664	33,794	39,651	13,180	17,039	4.1	4.3	4.8	3.1	3.5
5-69	99,536	29,519	37,863	13,927	18,227	3.9	3.7	4.6	3.3	3.8
0-74	80,413	22,585	31,650	11,625	14,553	3.2	2.9	3.8	2.7	3.0
5-79	55,281	13,800	22,739	7,926	10,816	2.2	1.7	2.8	1.9	2.2
0-84	30,618	7,014	13,849	4,007	5,748	1.2	0.9	1.7	0.9	1.2
5 and over	23,509	4,448	10,725	3,136	5,200	0.9	0.6	1.3	0.7	1.1
nder 15	660,603	187,310	176,280	149,373	147,640	26.2	23.8	21.3	35.1	30.7
5-64	1,570,678	523,944	533,464	235,264	278,006	62.3	66.4	64.5	55.3	57.9
5 and over	289,357	77,366	116,826	40,621	54,544	11.5	9.8	14.1	9.6	11.4
edian age	27.7	29.4	32.5	21.0	23.9					

Table P2. Census population, change since previous census, and components of change, by year and race Mississippi, 1920-1980

		Change Since Previous Census			
		Total		Components of Change	
Race and Census Date	Population	Number	Percent	Natural Increase*	Net Migration**
TOTAL					
January 1, 1920	1,790,618	-6,496	-0.4	#	#
April 1, 1930	2,009,821	219,203	12.2	241,899	-22,696
April 1, 1940	2,183,796	173,975	8.6	263,396	-89,421
April 1, 1950	2,178,914	-4,882	-0.2	390,044	-394,926
April 1, 1960	2,178,141	-773	##	422,444	-423,217
April 1, 1970	2,216,912	38,771	1.8	299,057	-260,286
April 1, 1980	2,520,638	303,726	13.7	220,909	82,817
1920 and 1980		730,020	40.8	1,837,749	-1,107,729
1940 and 1980		336,842	15.4	1,332,454	-995,612
WHITE					
January 1, 1920	853,962	67,851	8.6	#	#
April 1, 1930	998,077	144,115	16.9	146,889	-2,774
April 1, 1940	1,106,327	108,250	10.8	131,026	-22,776
April 1, 1950	1,188,632	82,305	7.4	180,208	-97,903
April 1, 1960	1,257,546	68,914	5.8	177,075	-108,161
April 1, 1970	1,393,283	135,737	10.8	125,455	10,282
April 1, 1980	1,615,190	221,907	15.9	92,574	129,333
1920 and 1980		761,228	89.1	853,227	-91,999
1940 and 1980		508,863	46.0	575,312	-66,449
NONWHITE					
January 1, 1920	936,656	-74,347	-7.4	#	#
April 1, 1930	1,011,744	75,088	8.0	95,010	-19,922
April 1, 1940	1,077,469	65,725	6.5	132,370	-66,645
April 1, 1950	990,282	-87,187	-8.1	209,836	-297,023
April 1, 1960	920,595	-69,687	-7.0	245,369	-315,056
April 1, 1970	823,629	-96,966	-10.5	173,602	-270,568
April 1, 1980	905,448	81,819	9.9	128,335	-46,516
1920 and 1980		-31,208	-3.3	984,522	-1,015,730
1940 and 1980		-172,021	-16.0	757,142	-929,163

* Excess of births over deaths. Occurrence data 1920-1943 and residence data 1944-1980. Births January-March,1930, not available separately, but estimated.

** Difference between population change and natural increase.

# Data not available.

## Less than 0.06 percent.

Table A2. Percentage of live births in hospitals or clinics, by year and race, 1940, 1950, 1960, 1970-1980

Year	Total	White	Non-white	Year	Total	White	Non-white
1940	14.1	27.1	3.9	1970*	90.0	99.7	79.7
				1971*	92.2	99.6	84.2
1950	46.1	83.3	18.9	1972*	95.2	99.8	90.4
				1973*	96.4	99.7	92.8
1960	73.2	99.0	51.3	1974*	97.4	99.7	94.8
				1975*	97.9	99.6	96.0
				1976*	98.5	99.7	97.3
				1977*	98.9	99.7	98.1
				1978*	99.1	99.7	98.4
				1979*	99.3	99.7	98.9
				1980*	99.4	99.7	99.1

* Includes births in any facility which provides medical care; prior to 1970 only births in facilities providing inpatient care were included.

Table A3. Live births and average per day, by month Mississippi, 1980

Month	Births	Average per Day	Month	Births	Average per Day
Total	47,821	131			
January	4,025	130	July	4,408	142
February	3,582	124	August	4,445	143
March	3,777	122	September	4,475	149
April	3,425	114	October	4,192	135
May	3,599	116	November	3,992	133
June	3,773	126	December	4,128	133

Table A4. Fertility rates*, by year and race, Mississippi and the United States, 1950, 1960, 1970, 1980

Year	Mississippi			United States		
	Total	White	Non-white	Total	White	Non-white
1950	134.3	101.7	175.2	106.2	102.3	137.3
1960	142.4	107.9	195.6	118.0	113.2	153.6
1970	107.4	85.5	147.9	87.9	84.1	115.4
1980	83.9	68.0	111.8	69.2**	Not available	

* Live births per 1,000 females 15-44 years of age.

** Provisional figure.

Table A5. Live births, percentage distribution, and fertility rates, by age of mother and race Mississippi, 1980

Age of Mother	Number			Percent			Fertility Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non whit
Total	47,821	24,687	23,134	100.0	100.0	100.0	83.9	68.0	111.
10-14	378	40	338	0.8	0.2	1.5	3.4	0.6	6.
15-19	10,693	4,075	6,618	22.4	16.5	28.6	83.6	56.2	119.
20-24	17,033	9,039	7,994	35.6	36.6	34.6	144.3	128.1	168.
25-29	12,275	7,446	4,829	25.7	30.2	20.9	121.8	116.4	131.
30-34	5,460	3,197	2,263	11.4	13.0	9.8	61.8	52.8	81.
35-39	1,614	777	837	3.4	3.1	3.6	22.6	15.2	40.
40-44	337	105	232	0.7	0.4	1.0	5.3	2.3	12.
45-49	25	5	20	**	**	0.1	0.4	0.1	1.
Unknown	6	3	3	**	**	**			

* For total group-live births per 1,000 females 15-44 years of age; for specific age groups-live births per 1,000 females in specified group.

** Less than 0.06 percent.

Table A6. Live births and percentage distribution, by years of school completed by father and mother and race Mississippi, 1980

Years of School Completed by Father and Mother	Number			Percent*			Cumulative Percent*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
FATHER									
Median years completed*	12.6	12.7	12.3						
Total legitimate births	34,407	23,221	11,186	100.0	100.0	100.0			
0-6 years	826	376	450	2.4	1.6	4.1	2.4	1.6	4.1
7-9 years	3,775	2,314	1,461	11.1	10.0	13.4	13.5	11.6	17.5
10, 11 years	5,316	2,995	2,321	15.6	12.9	21.2	29.1	24.6	38.7
12 years	12,186	8,120	4,066	35.8	35.1	37.2	64.9	59.7	75.9
1-3 years college	6,212	4,634	1,578	18.2	20.0	14.4	83.1	79.7	90.4
4 or more years college	5,747	4,696	1,051	16.9	20.3	9.6	100.0	100.0	100.0
Unknown	345	86	259						
MOTHER									
Median years completed*	12.4	12.6	12.1						
Total births	47,821	24,687	23,134	100.0	100.0	100.0			
0-6 years	748	238	510	1.6	1.0	2.2	1.6	1.0	2.2
7-9 years	6,685	2,720	3,965	14.0	11.0	17.2	15.6	12.0	19.4
10, 11 years	10,032	3,718	6,314	21.0	15.1	27.4	36.6	27.1	46.7
12 years	17,290	9,547	7,743	36.2	38.7	33.5	72.8	65.8	80.3
1-3 years college	7,884	4,785	3,099	16.5	19.4	13.4	89.3	85.2	93.7
4 or more years college	5,103	3,652	1,451	10.7	14.8	6.3	100.0	100.0	100.0
Unknown	79	27	52						

* Calculations exclude births to parents with education unknown; calculations for fathers also exclude illegitimate births.

Table A7. Illegitimate live births, percent of total live births in specified group, by age of mother and race
Mississippi, 1980

Age of Mother	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	13,414	1,466	11,948	28.0	5.9	51.6
10-14	356	21	335	94.2	52.5	99.1
15-19	6,156	750	5,406	57.6	18.4	81.7
20-24	4,349	460	3,889	25.5	5.1	48.6
25-29	1,624	158	1,466	13.2	2.1	30.4
30-34	642	58	584	11.8	1.8	25.8
35-39	213	16	197	13.2	2.0	23.5
40-44	69	3	66	20.5	2.8	28.4
45-49	5	0	5	20.0	-	25.0
Unknown	0	0	0			

Table A1. Live births and percentage distribution, by type of facility, attendant, and race
Mississippi, 1980

Type of Facility and Race	Number						Percent					
	Total	Physician	Certified Nurse Midwife	Granny Midwife	Other Named Person	Unknown	Total	Physician	Certified Nurse Midwife	Granny Midwife	Other Named Person	Unknown
Total	47,821	45,559	2,013	150	87	12	100.0	95.3	4.2	0.3	0.2	*
Hospital	47,533	45,494	2,006	0	30	3	99.4	95.1	4.2	-	0.1	*
Home, etc.	277	62	7	150	50	8	0.6	0.1	*	0.3	0.1	*
Enroute to hospital	9	2	0	0	6	1	*	*	-	-	*	*
Unknown place	2	1	0	0	1	0	*	*	-	-	*	-
White	24,687	24,324	290	46	24	3	100.0	98.5	1.2	0.2	0.1	*
Hospital	24,605	24,312	289	0	2	2	99.7	98.5	1.2	-	*	*
Home, etc.	81	11	1	46	22	1	0.3	*	*	0.2	0.1	*
Enroute to hospital	0	0	0	0	0	0	-	-	-	-	-	-
Unknown place	1	1	0	0	0	0	*	*	-	-	-	-
Nonwhite	23,134	21,235	1,723	104	63	9	100.0	91.8	7.4	0.4	0.3	*
Hospital	22,928	21,182	1,717	0	28	1	99.1	91.6	7.4	-	0.1	*
Home, etc.	196	51	6	104	28	7	0.8	0.2	*	0.4	0.1	*
Enroute to hospital	9	2	0	0	6	1	*	*	-	-	*	*
Unknown place	1	0	0	0	1	0	*	-	-	-	*	-

* Less than 0.06 percent.

Table A8. Live births, percentage distribution, fertility rates, and median age of mother, by total-birth order and race Mississippi, 1980

Total-Birth Order*	Number			Percent			Fertility Rate**			Median Age of Mother		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total	47,821	24,687	23,134	100.0	100.0	100.0	83.9	68.0	111.8	23.7	24.6	22.7
First	17,259	9,782	7,477	36.1	39.6	32.3	30.3	26.9	36.1	20.6	21.8	19.0
Second	13,869	7,904	5,965	29.0	32.0	25.8	24.3	21.8	28.8	23.8	24.8	22.1
Third	8,209	4,170	4,039	17.2	16.9	17.4	14.4	11.5	19.5	25.7	26.9	24.3
Fourth	4,082	1,659	2,423	8.5	6.7	10.5	7.2	4.6	11.7	27.1	28.9	25.9
Fifth	1,858	595	1,263	3.9	2.4	5.4	3.2	1.6	6.1	28.3	30.2	27.4
Sixth	939	262	677	2.0	1.1	2.9	1.6	0.7	3.3	29.8	31.9	29.2
Seventh	521	108	413	1.1	0.4	1.8	0.9	0.3	2.0	31.9	33.0	31.5
Eighth	347	48	299	0.7	0.2	1.3	0.6	0.1	1.4	32.8	34.8	32.6
Ninth	211	19	192	0.4	0.1	0.8	0.4	#	0.9	34.6	36.0	34.5
Tenth & over	349	33	316	0.7	0.1	1.4	0.6	0.1	1.5	37.5	36.5	37.6
Unknown	177	107	70	0.4	0.4	0.3	0.3	0.3	0.3			

* Includes all live births plus all fetal deaths regardless of length of gestation.

** Live births per 1,000 females 15-44 years of age.

# Less than 0.06.

Table A9. Median number of months between last delivery to mothers who had had previous pregnancies and live births in 1980, by race and outcome of last delivery

Race	Total*	Outcome of Last Delivery	
		Live Birth	Fetal Death
Total	33.5	35.7	21.0
White	36.0	39.1	20.6
Nonwhite	31.0	32.4	21.6

* Excludes those with outcome of last delivery unknown.

Table A10. Live births and percentage distribution, by whether mother received prenatal care, time during pregnancy care began, and race Mississippi, 1980

Prenatal Care and Time Care Began	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	47,821	24,687	23,134	100.0	100.0	100.0
No prenatal care	387	127	260	0.8	0.5	1.1
Some prenatal care	47,320	24,526	22,794	99.0	99.3	98.5
First trimester	35,610	20,994	14,616	74.5	85.0	63.2
Second trimester	9,940	2,997	6,943	20.8	12.1	30.0
Third trimester	1,645	490	1,155	3.4	2.0	5.0
Unknown month	125	45	80	0.3	0.2	0.3
Unknown whether any prenatal care	114	34	80	0.2	0.1	0.3

Table A11. Live births and percentage distribution, by maturity and race
Mississippi, 1980

Maturity*	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	47,821	24,687	23,134	100.0	100.0	100.0
Immature only**	1,847	679	1,168	3.9	2.8	5.0
Premature only**	3,945	1,304	2,641	8.2	5.3	11.4
Both immature and premature	2,344	770	1,574	4.9	3.1	6.8
Total immature	4,191	1,449	2,742	8.8	5.9	11.8
Total premature	6,289	2,074	4,215	13.2	8.4	18.2
Total immature and/or premature	8,136	2,753	5,383	17.0	11.2	23.3
Neither immature nor premature**	39,685	21,934	17,751	83.0	88.8	76.7

* Immature - birthweight 5½ pounds (2,500 grams) or less; premature - gestation less than 37 weeks (calculated by subtracting the date of the last normal menstrual period prior to delivery from the date of birth).

** Births classified as immature only or as premature only include some for which the other measurement was unknown. Those classified as neither immature nor premature include some for which one or both measurements were unknown.

Table A12. Congenital malformations reported on live birth certificates, by system or organs affected and race
Mississippi, 1980

System or Organs Affected and International Classification Number*	Total	White	Non-white
Total malformations reported	366	214	152
Musculoskeletal system (754-756)	145	49	96
Digestive system (749-751)	64	52	12
Nervous system (740-743)	41	32	9
Genital organs (752)	37	26	11
Circulatory system (746, 747)	15	9	6
All others	64	46	18

* From the Ninth Revision International Statistical Classifica-

FETAL DEATHS

Table B1. Reportable* fetal deaths and percentage distribution, by place of delivery, attendant, and race Mississippi, 1980

Place of Delivery and Attendant	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	707	247	460	100.0	100.0	100.0
Hospital	688	240	448	97.3	97.2	97.4
Physician	666	234	432	94.2	94.7	93.9
Certified nurse midwife	12	2	10	1.7	0.8	2.2
Other	5	2	3	0.7	0.8	0.6
Unknown	5	2	3	0.7	0.8	0.6
Other named place	18	6	12	2.5	2.4	2.6
Physician	5	3	2	0.7	1.2	0.4
"Granny" midwife	5	0	5	0.7	-	1.1
Other	4	2	2	0.6	0.8	0.4
Unknown	4	1	3	0.6	0.4	0.6
Enroute to hospital or BOA	1	1	0	0.1	0.4	-
Unknown	1	1	0	0.1	0.4	-

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

Table B2. Reportable* fetal deaths and fetal death ratios, by age of mother and race
Mississippi, 1980

Age of Mother	Number			Ratio**		
	Total	White	Non-white	Total	White	Non-white
Total	707	247	460	14.8	10.0	19.9
10-14	13	1	12	34.4	#	35.5
15-19	173	50	123	16.2	12.3	18.6
20-24	225	87	138	13.2	9.6	17.3
25-29	148	62	86	12.0	8.3	17.8
30-34	86	29	57	15.8	9.1	25.2
35-39	40	10	30	24.8	12.9	35.8
40-44	19	7	12	56.4	66.7	51.7
45-49	2	1	1	#	#	#
Unknown	1	0	1	#	-	#

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Reportable fetal deaths per 1,000 live births to mothers in specified group.

# Ratio not calculated on less than 100 live births.

Table B3. Percentage distribution of live births and reportable* fetal deaths, by whether mother received prenatal care and race
Mississippi, 1980

Prenatal Care	Live Births			Reportable* Fetal Deaths		
	Total	White	Non-white	Total	White	Non-white
Total	100.0	100.0	100.0	100.0	100.0	100.0
No care	0.8	0.5	1.1	5.8	6.1	5.6
Some care	98.7	99.2	98.2	83.6	85.8	82.4
Unknown whether any care	0.5	0.3	0.7	10.6	8.1	12.0

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

Table B4. Reportable* fetal deaths and fetal death ratios, by completed weeks of gestation and race, 1978-1980

Completed Weeks of Gestation**	Total			White			Nonwhite		
	1978	1979	1980	1978	1979	1980	1978	1979	1980
REPORTABLE* FETAL DEATHS									
Total	678	665	707	216	209	247	462	456	460
Under 20	37	29	25	10	5	9	27	24	16
20 and over	587	602	624	193	195	221	394	407	403
20-22	75	84	77	18	31	21	57	53	56
23-27	116	119	140	33	30	50	83	89	90
28-36	206	197	192	69	55	57	137	142	135
37 and over	190	202	215	73	79	93	117	123	122
Unknown	54	34	58	13	9	17	41	25	41
FETAL DEATH RATIOS#									
Total	15.3	14.5	14.8	9.5	8.9	10.0	21.2	20.3	19.9
Under 20	0.8	0.6	0.5	0.4	0.2	0.4	1.2	1.1	0.7
20 and over	13.2	13.1	13.0	8.5	8.3	9.0	18.1	18.1	17.4
20-22	1.7	1.8	1.6	0.8	1.3	0.8	2.6	2.4	2.4
23-27	2.6	2.6	2.9	1.4	1.3	2.0	3.8	4.0	3.9
28-36	4.6	4.3	4.0	3.0	2.3	2.3	6.3	6.3	5.8
37 and over	4.3	4.4	4.5	3.2	3.4	3.8	5.4	5.5	5.3
Unknown	1.2	0.7	1.2	0.6	0.4	0.7	1.9	1.1	1.8

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Calculated by subtracting the date of the last normal menstrual period prior to delivery from the date of delivery.

# Reportable fetal deaths per 1,000 live births.

DEATHS

Table C1. Deaths and average per day, by month Mississippi, 1980

Month	Deaths	Average per Day	Month	Deaths	Average per Day
Total	23,576	64			
January	2,024	65	July	2,153	69
February	2,035	70	August	1,862	60
March	2,076	67	September	1,762	59
April	1,893	63	October	1,917	62
May	1,915	62	November	1,951	65
June	1,850	62	December	2,138	69

Table C2. Deaths, percentage distribution, and rates, by age and race Mississippi, 1980

	Number			Percent			Rate*		
Age	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total	23,576	14,531	9,045	100.0	100.0	100.0	9.4	9.0	10.0
Under 1	812	272	540	3.4	1.9	6.0	17.6	11.1	25.0
1-4	141	60	81	0.6	0.4	0.9	0.8	0.6	1.0
5-9	95	41	54	0.4	0.3	0.6	0.4	0.3	0.6
10-14	99	49	50	0.4	0.3	0.6	0.4	0.4	0.5
15-24	686	384	302	2.9	2.6	3.3	1.4	1.3	1.5
25-34	663	319	344	2.8	2.2	3.8	1.8	1.3	2.9
35-44	807	437	370	3.4	3.0	4.1	3.1	2.3	5.2
45-54	1,642	1,005	637	7.0	6.9	7.0	7.1	5.9	10.2
55-64	3,293	2,138	1,155	14.0	14.7	12.8	15.2	13.7	19.1
65-74	5,706	3,605	2,101	24.2	24.8	23.2	31.7	29.6	36.0
75-84	5,775	3,752	2,023	24.5	25.8	22.4	67.2	65.4	71.0
85 and over	3,842	2,467	1,375	16.3	17.0	15.2	163.4	162.6	164.9
Unknown	15	2	13	0.1	**	0.1			

* Deaths per 1,000 population in specified group.

** Less than 0.06 percent.

Table C3. Deaths by age, race, and sex, and male/female ratios by age and race
Mississippi, 1980

Age	Total			White			Nonwhite		
	Male	Female	Males per Female	Male	Female	Males per Female	Male	Female	Males per Female
Total	13,136	10,440	1.26	8,133	6,398	1.27	5,003	4,042	1.24
Under 1	481	331	1.45	171	101	1.69	310	230	1.35
1-4	75	66	1.14	27	33	0.82	48	33	1.45
5-9	58	37	1.57	24	17	1.41	34	20	1.70
10-14	68	31	2.19	30	19	1.58	38	12	3.17
15-24	522	164	3.18	289	95	3.04	233	69	3.38
25-34	462	201	2.30	225	94	2.39	237	107	2.21
35-44	520	287	1.81	287	150	1.91	233	137	1.70
45-54	1,052	590	1.78	680	325	2.09	372	265	1.40
55-64	2,169	1,124	1.93	1,468	670	2.19	701	454	1.54
65-74	3,430	2,276	1.51	2,245	1,360	1.65	1,185	916	1.29
75-84	2,833	2,942	0.96	1,805	1,947	0.93	1,028	995	1.03
85 and over	1,458	2,384	0.61	880	1,587	0.55	578	797	0.72
Unknown	8	7		2	0		6	7	
Median age	68.4	75.4		68.8	76.7		67.5	72.5	

Table C4. Death rates*, by age, race, and sex
Mississippi, 1980

Age	Total		White		Nonwhite	
	Male	Female	Male	Female	Male	Female
Total	10.8	8.0	10.3	7.7	11.8	8.4
Under 1	20.4	14.6	13.6	8.4	28.2	21.6
1-4	0.9	0.8	0.6	0.7	1.2	0.8
5-9	0.5	0.3	0.4	0.3	0.7	0.4
10-14	0.6	0.3	0.4	0.3	0.8	0.2
15-24	2.1	0.7	1.9	0.7	2.4	0.7
25-34	2.6	1.1	1.8	0.8	4.2	1.6
35-44	4.2	2.1	3.0	1.6	7.4	3.5
45-54	9.7	4.8	8.2	3.7	14.3	7.3
55-64	22.0	9.5	20.2	8.0	27.2	13.1
65-74	44.2	22.2	43.1	19.6	46.4	27.9
75-84	86.5	55.4	86.7	53.2	86.1	60.1
85 and over	192.2	149.7	197.8	148.0	184.3	153.3

* Deaths per 1,000 population in specified group.

able C5. Deaths and percent of total deaths from ten leading causes, by cause and race Mississippi, 1980

Cause and International Classification Number	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total of ten leading causes	19,070	12,100	6,970	80.9	83.3	77.0
1. Heart diseases (390-398, 402, 404-429)	8,220	5,493	2,727	34.9	37.8	30.1
2. Malignant neoplasms (140-208)	4,383	2,895	1,488	18.6	19.9	16.4
3. Cerebrovascular diseases (430-438)	2,323	1,366	957	9.8	9.4	10.6
4. Accidents (800-949)	1,711	985	726	7.2	6.8	8.0
5. Emphysema and other chronic obstructive pulmonary diseases (490-496)	495	400	95	2.1	2.8	1.0
6. Pneumonia and influenza (480-487)	482	345	137	2.0	2.4	1.5
7. Diabetes mellitus (250)	409	198	211	1.7	1.4	2.3
8. Certain conditions originating in the perinatal period (760-779)	392	121	271	1.7	0.8	3.0
9. Homicide and legal intervention (960-978)	359	112	247	1.5	0.8	2.7
10. Atherosclerosis (440)	296	185	111	1.2	1.3	1.2

Table C6. Deaths and percent of total deaths, and rates for five leading caus
by age and cause
Mississippi, 1980

Age	Cause and International Classification Number	Number	Percent	Rat
1-4	All causes	141	100.0	0
	1. Accidents (800-949)	74	52.5	43
	2. Congenital anomalies (740-759)	16	11.3	9
	3. Malignant neoplasms (140-208)	4	2.8	2
	3. Heart diseases (390-398, 402, 404-429)	4	2.8	2
	5. Homicide and legal intervention (960-978)	3	2.1	1
5-14	All causes	194	100.0	0
	1. Accidents (800-949)	113	58.2	25
	2. Malignant neoplasms (140-208)	22	11.3	4
	3. Congenital anomalies (740-759)	7	3.6	1
	4. Anemias (280-285)	4	2.1	0
	4. Pneumonia and influenza (480-487)	4	2.1	0
15-24	All causes	686	100.0	1
	1. Accidents (800-949)	390	56.8	79
	2. Homicide and legal intervention (960-978)	89	13.0	18
	3. Suicide (950-959)	55	8.0	11
	4. Malignant neoplasms (140-208)	36	5.2	7
	5. Heart diseases (390-398, 402, 404-429)	26	3.8	5
25-44	All causes	1,470	100.0	2
	1. Accidents (800-949)	401	27.3	63
	2. Heart diseases (390-398, 402, 404-429)	213	14.5	33
	3. Malignant neoplasms (140-208)	209	14.2	33
	4. Homicide and legal intervention (960-978)	174	11.8	27
	5. Suicide (950-959)	77	5.2	12
45-64	All causes	4,935	100.0	11
	1. Heart diseases (390-398, 402, 404-429)	1,676	34.0	373
	2. Malignant neoplasms (140-208)	1,390	28.2	310
	3. Cerebrovascular diseases (430-438)	308	6.2	68
	4. Accidents (800-949)	293	5.9	65
	5. Chronic liver disease and cirrhosis (571)	116	2.4	25
65 and over	All causes	15,323	100.0	53
	1. Heart diseases (390-398, 402, 404-429)	6,267	40.9	2,165
	2. Malignant neoplasms (140-208)	2,718	17.7	939
	3. Cerebrovascular diseases (430-438)	1,939	12.6	670
	4. Accidents (800-949)	398	2.6	137
	5. Pneumonia and influenza (480-487)	385	2.5	133

* Deaths from all causes per 1,000 population in specified group and deaths from specifi
causes per 100,000 population in specified group.

Table C7. Deaths and rates from malignant neoplasms, by primary site, sex, and race Mississippi, 1980

Primary Site (ranked according to number of deaths among total population) and International Classification Number	Number				Rate*			
	Male		Female		Male		Female	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Total	1,659	869	1,236	619	210.4	204.3	149.5	128.9
1. Respiratory and intrathoracic organs (160-165)	672	257	203	70	85.2	60.4	24.6	14.6
2. Digestive organs and peritoneum (150-159)	367	256	352	163	46.5	60.2	42.6	33.9
3. Genital organs (179-187)	134	136	118	111	17.0	32.0	14.3	23.1
4. Lymphatic and hematopoietic tissue (200-208)	152	67	127	52	19.3	15.8	15.4	10.8
5. Breast (174, 175)	0	1	215	92	-	0.2	26.0	19.2
6. Urinary organs (188, 189)	75	22	26	24	9.5	5.2	3.1	5.0
7. Brain (191)	36	9	39	9	4.6	2.1	4.7	1.9
8. Lip, oral cavity, and pharynx (140-149)	33	20	14	6	4.2	4.7	1.7	1.2
9. Skin (172, 173)	43	5	21	2	5.4	1.2	2.5	0.4
10. Bone and connective tissue (170, 171)	11	6	12	8	1.4	1.4	1.4	1.7
- Other and unspecified sites (190, 192-199)	136	90	109	82	17.2	21.2	13.2	17.1

* Deaths per 100,000 population in specified group.

Table C8. Deaths from major chronic respiratory diseases, Mississippi, 1955, 1960, 1965, 1970, 1975, 1980

Cause and International Classification Number	1955	1960	1965	1970	1975	1980
Tuberculosis of respiratory system (010-012)	189	135	71	35	26	26
Malignant neoplasms of respiratory system (160-165)	258	347	502	691	950	1,202
Malignant neoplasms of trachea, bronchus, and lung (162)	229	317	456	658	898	1,151
Chronic and unqualified bronchitis (490, 491)	23	30	51	45	38	15
Emphysema (492)	25	89	170	200	181	130
Asthma (493)	56	74	55	22	15	45
(Adjusted figures*)	(31)	(52)	(38)			

* Adjusted according to comparability ratios prepared by the National Center for Health Statistics in order to compensate for breaks in comparability caused by revisions of the cause-of-death classification system in 1958 and 1968.

Table C9. Deaths and percent of total accidental deaths from five leading causes of accidental death, by cause and race Mississippi, 1980

Type of Accident and International Classification Number	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total of five leading causes	1,210	740	470	70.7	75.1	64.7
1. Motor vehicle (810-825)	743	489	254	43.4	49.6	35.0
2. Fires and flames (890-899)	152	50	102	8.9	5.1	14.0
3. Drowning and submersion (except in transport accidents) (910)	121	59	62	7.1	6.0	8.5
4. Falls (880-888)	106	82	24	6.2	8.3	3.3
5. Caused by firearm missile (922)	88	60	28	5.1	6.1	3.8

Table C10. Deaths from selected types of accidents, by sex, also by age Mississippi residents, 1980

		Sex		Age								
ype of Accident and nternational Classification Number	Total	Male	Female	Under 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & Over	Un-known
LL ACCIDENTS	1,711	1,195	516	40	74	113	390	242	159	293	398	2
otor vehicle (810-825)	743	546	197	6	31	43	243	141	79	122	78	0
ater transport (830-838)	27	27	0	0	0	0	11	5	3	7	1	0
Submersion, drowning (830, 832)	24	24	0	0	0	0	9	4	3	7	1	0
Other (831, 833-838)	3	3	0	0	0	0	2	1	0	0	0	0
ir and space transport (840-845)	11	11	0	0	0	0	1	4	2	4	0	0
oisoning (850-869)	47	27	20	2	0	1	10	14	6	5	9	0
By drugs, medicaments, and biologicals (850-858)	27	12	15	1	0	1	5	4	4	5	7	0
By other solid and liquid substances, gases, and vapors (860-869)	20	15	5	1	0	0	5	10	2	0	2	0
alls (880-888)	106	57	49	2	0	2	4	5	5	18	70	0
ires and flames (890-899)	152	86	66	4	22	15	12	13	8	19	59	0
rowning and submersion (except in transport accidents) (910)	121	103	18	0	11	27	49	10	7	10	7	0
nhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (911, 912)	72	46	26	16	1	0	6	2	8	12	27	0
echanical suffocation (including in bed or cradle) (913)	9	8	1	2	0	4	1	2	0	0	0	0
truck by, striking against, and caught in or between objects (916-918)	33	32	1	0	0	1	7	8	4	8	5	0
aused by machinery (919)	37	37	0	0	1	2	7	3	9	13	2	0
aused by firearm missile (922)	88	74	14	0	3	12	17	20	3	24	9	0
aused by electric current (925)	13	11	2	2	0	1	6	1	2	1	0	0

Table C11. Motor vehicle accident deaths occurring in Mississippi and rates, also motor vehicle accident deaths of Mississippi residents and rates, by year, 1950, 1955, 1960, 1965, 1970-1980

Year	Occurrence Data		Residence Data	
	Number	Rate*	Number	Rate*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5

* Deaths in Mississippi per 100,000,000 miles of vehicle travel; deaths of residents per 100,000 population.

** Not available.

Table C12. Infant deaths, percentage distribution, and mortality rates by age and race
Mississippi, 1980

Age	Number			Percent			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total under 1 year	812	272	540	100.0	100.0	100.0	17.0	11.0	23.3
Neonatal (under 28 days)	523	189	334	64.4	69.5	61.8	10.9	7.6	14.4
Hebdomadal (under 7 days)	429	151	278	52.8	55.5	51.5	9.0	6.1	12.0
Under 1 day	282	94	188	34.7	34.6	34.8	5.9	3.8	8.1
1-6 days	147	57	90	18.1	21.0	16.7	3.1	2.3	3.9
7-27 days	94	38	56	11.6	14.0	10.4	2.0	1.5	2.4
Postneonatal (28 days to 1 year)	289	83	206	35.6	30.5	38.1	6.0	3.4	8.9

* Deaths per 1,000 live births.

Table C13. Deaths and mortality rates for six leading causes of infant deaths, by cause and race
Mississippi, 1980

Cause and International Classification Number	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
All causes	812	272	540	17.0	11.0	23.3
1. Congenital anomalies (740-759)	132	75	57	2.8	3.0	2.5
2. Respiratory distress syndrome (769)	94	37	57	2.0	1.5	2.5
3. Sudden infant death syndrome (798.0)	73	18	55	1.5	0.7	2.4
4. Disorders relating to short gestation and unspecified low birthweight (765)	66	17	49	1.4	0.7	2.1
5. Accidents (800-949)	40	14	26	0.8	0.6	1.1
6. Infections specific to the perinatal period (771)	32	11	21	0.7	0.4	0.9
6. Intrauterine hypoxia and birth asphyxia (768)	32	11	21	0.7	0.4	0.9

* Deaths per 1,000 live births.

MARRIAGES

Table D1. Marriages and average per day, by month Mississippi, 1980

Month	Marriages	Average per Day	Month	Marriages	Average per Day
Total	27,908	76			
January	1,689	54	July	2,486	80
February	1,962	68	August	3,055	98
March	2,174	70	September	1,925	64
April	2,103	70	October	1,911	62
May	2,730	88	November	2,165	72
June	3,166	106	December	2,542	82

Table D2. Brides and grooms and percentage distribution, by age and race Mississippi, 1980

	Number						Percent					
	Bride			Groom			Bride			Groom		
Age	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total	27,908	20,620	7,288	27,908	20,608	7,300	100.0	100.0	100.0	100.0	100.0	100.0
Under 20	8,208	6,438	1,770	3,482	2,867	615	29.4	31.2	24.3	12.5	13.9	8.4
13	8	7	1	0	0	0	*	*	*	-	-	-
14	58	52	6	1	1	0	0.2	0.2	0.1	*	*	-
15	506	432	74	9	9	0	1.8	2.1	1.0	*	*	-
16	975	779	196	105	96	9	3.5	3.8	2.7	0.4	0.5	0.1
17	1,751	1,431	320	469	413	56	6.3	6.9	4.4	1.7	2.0	0.8
18	2,553	1,986	567	1,158	969	189	9.1	9.6	7.8	4.1	4.7	2.6
19	2,357	1,751	606	1,740	1,379	361	8.4	8.5	8.3	6.2	6.7	4.9
20-24	9,103	6,432	2,671	10,286	7,335	2,951	32.6	31.2	36.6	36.8	35.6	40.4
25-34	6,275	4,493	1,782	8,235	5,983	2,252	22.5	21.8	24.4	29.5	29.0	30.8
35-44	2,223	1,720	503	2,865	2,240	625	8.0	8.3	6.9	10.3	10.9	8.6
45-54	1,128	846	282	1,492	1,163	329	4.0	4.1	3.9	5.3	5.6	4.5
55-64	616	435	181	853	587	266	2.2	2.1	2.5	3.0	2.8	3.6
65-74	306	223	83	532	330	202	1.1	1.1	1.1	1.9	1.6	2.8
75 & over	47	31	16	160	102	58	0.2	0.2	0.2	0.6	0.5	0.8
Unknown	2	2	0	3	1	2	*	*	-	*	*	*

* Less than 0.06 percent.

Table D3. Median age of bride and groom, for all marriages and first marriages, by race Mississippi, 1980

All and First Marriages	Bride			Groom		
	Total	White	Non-white	Total	White	Non-white
All marriages	22.8	22.6	23.2	25.1	25.1	25.2
First marriages	20.5	19.9	22.0	22.7	22.4	23.5

Table D4. Brides and grooms and percentage distribution, by marriage order and race Mississippi, 1980

Marriage Order	Number						Percent					
	Bride			Groom			Bride			Groom		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total	27,908	20,620	7,288	27,908	20,608	7,300	100.0	100.0	100.0	100.0	100.0	100.0
First	17,197	11,750	5,447	16,902	11,670	5,232	61.6	57.0	74.7	60.6	56.6	71.7
Remarriage	10,675	8,841	1,834	10,977	8,916	2,061	38.2	42.9	25.2	39.3	43.3	28.2
Second	7,796	6,256	1,540	7,996	6,303	1,693	27.9	30.3	21.1	28.6	30.6	23.2
Over two	2,856	2,565	291	2,958	2,595	363	10.2	12.4	4.0	10.6	12.6	5.0
Third	2,175	1,927	248	2,336	2,034	302	7.8	9.3	3.4	8.4	9.9	4.1
Fourth	545	505	40	495	449	46	2.0	2.4	0.5	1.8	2.2	0.6
Fifth	101	99	2	83	72	11	0.4	0.5	#	0.3	0.3	0.2
Sixth	25	24	1	28	26	2	0.1	0.1	#	0.1	0.1	#
Seventh	5	5	0	13	11	2	#	#	-	#	#	#
Eighth	3	3	0	2	2	0	#	#	-	#	#	-
Ninth	0	0	0	0	0	0	-	-	-	-	-	-
Tenth	1	1	0	1	1	0	#	#	-	#	#	-
Eleventh	0	0	0	0	0	0	-	-	-	-	-	-
Twelfth	1	1	0	0	0	0	#	#	-	-	-	-
Unknown*	23	20	3	23	18	5	0.1	0.1	#	0.1	0.1	0.1
Unknown**	36	29	7	29	22	7	0.1	0.1	0.1	0.1	0.1	0.1

* Previously married but number of previous marriages unknown.

** Unknown whether previously married.

Less than 0.06 percent.

Table D5. Brides and grooms and percentage distribution by previous marital status and race Mississippi, 1980

Previous Marital Status	Bride			Groom		
	Total	White	Nonwhite	Total	White	Nonwhite
NUMBER						
Total	27,908	20,620	7,288	27,908	20,608	7,300
Not previously married	17,197	11,750	5,447	16,902	11,670	5,232
Remarriages	10,675	8,841	1,834	10,977	8,916	2,061
Widowed	1,460	1,095	365	1,062	737	325
Divorced*	9,149	7,695	1,454	9,888	8,164	1,724
Unknown**	66	51	15	27	15	12
Unknown#	36	29	7	29	22	7
PERCENT						
Total	100.0	100.0	100.0	100.0	100.0	100.0
Not previously married	61.6	57.0	74.7	60.6	56.6	71.7
Remarriages	38.2	42.9	25.2	39.3	43.3	28.2
Widowed	5.2	5.3	5.0	3.8	3.6	4.4
Divorced*	32.8	37.3	20.0	35.4	39.6	23.6
Unknown**	0.2	0.2	0.2	0.1	0.1	0.2
Unknown#	0.1	0.1	0.1	0.1	0.1	0.1

* Includes those whose last marriage was annulled.

** Unknown whether widowed or divorced.

# Unknown whether any previous marriage.

Table D6. Marriages and percentage distribution, by residence of bride and groom and race of bride Mississippi, 1980

Residence of Groom	Race and Residence of Bride											
	Total				White				Nonwhite			
	Total	Mississippi	Other	Unknown	Total	Mississippi	Other	Unknown	Total	Mississippi	Other	Unknown
NUMBER												
Total	27,908	25,594	2,300	14	20,620	18,723	1,887	10	7,288	6,871	413	4
Mississippi	24,722	24,147	564	11	18,054	17,581	464	9	6,668	6,566	100	2
Other	3,181	1,444	1,735	2	2,563	1,140	1,422	1	618	304	313	1
Unknown	5	3	1	1	3	2	1	0	2	1	0	1
PERCENT												
Total	100.0	91.7	8.2	*	100.0	90.8	9.2	*	100.0	94.3	5.7	*
Mississippi	88.6	86.5	2.0	*	87.6	85.3	2.2	*	91.5	90.1	1.4	*
Other	11.4	5.2	6.2	*	12.4	5.5	6.9	*	8.5	4.2	4.3	*
Unknown	*	*	*	*	*	*	*	-	*	*	-	*

* Less than 0.06 percent.

DIVORCES

Table E1. Divorces and rates by race, census years, 1940-1980

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1940	3,251	2,295	956	6.8	9.3	4.2
1950	6,065	3,711	2,354	11.8	12.5	10.9
1960	5,260	3,553	1,707	11.0	11.4	10.1
1970	8,211	6,227	1,984	16.6	17.6	14.0
1980	13,846	10,760	3,086	24.5	26.0	20.5

* Divorces per 1,000 married women 14 years of age and over for census years 1940-1970. Divorces per 1,000 married women 15 years and over for the census year 1980.

Table E2. Divorces and percentage distribution, by cause and race*
Mississippi, 1980

Cause	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	13,846	10,760	3,086	100.0	100.0	100.0
Irreconcilable differences	6,336	5,573	763	45.8	51.8	24.7
Cruel and inhuman treatment	5,875	4,460	1,415	42.4	41.4	45.8
Desertion	1,216	435	781	8.8	4.0	25.3
Adultery	218	147	71	1.6	1.4	2.3
Drunkenness	103	74	29	0.7	0.7	0.9
Penitentiary	41	24	17	0.3	0.2	0.6
Annulment	26	23	3	0.2	0.2	0.1
Bigamy	10	6	4	0.1	**	0.1
Miscellaneous and other	7	6	1	**	**	**
Unknown	14	12	2	0.1	0.1	0.1

* Divorces of mixed-race couples are included in figures for nonwhites.

** Less than 0.06 percent.

Table E3. Divorces and percentage distribution, by number of minor children and race*
Mississippi, 1980

Number of Minor Children	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total divorces	13,846	10,760	3,086	100.0	100.0	100.0
None	6,072	4,977	1,095	43.8	46.2	35.5
One	3,633	2,792	841	26.2	25.9	27.2
Two	2,547	1,936	611	18.4	18.0	19.8
Three or more	1,467	972	495	10.6	9.0	16.0
Unknown	127	83	44	0.9	0.8	1.4

* Divorces of mixed-race couples are included in figures for nonwhites.

Table E4. Divorces and percentage distribution, by number of years married and race*
Mississippi, 1980

Number of Years Married	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total divorces	13,846	10,760	3,086	100.0	100.0	100.0
Under five	6,301	5,326	975	45.5	49.5	31.6
Under one	1,146	1,038	108	8.3	9.6	3.5
One	1,430	1,253	177	10.3	11.6	5.7
Two	1,396	1,177	219	10.1	10.9	7.1
Three	1,234	993	241	8.9	9.2	7.8
Four	1,095	865	230	7.9	8.0	7.4
Five - nine	3,518	2,558	960	25.4	23.8	31.1
Ten - nineteen	2,647	1,967	680	19.1	18.3	22.0
Twenty and over	1,322	864	458	9.5	8.0	14.8
Unknown	58	45	13	0.4	0.4	0.4

* Divorces of mixed-race couples are included in figures for nonwhites.

MAJOR TABLES

1980

TABLE 1
CENSUS POPULATION AND PERCENT CHANGE SINCE 1970, BY PLACE (COUNTIES, TOWNS OF 10,000 OR MORE) AND RACE, MISSISSIPPI, AS OF APRIL 1, 1980

	Population			Percent Change since 1970		
County	Total	White	Non-white	Total	White	Non-white
STATE	2,520,638	1,615,190	905,448	13.7	15.9	9.9
Adams	38,035	19,531	18,504	2.0	0.8	3.2
Alcorn	33,036	29,460	3,576	21.5	23.0	10.8
Amite	13,369	6,996	6,373	-2.9	2.7	-8.3
Attala	19,865	12,052	7,813	1.5	3.6	-1.6
Benton	8,153	5,054	3,099	8.6	16.2	-1.8
Bolivar	45,965	16,986	28,979	-7.0	-9.4	-5.5
Calhoun	15,664	11,650	4,014	7.1	7.8	5.2
Carroll	9,776	5,332	4,444	4.0	15.5	-7.1
Chickasaw	17,853	11,383	6,470	6.2	5.2	8.1
Choctaw	8,996	6,447	2,549	6.6	6.2	7.5
Claiborne	12,279	3,074	9,205	21.7	21.2	21.9
Clarke	16,945	11,004	5,941	12.6	14.2	9.6
Clay	21,082	10,470	10,612	11.9	10.0	13.8
Coahoma	36,918	13,074	23,844	-8.7	-8.1	-9.0
Copiah	26,503	13,642	12,861	7.1	10.9	3.3
Covington	15,927	10,410	5,517	13.7	10.4	20.6
DeSoto	53,930	44,203	9,727	50.3	90.2	-23.1
Forrest	66,018	47,719	18,299	14.1	9.6	27.7
Franklin	8,208	5,143	3,065	2.4	5.0	-1.6
George	15,297	13,808	1,489	22.8	25.4	2.5
Greene	9,827	7,836	1,991	15.0	17.6	5.7
Grenada	21,043	12,203	8,840	6.0	9.4	1.6
Hancock	24,537	21,892	2,645	41.1	47.0	6.1
Harrison	157,665	124,036	33,629	17.2	11.7	43.0
Hinds	250,998	136,265	114,733	16.8	4.3	36.0
Holmes	22,970	6,577	16,393	-0.6	-10.4	3.9
Humphreys	13,931	4,718	9,213	-4.6	-7.3	-3.1
Issaquena	2,513	1,107	1,406	-8.2	7.2	-17.5
Itawamba	20,518	19,196	1,322	21.8	20.9	37.0
Jackson	118,015	94,710	23,305	34.1	28.8	61.5
Jasper	17,265	8,761	8,504	7.9	2.3	14.4
Jefferson	9,181	1,645	7,536	1.2	-28.4	7.7
Jeff Davis	13,846	6,401	7,445	7.0	-0.5	14.5
Jones	61,912	47,315	14,597	9.8	11.6	4.6
Kemper	10,148	4,557	5,591	-0.8	1.5	-2.7
Lafayette	31,030	22,541	8,489	28.3	30.2	23.6
Lamar	23,821	21,125	2,696	56.6	60.2	33.3
Lauderdale	77,285	52,373	24,912	15.2	13.4	19.2
Lawrence	12,518	8,632	3,886	12.4	14.3	8.4
Leake	18,790	11,454	7,336	10.0	9.6	10.6
Lee	57,061	45,227	11,834	23.6	23.7	23.6
Leflore	41,525	16,724	24,801	-1.4	-4.7	1.0

Table 1 - Page 2
Census Population - Mississippi - April 1, 1980

	Population			Percent Change since 1970		
County	Total	White	Non-white	Total	White	Non-white
Lincoln	30,174	21,076	9,098	15.2	16.2	12.9
Lowndes	57,304	37,158	20,146	15.3	11.5	23.1
Madison	41,613	18,249	23,364	39.9	63.7	25.7
Marion	25,708	17,968	7,740	12.4	14.2	8.5
Marshall	29,296	13,647	15,649	21.9	50.0	4.8
Monroe	36,404	25,544	10,860	6.9	8.0	4.5
Montgomery	13,366	7,883	5,483	3.5	10.7	-5.4
Neshoba	23,789	17,074	6,715	14.4	13.1	17.6
Newton	19,944	13,998	5,946	5.1	4.8	5.6
Noxubee	13,212	4,653	8,559	-7.5	-3.9	-9.4
Oktibbeha	36,018	23,138	12,880	25.3	24.6	26.5
Panola	28,164	14,312	13,852	5.0	9.6	0.6
Pearl River	33,795	28,622	5,173	21.6	26.2	1.2
Perry	9,864	7,712	2,152	8.8	15.6	-10.0
Pike	36,173	20,406	15,767	13.9	14.0	13.8
Pontotoc	20,918	17,618	3,300	20.5	23.6	6.1
Prentiss	24,025	21,383	2,642	19.3	20.3	12.1
Quitman	12,636	5,530	7,106	-20.5	-17.3	-22.8
Rankin	69,427	56,282	13,145	58.0	78.5	6.0
Scott	24,556	15,850	8,706	14.9	11.2	22.4
Sharkey	7,964	2,700	5,264	-10.9	-13.6	-9.4
Simpson	23,441	16,198	7,243	17.5	18.4	15.5
Smith	15,077	11,864	3,213	11.2	11.8	8.8
Stone	9,716	7,463	2,253	19.9	20.0	19.8
Sunflower	34,844	13,052	21,792	-5.9	-4.2	-7.0
Tallahatchie	17,157	7,252	9,905	-11.3	-5.3	-15.2
Tate	20,119	12,339	7,780	8.5	26.2	-11.2
Tippah	18,739	15,743	2,996	18.2	18.7	15.6
Tishomingo	18,434	17,676	758	23.4	23.9	12.8
Tunica	9,652	2,566	7,086	-18.6	-20.4	-17.9
Union	21,741	18,701	3,040	13.8	15.8	3.0
Walthall	13,761	8,095	5,666	10.1	9.3	11.2
Warren	51,627	31,878	19,749	14.8	20.4	6.7
Washington	72,344	31,619	40,725	2.5	-0.6	5.0
Wayne	19,135	12,695	6,440	14.9	13.7	17.5
Webster	10,300	8,265	2,035	2.5	6.1	-9.9
Wilkinson	10,021	3,292	6,729	-9.7	-8.2	-10.4
Winston	19,474	11,661	7,813	5.8	5.4	6.4
Yalobusha	13,139	8,098	5,041	10.3	14.5	4.1
Yazoo	27,349	13,197	14,152	0.2	4.0	-3.2

Table 1 - Page 3
Census Population - Mississippi - April 1, 1980

Town*	Population			Percent Change since 1970		
	Total	White	Non-white	Total	White	Non-white
Biloxi	49,311	38,739	10,572	1.7	-6.7	51.5
Brookhaven	10,800	6,421	4,379	0.9	-3.4	8.1
Canton	11,116	3,823	7,293	5.8	-16.0	22.5
Clarksdale	21,137	7,984	13,153	-2.5	-18.9	11.2
Cleveland	14,524	8,674	5,850	9.0	4.7	16.0
Clinton	14,660	13,506	1,154	102.3	105.1	74.3
Columbus	27,383	15,070	12,313	6.2	-5.9	26.0
Corinth	13,839	11,332	2,507	19.5	21.4	11.7
Greenville	40,613	16,181	24,432	2.4	-14.1	17.4
Greenwood	20,115	9.510	10,605	-10.2	-14.5	-6.0
Grenada	12,651	7,059	5,582	27.1	26.0	28.5
Gulfport	39,676	29,329	10,347	-2.7	-11.5	35.3
Hattiesburg	40,829	26,295	14,534	6.7	-3.1	30.4
Jackson	202,895	106,285	96,610	31.8	14.7	57.6
Laurel	21,897	13,191	8,706	-9.3	-13.2	-2.7
McComb	12,331	7,807	4,524	3.0	-2.0	13.2
Meridian	46,577	28,916	17,661	3.3	-3.2	16.2
Moss Point	18,998	6,518	12,480	-1.7	40.4	48.7
Natchez	22,015	10,514	11,501	11.7	8.0	15.3
Ocean Springs	14,504	13,254	1,250	51.4	51.1	54.9
Pascagoula	29,318	24,005	5,313	7.5	1.4	47.5
Pearl	20,778	18,307	2,471	115.9	90.7	10,195.8
Picayune	10,361	6,961	3,400	-1.0	0.4	-3.8
Southaven	16,071	15,917	154	79.9	78.5	862.5
Starkville	15,169	11,019	4,150	33.4	30.0	43.6
Tupelo	23,905	19,447	4,458	16.8	15.2	23.9
Vicksburg	25,434	11,956	13,478	-0.2	-6.8	6.5
Yazoo City	12,426	6,325	6,101	15.1	46.7	-5.9

* Towns of 10,000 population or more.

TABLE 2
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE, ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE, (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE), MISSISSIPPI, 1980

	Occurrence Data			Residence Data					
	Number			Number			Rate*		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	47,400	24,559	22,841	47,821	24,687	23,134	19.0	15.3	25.5
Adams	1,494	716	778	760	312	448	20.0	16.0	24.2
Alcorn	227	196	31	472	402	70	14.3	13.6	19.6
Amite	2	1	1	225	102	123	16.8	14.6	19.3
Attala	213	153	60	320	171	149	16.1	14.2	19.1
Benton	0	0	0	128	60	68	15.7	11.9	21.9
Bolivar	1,969	358	1,611	1,145	269	876	24.9	15.8	30.2
Calhoun	1	0	1	239	147	92	15.2	12.6	22.9
Carroll	6	0	6	154	63	91	15.8	11.8	20.5
Chickasaw	95	29	66	359	170	189	20.1	14.9	29.2
Choctaw	117	22	95	174	85	89	19.3	13.2	34.9
Claiborne	106	5	101	250	42	208	20.4	13.7	22.6
Clarke	42	14	28	287	165	122	16.9	15.0	20.5
Clay	409	102	307	437	155	282	20.7	14.8	26.6
Coahoma	1,160	330	830	856	199	657	23.2	15.2	27.6
Copiah	233	102	131	485	173	312	18.3	12.7	24.2
Covington	126	55	71	300	139	161	18.8	13.4	29.2
DeSoto	1	0	1	798	596	202	14.8	13.5	20.8
Forrest	2,565	1,777	788	1,136	716	420	17.2	15.0	23.0
Franklin	27	5	22	168	79	89	20.5	15.4	29.0
George	226	173	53	306	256	50	20.0	18.5	33.6
Greene	61	39	22	198	143	55	20.1	18.2	27.6
Grenada	624	317	307	393	189	204	18.7	15.5	23.1
Hancock	161	134	27	404	338	66	16.5	15.4	25.0
Harrison	3,420	2,557	863	3,027	2,238	789	19.2	18.0	23.5
Hinds	7,138	2,387	4,751	4,896	1,895	3,001	19.5	13.9	26.2
Holmes	374	35	339	535	78	457	23.3	11.8	27.9
Humphreys	249	10	239	313	57	256	22.5	12.1	27.8
Issaquena	0	0	0	53	18	35	21.1	16.3	24.9
Itawamba	42	38	4	312	275	37	15.2	14.3	28.0
Jackson	2,095	1,526	569	2,199	1,602	597	18.6	16.9	25.6
Jasper	3	1	2	343	124	219	19.9	14.2	25.8
Jefferson	39	1	38	216	24	192	23.5	14.6	25.5
Jeff Davis	104	24	80	263	94	169	19.0	14.7	22.7
Jones	1,698	877	821	1,099	733	366	17.8	15.5	25.1
Kemper	25	8	17	191	84	107	18.8	18.4	19.1
Lafayette	521	333	188	410	232	178	13.2	10.3	21.0
Lamar	33	29	4	405	356	49	17.0	16.8	18.2
Lauderdale	2,494	1,481	1,013	1,468	811	657	19.0	15.5	26.4
Lawrence	31	9	22	243	139	104	19.4	16.1	26.8
Leake	101	61	40	358	175	183	19.0	15.3	24.9
Lee	2,070	1,506	564	1,089	756	333	19.1	16.7	28.1
Leflore	1,288	450	838	926	306	620	22.3	18.3	25.0

Table 2 - Page 2
Live Births - Mississippi - 1980

	Occurrence Data			Residence Data					
	Number			Number			Rate*		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	427	268	159	550	315	235	18.2	14.9	25.8
Lowndes	1,040	699	341	1,189	639	550	20.7	17.2	27.3
Madison	14	2	12	838	340	498	20.1	18.6	21.3
Marion	7	7	0	475	290	185	18.5	16.1	23.9
Marshall	6	1	5	618	211	407	21.1	15.5	26.0
Monroe	1,452	1,075	377	624	380	244	17.1	14.9	22.5
Montgomery	242	58	184	238	103	135	17.8	13.1	24.6
Neshoba	236	95	141	433	244	189	18.2	14.3	28.1
Newton	127	57	70	324	164	160	16.2	11.7	26.9
Noxubee	293	21	272	295	61	234	22.3	13.1	27.3
Oktibbeha	749	305	444	612	269	343	17.0	11.6	26.6
Panola	518	127	391	594	221	373	21.1	15.4	26.9
Pearl River	497	397	100	617	498	119	18.2	17.4	23.0
Perry	84	66	18	202	142	60	20.5	18.4	27.9
Pike	1,167	639	528	678	292	386	18.7	14.3	24.5
Pontotoc	11	9	2	284	237	47	13.6	13.4	14.2
Prentiss	181	170	11	340	289	51	14.2	13.5	19.3
Quitman	93	17	76	270	70	200	21.4	12.6	28.1
Rankin	2,181	1,792	389	1,202	940	262	17.3	16.7	19.9
Scott	94	65	29	444	249	195	18.1	15.7	22.4
Sharkey	53	4	49	195	39	156	24.5	14.4	29.6
Simpson	131	76	55	443	245	198	18.9	15.1	27.3
Smith	37	20	17	241	146	95	16.0	12.3	29.6
Stone	1	0	1	179	106	73	18.4	14.2	32.4
Sunflower	380	96	284	835	172	663	24.0	13.2	30.4
Tallahatchie	249	46	203	388	96	292	22.6	13.2	29.5
Tate	156	54	102	361	168	193	17.9	13.6	24.8
Tippah	295	164	131	321	247	74	17.1	15.7	24.7
Tishomingo	111	107	4	275	263	12	14.9	14.9	15.8
Tunica	28	4	24	215	47	168	22.3	18.3	23.7
Union	513	377	136	349	269	80	16.0	14.4	26.3
Walthall	232	100	132	283	122	161	20.6	15.1	28.4
Warren	1,516	631	885	979	497	482	19.0	15.6	24.4
Washington	1,394	578	816	1,687	503	1,184	23.3	15.9	29.1
Wayne	284	123	161	356	207	149	18.6	16.3	23.1
Webster	194	109	85	154	100	54	15.0	12.1	26.5
Wilkinson	207	73	134	203	53	150	20.2	16.1	22.3
Winston	236	103	133	366	141	225	18.8	12.1	28.8
Yalobusha	176	77	99	237	124	113	18.0	15.3	22.4
Yazoo	198	86	112	587	220	367	21.5	16.7	25.9
Out of state	2,374	1,669	705	1,953	1,541	412			

Table 2 - Page 3
Live Births - Mississippi - 1980

	Residence Data					
	Number			Rate*		
Town**	Total	White	Non-white	Total	White	Non-white
Biloxi	1,043	793	250	21.2	20.5	23.6
Brookhaven	227	103	124	21.0	16.0	28.3
Canton	317	69	248	28.5	18.0	34.0
Clarksdale	535	142	393	25.3	17.8	29.9
Cleveland	314	122	192	21.6	14.1	32.8
Clinton	216	165	51	14.7	12.2	44.2
Columbus	521	215	306	19.0	14.3	24.8
Corinth	163	110	53	11.8	9.7	21.1
Greenville	964	228	736	23.7	14.1	30.1
Greenwood	479	156	323	23.8	16.4	30.4
Grenada	217	87	130	17.2	12.3	23.3
Gulfport	761	468	293	19.2	16.0	28.3
Hattiesburg	686	334	352	16.8	12.7	24.2
Jackson	4,010	1,478	2,532	19.8	13.9	26.2
Laurel	424	197	227	19.4	14.9	26.1
McComb	237	104	133	19.2	13.3	29.4
Meridian	884	403	481	19.0	13.9	27.2
Moss Point	404	102	302	21.3	15.6	24.2
Natchez	455	162	293	20.7	15.4	25.5
Ocean Springs	312	283	29	21.5	21.4	23.2
Pascagoula	633	481	152	21.6	20.0	28.6
Pearl	335	305	30	16.1	16.7	12.1
Picayune	196	113	83	18.9	16.2	24.4
Southaven	188	181	7	11.7	11.4	45.4
Starkville	310	175	135	20.4	15.9	32.5
Tupelo	450	308	142	18.8	15.8	31.8
Vicksburg	538	199	339	21.2	16.6	25.2
Yazoo City	276	80	196	22.2	12.6	32.1

* Live births per 1,000 population.

** Towns of 10,000 population or more.

TABLE 3
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE, AND ATTENDANT, ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 1980

County	Total	White				Nonwhite				Sex	
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
STATE	47,821	24,687	24,605	12	70	23,134	22,928	53	153	24,563	23,258
Adams	760	312	311	0	1	448	446	0	2	389	371
Alcorn	472	402	401	1	0	70	70	0	0	246	226
Amite	225	102	101	0	1	123	122	0	1	120	105
Attala	320	171	171	0	0	149	137	0	12	163	157
Benton	128	60	60	0	0	68	68	0	0	66	62
Bolivar	1,145	269	268	0	1	876	869	3	4	581	564
Calhoun	239	147	147	0	0	92	91	0	1	113	126
Carroll	154	63	63	0	0	91	85	1	5	88	66
Chickasaw	359	170	170	0	0	189	186	2	1	175	184
Choctaw	174	85	85	0	0	89	88	0	1	84	90
Claiborne	250	42	42	0	0	208	207	0	1	129	121
Clarke	287	165	165	0	0	122	122	0	0	142	145
Clay	437	155	155	0	0	282	281	0	1	215	222
Coahoma	856	199	199	0	0	657	656	0	1	451	405
Copiah	485	173	173	0	0	312	309	3	0	266	219
Covington	300	139	139	0	0	161	160	0	1	144	156
DeSoto	798	596	596	0	0	202	201	1	0	393	405
Forrest	1,136	716	712	0	4	420	419	1	0	564	572
Franklin	168	79	78	0	1	89	86	0	3	86	82
George	306	256	256	0	0	50	50	0	0	169	137
Greene	198	143	143	0	0	55	54	1	0	103	95
Grenada	393	189	189	0	0	204	203	0	1	206	187
Hancock	404	338	337	0	1	66	66	0	0	207	197
Harrison	3,027	2,238	2,230	4	4	789	781	1	7	1,539	1,488

Table 3 - Page 2
Live Births - Mississippi- 1980

County	Total	White				Nonwhite				Sex	
		Total	Hosp., or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Hinds	4,896	1,895	1,891	1	3	3,001	2,983	10	8	2,472	2,424
Holmes	535	78	78	0	0	457	456	1	0	283	252
Humphreys	313	57	57	0	0	256	254	1	1	160	153
Issaquena	53	18	18	0	0	35	35	0	0	19	34
Itawamba	312	275	274	1	0	37	37	0	0	168	144
Jackson	2,199	1,602	1,595	1	6	597	593	0	4	1,132	1,067
Jasper	343	124	123	0	1	219	217	0	2	181	162
Jefferson	216	24	24	0	0	192	192	0	0	112	104
Jeff Davis	263	94	94	0	0	169	168	0	1	134	129
Jones	1,099	733	725	0	8	366	366	0	0	585	514
Kemper	191	84	84	0	0	107	107	0	0	91	100
Lafayette	410	232	230	0	2	178	172	1	5	217	193
Lamar	405	356	353	0	3	49	49	0	0	216	189
Lauderdale	1,468	811	809	0	2	657	657	0	0	779	689
Lawrence	243	139	139	0	0	104	104	0	0	124	119
Leake	358	175	175	0	0	183	176	0	7	188	170
Lee	1,089	756	755	1	0	333	332	1	0	563	526
Leflore	926	306	306	0	0	620	613	1	6	475	451
Lincoln	550	315	314	0	1	235	235	0	0	291	259
Lowndes	1,189	639	638	0	1	550	545	0	5	609	580
Madison	838	340	339	0	1	498	494	0	4	431	407
Marion	475	290	286	0	4	185	185	0	0	252	223
Marshall	618	211	210	0	1	407	405	1	1	328	290
Monroe	624	380	378	1	1	244	242	1	1	337	287
Montgomery	238	103	103	0	0	135	135	0	0	124	114
Neshoba	433	244	243	0	1	189	187	2	0	220	213
Newton	324	164	164	0	0	160	160	0	0	171	153
Noxubee	295	61	61	0	0	234	233	0	1	147	148
Oktibbeha	612	269	269	0	0	343	342	1	0	308	304
Panola	594	221	221	0	0	373	359	6	8	287	307

Table 3 - Page 3
Live Births - Mississippi - 1980

County	Total	White				Nonwhite				Sex	
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Pearl River	617	498	497	0	1	119	118	0	1	314	303
Perry	202	142	142	0	0	60	60	0	0	91	111
Pike	678	292	286	0	6	386	368	0	18	352	326
Pontotoc	284	237	237	0	0	47	47	0	0	154	130
Prentiss	340	289	289	0	0	51	51	0	0	185	155
Quitman	270	70	70	0	0	200	200	0	0	144	126
Rankin	1,202	940	939	0	1	262	261	1	0	593	609
Scott	444	249	249	0	0	195	194	1	0	239	205
Sharkey	195	39	39	0	0	156	154	0	2	99	96
Simpson	443	245	245	0	0	198	195	3	0	226	217
Smith	241	146	146	0	0	95	94	0	1	122	119
Stone	179	106	106	0	0	73	71	0	2	84	95
Sunflower	835	172	172	0	0	663	659	3	1	432	403
Tallahatchie	388	96	96	0	0	292	287	1	4	190	198
Tate	361	168	168	0	0	193	189	1	3	200	161
Tippah	321	247	247	0	0	74	74	0	0	160	161
Tishomingo	275	263	260	0	3	12	12	0	0	142	133
Tunica	215	47	47	0	0	168	167	1	0	114	101
Union	349	269	268	1	0	80	80	0	0	171	178
Walthall	283	122	112	0	10	161	149	1	11	150	133
Warren	979	497	496	0	1	482	482	0	0	497	482
Washington	1,687	503	502	1	0	1,184	1,178	0	6	875	812
Wayne	356	207	207	0	0	149	149	0	0	196	160
Webster	154	100	100	0	0	54	53	1	0	78	76
Wilkinson	203	53	53	0	0	150	149	1	0	108	95
Winston	366	141	141	0	0	225	225	0	0	192	174
Yalobusha	237	124	124	0	0	113	113	0	0	119	118
Yazoo	587	220	220	0	0	367	359	0	8	293	294

NOTE: "Hosp. or Clinic" includes delivery by physician, CNM, or any other named person. "Other" includes delivery by any person other than a physician, at any place other than a hospital or clinic.

*** REVISED ***

TABLE 4

FERTILITY RATES*, BY COUNTY OF RESIDENCE, AND RACE, MISSISSIPPI, 1980

(Population figures by age-race-sex became available after publication.)

County	Total	White	Non-white	County	Total	White	Non-white
STATE	83.9	68.0	111.8				
Adams	87.1	70.8	103.8	Lincoln	87.5	72.7	120.1
Alcorn	64.5	61.8	85.8	Lowndes	81.4	66.3	110.5
Amite	85.5	76.7	94.5	Madison	85.5	76.1	93.4
Attala	85.3	77.6	96.4	Marion	89.8	77.7	118.6
Benton	78.5	62.4	101.5	Marshall	93.0	70.7	111.2
Bolivar	111.7	69.3	137.6	Monroe	80.4	70.5	103.0
Calhoun	75.5	64.7	103.2	Montgomery	91.1	68.8	121.0
Carroll	75.8	59.1	94.3	Neshoba	89.1	72.6	126.2
Chickasaw	94.7	72.4	131.2	Newton	80.9	60.2	124.9
Choctaw	93.8	66.0	156.7	Noxubee	111.1	71.1	130.1
Claiborne	81.4	75.5	82.7	Oktibbeha	62.1	41.4	102.0
Clarke	81.5	71.7	99.8	Panola	103.0	75.8	130.8
Clay	93.0	68.7	115.4	Pearl River	81.5	78.1	99.4
Coahoma	108.8	70.7	130.0	Perry	91.8	81.3	131.9
Copiah	86.2	62.9	108.6	Pike	89.4	71.0	111.3
Covington	88.6	64.4	131.4	Pontotoc	65.0	65.2	63.8
DeSoto	60.2	53.2	97.6	Prentiss	65.8	63.7	80.8
Forrest	67.4	58.7	90.1	Quitman	108.5	63.5	144.3
Franklin	102.0	80.8	133.0	Rankin	70.1	66.4	88.0
George	91.9	85.3	152.4	Scott	85.4	74.4	105.1
Greene	96.0	87.4	129.1	Sharkey	118.3	74.7	138.5
Grenada	85.2	72.5	101.7	Simpson	89.8	73.2	125.0
Hancock	80.2	75.6	116.6	Smith	77.1	60.7	132.1
Harrison	81.6	77.3	97.2	Stone	82.3	64.0	140.6
Hinds	76.2	56.2	98.2	Sunflower	120.7	67.5	151.7
Holmes	113.8	59.5	134.8	Tallahatchie	111.5	67.9	141.3
Humphreys	110.1	61.0	134.2	Tate	75.7	57.6	104.3
Issaquena	93.6	72.0	110.8	Tippah	82.2	75.2	118.8
Itawamba	71.0	67.0	127.6	Tishomingo	70.9	70.8	75.5
Jackson	77.5	70.6	104.7	Tunica	110.7	93.8	116.6
Jasper	97.0	73.2	118.9	Union	78.2	70.0	129.2
Jefferson	108.5	89.6	111.4	Walthall	103.8	78.6	137.0
Jeff Davis	93.4	74.5	108.7	Warren	83.0	67.2	109.4
Jones	80.6	70.6	112.1	Washington	106.8	72.1	134.2
Kemper	96.0	96.3	95.8	Wayne	83.6	73.4	103.7
Lafayette	51.4	39.3	85.7	Webster	75.4	61.9	126.8
Lamar	71.8	70.8	80.1	Wilkinson	95.5	81.9	101.4
Lauderdale	85.6	70.2	117.6	Winston	93.3	62.0	136.4
Lawrence	88.9	74.2	121.2	Yalobusha	91.1	80.8	105.8
Leake	96.0	79.4	120.1	Yazoo	106.0	83.4	126.5
Lee	81.4	71.7	117.2				
Leflore	99.1	88.0	105.7				

* Live births per 1,000 female population 15-44 years of age.

TABLE 5A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	47,821	378	10,693	17,033	12,275	5,460	1,614	337	25	6
Adams	760	5	164	262	200	92	29	8	0	0
Alcorn	472	2	86	173	123	67	17	4	0	0
Amite	225	3	50	80	54	25	11	1	1	0
Attala	320	1	73	112	71	47	9	6	1	0
Benton	128	0	46	49	21	9	3	0	0	0
Bolivar	1,145	22	342	373	230	133	39	6	0	0
Calhoun	239	0	68	91	52	22	6	0	0	0
Carroll	154	0	39	49	37	18	8	3	0	0
Chickasaw	359	2	85	121	93	43	10	5	0	0
Choctaw	174	5	32	62	40	25	8	2	0	0
Claiborne	250	2	62	101	47	23	11	4	0	0
Clarke	287	2	65	101	62	45	9	3	0	0
Clay	437	2	86	155	130	49	10	4	1	0
Coahoma	856	6	280	304	177	60	27	1	1	0
Copiah	485	3	115	178	117	55	12	5	0	0
Covington	300	6	68	99	76	35	13	3	0	0
DeSoto	798	7	136	295	221	113	22	4	0	0
Forrest	1,136	6	216	438	312	117	41	5	0	1
Franklin	168	1	36	67	44	15	5	0	0	0
George	306	2	77	122	62	32	8	3	0	0
Greene	198	1	52	81	36	17	7	4	0	0
Grenada	393	7	104	128	103	38	11	1	1	0
Hancock	404	1	90	152	89	52	20	0	0	0
Harrison	3,027	17	628	1,200	826	269	80	7	0	0
Hinds	4,896	31	911	1,610	1,471	672	170	29	2	0
Holmes	535	5	149	190	110	43	29	8	1	0
Humphreys	313	2	90	116	65	27	10	3	0	0
Issaquena	53	0	15	14	18	2	2	2	0	0
Itawamba	312	0	66	113	79	37	13	4	0	0
Jackson	2,199	9	462	794	598	248	75	12	1	0
Jasper	343	4	73	115	93	35	17	6	0	0
Jefferson	216	3	55	82	48	20	3	5	0	0
Jeff Davis	263	5	63	102	55	29	8	1	0	0
Jones	1,099	9	236	386	299	139	23	7	0	0
Kemper	191	0	42	72	48	17	9	2	1	0
Lafayette	410	0	73	140	131	55	9	2	0	0
Lamar	405	1	72	134	126	53	17	1	1	0
Lauderdale	1,468	16	295	520	404	171	50	12	0	0
Lawrence	243	2	42	106	60	26	6	1	0	0
Leake	358	2	84	124	90	36	17	4	1	0
Lee	1,089	6	212	410	285	133	33	7	1	2
Leflore	926	11	256	339	198	91	26	5	0	0

Table 5A - Page 2
Total Live Births - Mississippi - 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	550	5	121	196	135	78	12	3	0	0
Lowndes	1,189	9	251	422	322	141	32	11	1	0
Madison	838	10	187	257	253	98	22	10	1	0
Marion	475	2	109	195	101	47	19	2	0	0
Marshall	618	4	155	229	136	70	15	8	1	0
Monroe	624	1	144	209	169	78	18	5	0	0
Montgomery	238	3	62	78	64	22	6	2	1	0
Neshoba	433	2	93	151	105	62	19	1	0	0
Newton	324	4	66	128	71	39	12	4	0	0
Noxubee	295	2	83	97	63	33	13	4	0	0
Oktibbeha	612	7	120	218	169	72	25	1	0	0
Panola	594	4	161	202	127	67	28	4	1	0
Pearl River	617	3	133	229	150	78	20	4	0	0
Perry	202	0	45	77	53	23	4	0	0	0
Pike	678	3	150	233	185	75	28	2	2	0
Pontotoc	284	1	47	102	86	34	12	2	0	0
Prentiss	340	3	71	133	83	40	7	3	0	0
Quitman	270	7	62	105	51	27	14	4	0	0
Rankin	1,202	8	200	399	370	185	34	5	0	1
Scott	444	5	101	162	105	56	12	2	0	1
Sharkey	195	1	67	62	45	12	4	4	0	0
Simpson	443	2	101	170	110	42	16	2	0	0
Smith	241	0	48	92	64	28	6	3	0	0
Stone	179	2	34	59	42	32	7	3	0	0
Sunflower	835	9	230	276	192	81	37	9	1	0
Tallahatchie	388	9	139	117	73	34	13	3	0	0
Tate	361	2	75	137	97	35	13	1	1	0
Tippah	321	1	69	116	89	31	11	4	0	0
Tishomingo	275	1	52	91	82	34	13	2	0	0
Tunica	215	3	66	78	48	13	5	1	1	0
Union	349	1	81	120	92	38	14	2	1	0
Walthall	283	3	61	109	54	33	19	4	0	0
Warren	979	7	181	348	285	121	32	5	0	0
Washington	1,687	24	452	590	385	161	61	13	0	1
Wayne	356	3	81	139	78	36	16	2	1	0
Webster	154	1	33	66	33	14	6	1	0	0
Wilkinson	203	5	53	63	54	19	7	2	0	0
Winston	366	3	88	124	89	44	14	4	0	0
Yalobusha	237	3	58	86	47	30	11	2	0	0
Yazoo	587	6	167	208	117	62	24	3	0	0

TABLE 5B
WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	24,687	40	4,075	9,039	7,446	3,197	777	105	5	3
Adams	312	0	48	106	102	44	11	1	0	0
Alcorn	402	1	70	141	111	61	15	3	0	0
Amite	102	1	12	42	30	15	2	0	0	0
Attala	171	0	25	72	40	28	4	2	0	0
Benton	60	0	18	22	11	6	3	0	0	0
Bolivar	269	1	39	95	81	41	10	2	0	0
Calhoun	147	0	34	54	37	19	3	0	0	0
Carroll	63	0	8	22	15	13	4	1	0	0
Chickasaw	170	0	28	58	55	21	6	2	0	0
Choctaw	85	0	10	33	25	13	4	0	0	0
Claiborne	42	0	4	21	12	3	2	0	0	0
Clarke	165	0	32	61	40	28	4	0	0	0
Clay	155	0	21	60	46	23	4	0	1	0
Coahoma	199	0	35	74	64	23	3	0	0	0
Copiah	173	0	25	70	51	20	5	2	0	0
Covington	139	2	25	52	40	16	2	2	0	0
DeSoto	596	0	75	230	185	91	13	2	0	0
Forrest	716	1	101	278	215	92	25	3	0	1
Franklin	79	1	15	31	23	8	1	0	0	0
George	256	0	58	111	54	27	6	0	0	0
Greene	143	0	35	59	28	13	6	2	0	0
Grenada	189	0	34	67	58	24	4	1	1	0
Hancock	338	1	66	133	83	37	18	0	0	0
Harrison	2,238	5	433	903	632	205	55	5	0	0
Hinds	1,895	2	176	566	743	320	77	11	0	0
Holmes	78	0	15	22	24	12	4	1	0	0
Humphreys	57	0	9	21	19	7	1	0	0	0
Issaquena	18	0	4	4	9	0	0	1	0	0
Itawamba	275	0	61	106	70	28	7	3	0	0
Jackson	1,602	1	314	592	445	184	59	6	1	0
Jasper	124	0	14	43	45	13	7	2	0	0
Jefferson	24	0	4	10	5	5	0	0	0	0
Jeff Davis	94	0	16	41	22	11	4	0	0	0
Jones	733	1	121	271	215	106	17	2	0	0
Kemper	84	0	12	32	24	7	8	1	0	0
Lafayette	232	0	26	76	83	41	5	1	0	0
Lamar	356	1	59	120	113	47	14	1	1	0
Lauderdale	811	2	114	314	256	97	25	3	0	0
Lawrence	139	1	23	63	38	12	2	0	0	0
Leake	175	0	40	61	46	21	7	0	0	0
Lee	756	2	128	275	221	101	24	3	0	2
Leflore	306	0	40	117	101	38	9	1	0	0

Table 5B - Page 2
White Live Births - Mississippi - 1980

County	Total	Age of Mother Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	315	0	57	117	85	46	9	1	0	0
Lowndes	639	1	91	231	222	81	11	2	0	0
Madison	340	0	40	94	149	47	7	3	0	0
Marion	290	0	65	124	59	28	13	1	0	0
Marshall	211	0	42	90	51	25	1	2	0	0
Monroe	380	0	86	127	108	49	9	1	0	0
Montgomery	103	0	14	35	37	12	3	2	0	0
Neshoba	244	1	42	84	66	42	9	0	0	0
Newton	164	0	20	70	45	23	5	1	0	0
Noxubee	61	0	13	11	21	14	2	0	0	0
Oktibbeha	269	1	26	100	94	36	11	1	0	0
Panola	221	1	50	78	61	22	8	1	0	0
Pearl River	498	0	94	187	132	67	16	2	0	0
Perry	142	0	30	57	36	18	1	0	0	0
Pike	292	0	51	96	92	41	11	1	0	0
Pontotoc	237	1	41	80	74	29	11	1	0	0
Prentiss	289	2	56	114	72	36	7	2	0	0
Quitman	70	2	7	32	19	5	3	2	0	0
Rankin	940	3	143	294	315	157	26	2	0	0
Scott	249	2	45	90	73	31	7	1	0	0
Sharkey	39	0	4	17	14	3	1	0	0	0
Simpson	245	0	55	89	67	27	6	1	0	0
Smith	146	0	25	60	43	13	4	1	0	0
Stone	106	0	20	39	25	19	3	0	0	0
Sunflower	172	0	23	65	48	31	5	0	0	0
Tallahatchie	96	0	16	33	33	12	2	0	0	0
Tate	168	0	22	72	50	20	4	0	0	0
Tippah	247	0	46	92	74	27	6	2	0	0
Tishomingo	263	1	49	88	79	32	12	2	0	0
Tunica	47	1	6	17	19	4	0	0	0	0
Union	269	0	56	96	71	33	12	1	0	0
Walthall	122	0	24	51	26	13	5	3	0	0
Warren	497	0	57	174	179	69	16	2	0	0
Washington	503	1	79	188	164	56	14	1	0	0
Wayne	207	0	35	86	56	21	8	0	1	0
Webster	100	0	16	41	25	13	4	1	0	0
Wilkinson	53	0	14	12	19	6	2	0	0	0
Winston	141	0	24	51	41	19	5	1	0	0
Yalobusha	124	0	27	48	25	16	8	0	0	0
Yazoo	220	0	37	80	60	33	10	0	0	0

TABLE 5C
NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	23,134	338	6,618	7,994	4,829	2,263	837	232	20	3
Adams	448	5	116	156	98	48	18	7	0	0
Alcorn	70	1	16	32	12	6	2	1	0	0
Amite	123	2	38	38	24	10	9	1	1	0
Attala	149	1	48	40	31	19	5	4	1	0
Benton	68	0	28	27	10	3	0	0	0	0
Bolivar	876	21	303	278	149	92	29	4	0	0
Calhoun	92	0	34	37	15	3	3	0	0	0
Carroll	91	0	31	27	22	5	4	2	0	0
Chickasaw	189	2	57	63	38	22	4	3	0	0
Choctaw	89	5	22	29	15	12	4	2	0	0
Claiborne	208	2	58	80	35	20	9	4	0	0
Clarke	122	2	33	40	22	17	5	3	0	0
Clay	282	2	65	95	84	26	6	4	0	0
Coahoma	657	6	245	230	113	37	24	1	1	0
Copiah	312	3	90	108	66	35	7	3	0	0
Covington	161	4	43	47	36	19	11	1	0	0
DeSoto	202	7	61	65	36	22	9	2	0	0
Forrest	420	5	115	160	97	25	16	2	0	0
Franklin	89	0	21	36	21	7	4	0	0	0
George	50	2	19	11	8	5	2	3	0	0
Greene	55	1	17	22	8	4	1	2	0	0
Grenada	204	7	70	61	45	14	7	0	0	0
Hancock	66	0	24	19	6	15	2	0	0	0
Harrison	789	12	195	297	194	64	25	2	0	0
Hinds	3,001	29	735	1,044	728	352	93	18	2	0
Holmes	457	5	134	168	86	31	25	7	1	0
Humphreys	256	2	81	95	46	20	9	3	0	0
Issaquena	35	0	11	10	9	2	2	1	0	0
Itawamba	37	0	5	7	9	9	6	1	0	0
Jackson	597	8	148	202	153	64	16	6	0	0
Jasper	219	4	59	72	48	22	10	4	0	0
Jefferson	192	3	51	72	43	15	3	5	0	0
Jeff Davis	169	5	47	61	33	18	4	1	0	0
Jones	366	8	115	115	84	33	6	5	0	0
Kemper	107	0	30	40	24	10	1	1	1	0
Lafayette	178	0	47	64	48	14	4	1	0	0
Lamar	49	0	13	14	13	6	3	0	0	0
Lauderdale	657	14	181	206	148	74	25	9	0	0
Lawrence	104	1	19	43	22	14	4	1	0	0
Leake	183	2	44	63	44	15	10	4	1	0
Lee	333	4	84	135	64	32	9	4	1	0
Leflore	620	11	216	222	97	53	17	4	0	0

Table 5C - Page 2
Nonwhite Live Births - Mississippi - 1980

		Age of Mother								
County	Total	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	235	5	64	79	50	32	3	2	0	0
Lowndes	550	8	160	191	100	60	21	9	1	0
Madison	498	10	147	163	104	51	15	7	1	0
Marion	185	2	44	71	42	19	6	1	0	0
Marshall	407	4	113	139	85	45	14	6	1	0
Monroe	244	1	58	82	61	29	9	4	0	0
Montgomery	135	3	48	43	27	10	3	0	1	0
Neshoba	189	1	51	67	39	20	10	1	0	0
Newton	160	4	46	58	26	16	7	3	0	0
Noxubee	234	2	70	86	42	19	11	4	0	0
Oktibbeha	343	6	94	118	75	36	14	0	0	0
Panola	373	3	111	124	66	45	20	3	1	0
Pearl River	119	3	39	42	18	11	4	2	0	0
Perry	60	0	15	20	17	5	3	0	0	0
Pike	386	3	99	137	93	34	17	1	2	0
Pontotoc	47	0	6	22	12	5	1	1	0	0
Prentiss	51	1	15	19	11	4	0	1	0	0
Quitman	200	5	55	73	32	22	11	2	0	0
Rankin	262	5	57	105	55	28	8	3	0	1
Scott	195	3	56	72	32	25	5	1	0	1
Sharkey	156	1	63	45	31	9	3	4	0	0
Simpson	198	2	46	81	43	15	10	1	0	0
Smith	95	0	23	32	21	15	2	2	0	0
Stone	73	2	14	20	17	13	4	3	0	0
Sunflower	663	9	207	211	144	50	32	9	1	0
Tallahatchie	292	9	123	84	40	22	11	3	0	0
Tate	193	2	53	65	47	15	9	1	1	0
Tippah	74	1	23	24	15	4	5	2	0	0
Tishomingo	12	0	3	3	3	2	1	0	0	0
Tunica	168	2	60	61	29	9	5	1	1	0
Union	80	1	25	24	21	5	2	1	1	0
Walthall	161	3	37	58	28	20	14	1	0	0
Warren	482	7	124	174	106	52	16	3	0	0
Washington	1,184	23	373	402	221	105	47	12	0	1
Wayne	149	3	46	53	22	15	8	2	0	0
Webster	54	1	17	25	8	1	2	0	0	0
Wilkinson	150	5	39	51	35	13	5	2	0	0
Winston	225	3	64	73	48	25	9	3	0	0
Yalobusha	113	3	31	38	22	14	3	2	0	0
Yazoo	367	6	130	128	57	29	14	3	0	0

TABLE 6
ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1980

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
STATE	13,414	1,466	11,948	28.0	5.9	51.6
Adams	263	17	246	34.6	5.4	54.9
Alcorn	56	26	30	11.9	6.5	42.8
Amite	53	3	50	23.6	2.9	40.6
Attala	71	3	68	22.2	1.8	45.6
Benton	32	4	28	25.0	6.7	41.2
Bolivar	585	16	569	51.1	5.9	65.0
Calhoun	47	5	42	19.7	3.4	45.6
Carroll	44	6	38	28.6	9.5	41.8
Chickasaw	87	8	79	24.2	4.7	41.8
Choctaw	48	3	45	27.6	3.5	50.6
Claiborne	115	1	114	46.0	2.4	54.8
Clarke	65	9	56	22.6	5.4	45.9
Clay	116	12	104	26.5	7.7	36.9
Coahoma	426	14	412	49.8	7.0	62.7
Copiah	145	5	140	29.9	2.9	44.9
Covington	72	8	64	24.0	5.8	39.8
DeSoto	149	36	113	18.7	6.0	55.9
Forrest	245	42	203	21.6	5.9	48.3
Franklin	49	2	47	29.2	2.5	52.8
George	42	12	30	13.7	4.7	60.0
Greene	38	9	29	19.2	6.3	52.7
Grenada	127	12	115	32.3	6.3	56.4
Hancock	68	33	35	16.8	9.8	53.0
Harrison	560	199	361	18.5	8.9	45.8
Hinds	1,638	106	1,532	33.4	5.6	51.0
Holmes	249	0	249	46.5	-	54.5
Humphreys	155	2	153	49.5	3.5	59.8
Issaquena	25	0	25	47.2	-	71.4
Itawamba	27	18	9	8.6	6.5	24.3
Jackson	407	136	271	18.5	8.5	45.4
Jasper	76	5	71	22.2	4.0	32.4
Jefferson	108	1	107	50.0	4.2	55.7
Jeff Davis	87	5	82	33.1	5.3	48.5
Jones	226	46	180	20.6	6.3	49.2
Kemper	39	2	37	20.4	2.4	34.6
Lafayette	83	10	73	20.2	4.3	41.0
Lamar	33	12	21	8.1	3.4	42.8
Lauderdale	367	38	329	25.0	4.7	50.1
Lawrence	51	6	45	21.0	4.3	43.3
Leake	69	3	66	19.3	1.7	36.1
Lee	202	60	142	18.5	7.9	42.6
Leflore	398	16	382	43.0	5.2	61.6

Table 6 - Page 2
Illegitimate Live Births - Mississippi - 1980

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	119	12	107	21.6	3.8	45.5
Lowndes	337	44	293	28.3	6.9	53.3
Madison	323	22	301	38.5	6.5	60.4
Marion	92	17	75	19.4	5.9	40.5
Marshall	229	16	213	37.0	7.6	52.3
Monroe	135	27	108	21.6	7.1	44.3
Montgomery	65	4	61	27.3	3.9	45.2
Neshoba	88	3	85	20.3	1.2	45.0
Newton	81	5	76	25.0	3.0	47.5
Noxubee	119	3	116	40.3	4.9	49.6
Oktibbeha	194	6	188	31.7	2.2	54.8
Panola	203	12	191	34.2	5.4	51.2
Pearl River	87	24	63	14.1	4.8	52.9
Perry	40	9	31	19.8	6.3	51.7
Pike	197	13	184	29.0	4.4	47.7
Pontotoc	37	17	20	13.0	7.2	42.6
Prentiss	41	17	24	12.0	5.9	47.0
Quitman	121	8	113	44.8	11.4	56.5
Rankin	143	39	104	11.9	4.1	39.7
Scott	95	13	82	21.4	5.2	42.0
Sharkey	112	3	109	57.4	7.7	69.9
Simpson	102	14	88	23.0	5.7	44.4
Smith	45	10	35	18.7	6.8	36.8
Stone	32	2	30	17.9	1.9	41.1
Sunflower	386	9	377	46.2	5.2	56.9
Tallahatchie	198	8	190	51.0	8.3	65.1
Tate	114	8	106	31.6	4.8	54.9
Tippah	38	13	25	11.8	5.3	33.8
Tishomingo	18	13	5	6.5	4.9	41.7
Tunica	119	2	117	55.3	4.2	69.6
Union	48	18	30	13.8	6.7	37.5
Walthall	73	7	66	25.8	5.7	41.0
Warren	280	25	255	28.6	5.0	52.9
Washington	777	38	739	46.0	7.6	62.4
Wayne	81	8	73	22.8	3.9	49.0
Webster	28	2	26	18.2	2.0	48.1
Wilkinson	77	2	75	37.9	3.8	50.0
Winston	113	4	109	30.9	2.8	48.4
Yalobusha	62	7	55	26.2	5.6	48.7
Yazoo	222	11	211	37.8	5.0	57.5

TABLE 7A
TOTAL ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	13,414	356	6,156	4,349	1,624	642	213	69	5	0
Adams	263	5	105	84	44	20	5	0	0	0
Alcorn	56	2	29	16	5	3	0	1	0	0
Amite	53	3	25	17	3	3	1	1	0	0
Attala	71	1	40	19	4	5	1	1	0	0
Benton	32	0	20	8	3	1	0	0	0	0
Bolivar	585	21	290	179	54	30	9	2	0	0
Calhoun	47	0	33	9	4	1	0	0	0	0
Carroll	44	0	26	11	6	0	0	1	0	0
Chickasaw	87	2	46	21	11	6	1	0	0	0
Choctaw	48	5	18	14	5	6	0	0	0	0
Claiborne	115	1	48	41	16	6	1	2	0	0
Clarke	65	2	29	17	7	8	1	1	0	0
Clay	116	2	48	37	22	6	1	0	0	0
Coahoma	426	6	218	140	45	10	7	0	0	0
Copiah	145	3	68	50	17	6	0	1	0	0
Covington	72	6	37	17	7	2	3	0	0	0
DeSoto	149	7	63	48	11	16	4	0	0	0
Forrest	245	6	114	83	32	7	3	0	0	0
Franklin	49	0	20	22	4	0	3	0	0	0
George	42	2	24	9	3	1	0	3	0	0
Greene	38	1	22	8	7	0	0	0	0	0
Grenada	127	7	59	38	19	4	0	0	0	0
Hancock	68	0	39	21	5	1	2	0	0	0
Harrison	560	14	253	194	67	24	7	1	0	0
Hinds	1,638	30	685	568	246	78	26	5	0	0
Holmes	249	5	103	88	34	10	5	3	1	0
Humphreys	155	2	66	55	18	10	4	0	0	0
Issaquena	25	0	11	8	2	2	1	1	0	0
Itawamba	27	0	11	8	3	4	1	0	0	0
Jackson	407	9	195	140	47	13	2	1	0	0
Jasper	76	4	41	23	5	1	1	1	0	0
Jefferson	108	3	45	39	13	3	1	4	0	0
Jeff Davis	87	5	39	32	10	1	0	0	0	0
Jones	226	9	101	65	32	14	2	3	0	0
Kemper	39	0	22	12	3	1	1	0	0	0
Lafayette	83	0	36	30	11	5	1	0	0	0
Lamar	33	0	14	8	8	3	0	0	0	0
Lauderdale	367	16	169	104	50	24	4	0	0	0
Lawrence	51	1	19	15	12	3	1	0	0	0
Leake	69	2	35	22	8	1	1	0	0	0
Lee	202	4	86	75	25	9	3	0	0	0
Leflore	398	10	198	127	42	15	5	1	0	0

Table 7A - Page 2
Total Illegitimate Live Births - Mississippi - 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	119	5	56	38	15	4	1	0	0	0
Lowndes	337	8	175	91	39	13	10	1	0	0
Madison	323	10	145	107	43	14	2	2	0	0
Marion	92	2	38	41	4	3	4	0	0	0
Marshall	229	4	104	75	33	9	3	1	0	0
Monroe	135	1	56	44	21	8	4	1	0	0
Montgomery	65	3	36	15	7	2	2	0	0	0
Neshoba	88	2	34	33	10	8	1	0	0	0
Newton	81	4	30	25	10	8	3	1	0	0
Noxubee	119	2	57	39	12	7	2	0	0	0
Oktibbeha	194	5	83	61	21	18	6	0	0	0
Panola	203	4	104	62	14	9	8	2	0	0
Pearl River	87	3	45	23	11	3	0	2	0	0
Perry	40	0	16	13	7	2	2	0	0	0
Pike	197	3	83	63	28	13	4	1	2	0
Pontotoc	37	1	11	13	7	3	1	1	0	0
Prentiss	41	1	16	12	5	6	1	0	0	0
Quitman	121	6	47	49	13	3	2	1	0	0
Rankin	143	7	61	55	15	3	2	0	0	0
Scott	95	3	44	31	8	7	1	1	0	0
Sharkey	112	1	54	35	17	2	2	1	0	0
Simpson	102	2	38	36	15	9	2	0	0	0
Smith	45	0	24	11	6	3	0	1	0	0
Stone	32	2	13	6	5	3	2	1	0	0
Sunflower	386	9	189	118	46	15	7	2	0	0
Tallahatchie	198	9	110	49	15	12	2	1	0	0
Tate	114	2	51	36	17	5	1	1	1	0
Tippah	38	1	19	13	5	0	0	0	0	0
Tishomingo	18	1	9	7	1	0	0	0	0	0
Tunica	119	3	57	41	11	5	0	1	1	0
Union	48	1	24	13	7	2	0	1	0	0
Walthall	73	3	34	20	7	2	7	0	0	0
Warren	280	7	119	98	37	16	0	3	0	0
Washington	777	24	350	274	80	31	11	7	0	0
Wayne	81	3	40	25	7	3	3	0	0	0
Webster	28	1	12	10	4	0	1	0	0	0
Wilkinson	77	5	31	23	11	5	2	0	0	0
Winston	113	3	53	36	11	7	2	1	0	0
Yalobusha	62	3	31	17	5	2	3	1	0	0
Yazoo	222	6	107	69	24	14	1	1	0	0

TABLE 7B
WHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	1,466	21	750	460	158	58	16	3	0	0
Adams	17	0	9	4	4	0	0	0	0	0
Alcorn	26	1	14	6	4	1	0	0	0	0
Amite	3	1	0	2	0	0	0	0	0	0
Attala	3	0	2	1	0	0	0	0	0	0
Benton	4	0	4	0	0	0	0	0	0	0
Bolivar	16	0	8	7	0	0	1	0	0	0
Calhoun	5	0	5	0	0	0	0	0	0	0
Carroll	6	0	3	3	0	0	0	0	0	0
Chickasaw	8	0	5	1	1	1	0	0	0	0
Choctaw	3	0	1	1	1	0	0	0	0	0
Claiborne	1	0	0	0	1	0	0	0	0	0
Clarke	9	0	8	1	0	0	0	0	0	0
Clay	12	0	5	4	1	2	0	0	0	0
Coahoma	14	0	5	7	2	0	0	0	0	0
Copiah	5	0	4	1	0	0	0	0	0	0
Covington	8	2	5	1	0	0	0	0	0	0
DeSoto	36	0	16	12	3	5	0	0	0	0
Forrest	42	1	19	15	6	1	0	0	0	0
Franklin	2	0	2	0	0	0	0	0	0	0
George	12	0	9	3	0	0	0	0	0	0
Greene	9	0	5	2	2	0	0	0	0	0
Grenada	12	0	6	5	1	0	0	0	0	0
Hancock	33	0	18	11	2	0	2	0	0	0
Harrison	199	2	96	59	27	11	3	1	0	0
Hinds	106	1	53	37	11	1	2	1	0	0
Holmes	0	0	0	0	0	0	0	0	0	0
Humphreys	2	0	1	1	0	0	0	0	0	0
Issaquena	0	0	0	0	0	0	0	0	0	0
Itawamba	18	0	9	6	2	1	0	0	0	0
Jackson	136	1	75	42	17	1	0	0	0	0
Jasper	5	0	4	1	0	0	0	0	0	0
Jefferson	1	0	1	0	0	0	0	0	0	0
Jeff Davis	5	0	4	1	0	0	0	0	0	0
Jones	46	1	19	13	6	5	1	1	0	0
Kemper	2	0	2	0	0	0	0	0	0	0
Lafayette	10	0	5	4	0	1	0	0	0	0
Lamar	12	0	3	4	4	1	0	0	0	0
Lauderdale	38	2	14	10	8	4	0	0	0	0
Lawrence	6	0	3	1	2	0	0	0	0	0
Leake	3	0	3	0	0	0	0	0	0	0
Lee	60	0	27	22	9	2	0	0	0	0
Leflore	16	0	9	6	1	0	0	0	0	0

Table 7B - Page 2
White Illegitimate Live Births - Mississippi - 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-45	45-49	Un-known
Lincoln	12	0	7	4	1	0	0	0	0	0
Lowndes	44	0	26	9	6	1	2	0	0	0
Madison	22	0	14	7	1	0	0	0	0	0
Marion	17	0	8	7	1	0	1	0	0	0
Marshall	16	0	9	5	1	1	0	0	0	0
Monroe	27	0	15	8	3	1	0	0	0	0
Montgomery	4	0	1	3	0	0	0	0	0	0
Neshoba	3	1	2	0	0	0	0	0	0	0
Newton	5	0	2	2	0	0	1	0	0	0
Noxubee	3	0	3	0	0	0	0	0	0	0
Oktibbeha	6	0	3	3	0	0	0	0	0	0
Panola	12	1	9	2	0	0	0	0	0	0
Pearl River	24	0	14	9	1	0	0	0	0	0
Perry	9	0	5	3	0	1	0	0	0	0
Pike	13	0	8	5	0	0	0	0	0	0
Pontotoc	17	1	7	3	4	1	1	0	0	0
Prentiss	17	0	6	4	3	3	1	0	0	0
Quitman	8	1	3	4	0	0	0	0	0	0
Rankin	39	2	22	13	1	1	0	0	0	0
Scott	13	0	4	8	1	0	0	0	0	0
Sharkey	3	0	2	1	0	0	0	0	0	0
Simpson	14	0	7	3	1	3	0	0	0	0
Smith	10	0	6	2	2	0	0	0	0	0
Stone	2	0	2	0	0	0	0	0	0	0
Sunflower	9	0	3	3	1	2	0	0	0	0
Tallahatchie	8	0	2	3	0	3	0	0	0	0
Tate	8	0	4	4	0	0	0	0	0	0
Tippah	13	0	7	4	2	0	0	0	0	0
Tishomingo	13	1	6	5	1	0	0	0	0	0
Tunica	2	1	0	1	0	0	0	0	0	0
Union	18	0	8	6	2	2	0	0	0	0
Walthall	7	0	5	0	2	0	0	0	0	0
Warren	25	0	12	10	2	1	0	0	0	0
Washington	38	1	21	12	4	0	0	0	0	0
Wayne	8	0	4	4	0	0	0	0	0	0
Webster	2	0	0	0	2	0	0	0	0	0
Wilkinson	2	0	1	0	1	0	0	0	0	0
Winston	4	0	2	2	0	0	0	0	0	0
Yalobusha	7	0	3	3	0	0	1	0	0	0
Yazoo	11	0	6	4	0	1	0	0	0	0

TABLE 7C
NONWHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	11,948	335	5,406	3,889	1,466	584	197	66	5	0
Adams	246	5	96	80	40	20	5	0	0	0
Alcorn	30	1	15	10	1	2	0	1	0	0
Amite	50	2	25	15	3	3	1	1	0	0
Attala	68	1	38	18	4	5	1	1	0	0
Benton	28	0	16	8	3	1	0	0	0	0
Bolivar	569	21	282	172	54	30	8	2	0	0
Calhoun	42	0	28	9	4	1	0	0	0	0
Carroll	38	0	23	8	6	0	0	1	0	0
Chickasaw	79	2	41	20	10	5	1	0	0	0
Choctaw	45	5	17	13	4	6	0	0	0	0
Claiborne	114	1	48	41	15	6	1	2	0	0
Clarke	56	2	21	16	7	8	1	1	0	0
Clay	104	2	43	33	21	4	1	0	0	0
Coahoma	412	6	213	133	43	10	7	0	0	0
Copiah	140	3	64	49	17	6	0	1	0	0
Covington	64	4	32	16	7	2	3	0	0	0
DeSoto	113	7	47	36	8	11	4	0	0	0
Forrest	203	5	95	68	26	6	3	0	0	0
Franklin	47	0	18	22	4	0	3	0	0	0
George	30	2	15	6	3	1	0	3	0	0
Greene	29	1	17	6	5	0	0	0	0	0
Grenada	115	7	53	33	18	4	0	0	0	0
Hancock	35	0	21	10	3	1	0	0	0	0
Harrison	361	12	157	135	40	13	4	0	0	0
Hinds	1,532	29	632	531	235	77	24	4	0	0
Holmes	249	5	103	88	34	10	5	3	1	0
Humphreys	153	2	65	54	18	10	4	0	0	0
Issaquena	25	0	11	8	2	2	1	1	0	0
Itawamba	9	0	2	2	1	3	1	0	0	0
Jackson	271	8	120	98	30	12	2	1	0	0
Jasper	71	4	37	22	5	1	1	1	0	0
Jefferson	107	3	44	39	13	3	1	4	0	0
Jeff Davis	82	5	35	31	10	1	0	0	0	0
Jones	180	8	82	52	26	9	1	2	0	0
Kemper	37	0	20	12	3	1	1	0	0	0
Lafayette	73	0	31	26	11	4	1	0	0	0
Lamar	21	0	11	4	4	2	0	0	0	0
Lauderdale	329	14	155	94	42	20	4	0	0	0
Lawrence	45	1	16	14	10	3	1	0	0	0
Leake	66	2	32	22	8	1	1	0	0	0
Lee	142	4	59	53	16	7	3	0	0	0
Leflore	382	10	189	121	41	15	5	1	0	0

Table 7C - Page 2
Nonwhite Illegitimate Live Births - Mississippi - 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	107	5	49	34	14	4	1	0	0	0
Lowndes	293	8	149	82	33	12	8	1	0	0
Madison	301	10	131	100	42	14	2	2	0	0
Marion	75	2	30	34	3	3	3	0	0	0
Marshall	213	4	95	70	32	8	3	1	0	0
Monroe	108	1	41	36	18	7	4	1	0	0
Montgomery	61	3	35	12	7	2	2	0	0	0
Neshoba	85	1	32	33	10	8	1	0	0	0
Newton	76	4	28	23	10	8	2	1	0	0
Noxubee	116	2	54	39	12	7	2	0	0	0
Oktibbeha	188	5	80	58	21	18	6	0	0	0
Panola	191	3	95	60	14	9	8	2	0	0
Pearl River	63	3	31	14	10	3	0	2	0	0
Perry	31	0	11	10	7	1	2	0	0	0
Pike	184	3	75	58	28	13	4	1	2	0
Pontotoc	20	0	4	10	3	2	0	1	0	0
Prentiss	24	1	10	8	2	3	0	0	0	0
Quitman	113	5	44	45	13	3	2	1	0	0
Rankin	104	5	39	42	14	2	2	0	0	0
Scott	82	3	40	23	7	7	1	1	0	0
Sharkey	109	1	52	34	17	2	2	1	0	0
Simpson	88	2	31	33	14	6	2	0	0	0
Smith	35	0	18	9	4	3	0	1	0	0
Stone	30	2	11	6	5	3	2	1	0	0
Sunflower	377	9	186	115	45	13	7	2	0	0
Tallahatchie	190	9	108	46	15	9	2	1	0	0
Tate	106	2	47	32	17	5	1	1	1	0
Tippah	25	1	12	9	3	0	0	0	0	0
Tishomingo	5	0	3	2	0	0	0	0	0	0
Tunica	117	2	57	40	11	5	0	1	1	0
Union	30	1	16	7	5	0	0	1	0	0
Walthall	66	3	29	20	5	2	7	0	0	0
Warren	255	7	107	88	35	15	0	3	0	0
Washington	739	23	329	262	76	31	11	7	0	0
Wayne	73	3	36	21	7	3	3	0	0	0
Webster	26	1	12	10	2	0	1	0	0	0
Wilkinson	75	5	30	23	10	5	2	0	0	0
Winston	109	3	51	34	11	7	2	1	0	0
Yalobusha	55	3	28	14	5	2	2	1	0	0
Yazoo	211	6	101	65	24	13	1	1	0	0

TABLE 8
IMMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1980

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
STATE	4,191	1,449	2,742	8.8	5.9	11.8
Adams	79	20	59	10.4	6.4	13.2
Alcorn	32	22	10	6.8	5.5	14.3
Amite	17	3	14	7.6	2.9	11.4
Attala	25	8	17	7.8	4.7	11.4
Benton	11	5	6	8.6	8.3	8.8
Bolivar	116	16	100	10.1	5.9	11.4
Calhoun	27	11	16	11.3	7.5	17.4
Carroll	8	1	7	5.2	1.6	7.7
Chickasaw	36	12	24	10.0	7.0	12.7
Choctaw	18	5	13	10.3	5.9	14.6
Claiborne	20	2	18	8.0	4.8	8.6
Clarke	23	11	12	8.0	6.7	9.8
Clay	26	3	23	5.9	1.9	8.2
Coahoma	86	14	72	10.0	7.0	11.0
Copiah	53	5	48	10.9	2.9	15.4
Covington	27	11	16	9.0	7.9	9.9
DeSoto	55	32	23	6.9	5.4	11.4
Forrest	82	32	50	7.2	4.5	11.9
Franklin	15	3	12	8.9	3.8	13.5
George	13	11	2	4.2	4.3	4.0
Greene	9	6	3	4.5	4.2	5.4
Grenada	42	15	27	10.7	7.9	13.2
Hancock	34	28	6	8.4	8.3	9.1
Harrison	224	129	95	7.4	5.8	12.0
Hinds	488	105	383	10.0	5.5	12.8
Holmes	41	4	37	7.7	5.1	8.1
Humphreys	27	2	25	8.6	3.5	9.8
Issaquena	5	1	4	9.4	5.6	11.4
Itawamba	26	22	4	8.3	8.0	10.8
Jackson	166	104	62	7.5	6.5	10.4
Jasper	27	4	23	7.9	3.2	10.5
Jefferson	21	0	21	9.7	-	10.9
Jeff Davis	24	3	21	9.1	3.2	12.4
Jones	102	52	50	9.3	7.1	13.7
Kemper	12	4	8	6.3	4.8	7.5
Lafayette	24	5	19	5.8	2.2	10.7
Lamar	21	18	3	5.2	5.0	6.1
Lauderdale	123	42	81	8.4	5.2	12.3
Lawrence	13	6	7	5.3	4.3	6.7
Leake	40	18	22	11.2	10.3	12.0
Lee	91	50	41	8.4	6.6	12.3
Leflore	94	17	77	10.2	5.6	12.4

Table 8 - Page 2
Immature Live Births - Mississippi - 1980

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	51	24	27	9.3	7.6	11.5
Lowndes	109	34	75	9.2	5.3	13.6
Madison	80	20	60	9.5	5.9	12.0
Marion	39	15	24	8.2	5.2	13.0
Marshall	67	10	57	10.8	4.7	14.0
Monroe	52	22	30	8.3	5.8	12.3
Montgomery	19	5	14	8.0	4.8	10.4
Neshoba	30	6	24	6.9	2.4	12.7
Newton	22	10	12	6.8	6.1	7.5
Noxubee	32	2	30	10.8	3.3	12.8
Oktibbeha	57	11	46	9.3	4.1	13.4
Panola	64	15	49	10.8	6.8	13.1
Pearl River	55	39	16	8.9	7.8	13.4
Perry	12	6	6	5.9	4.2	10.0
Pike	70	21	49	10.3	7.2	12.7
Pontotoc	21	16	5	7.4	6.8	10.6
Prentiss	26	20	6	7.6	6.9	11.8
Quitman	21	2	19	7.8	2.8	9.5
Rankin	89	52	37	7.4	5.5	14.1
Scott	36	12	24	8.1	4.8	12.3
Sharkey	18	2	16	9.2	5.1	10.2
Simpson	38	17	21	8.6	6.9	10.6
Smith	20	11	9	8.3	7.5	9.5
Stone	5	2	3	2.8	1.9	4.1
Sunflower	88	10	78	10.5	5.8	11.8
Tallahatchie	52	8	44	13.4	8.3	15.1
Tate	29	12	17	8.0	7.1	8.8
Tippah	31	19	12	9.6	7.7	16.2
Tishomingo	21	20	1	7.6	7.6	8.3
Tunica	32	6	26	14.9	12.8	15.5
Union	28	21	7	8.0	7.8	8.8
Walthall	19	5	14	6.7	4.1	8.7
Warren	81	30	51	8.3	6.0	10.6
Washington	167	41	126	9.9	8.2	10.6
Wayne	29	10	19	8.1	4.8	12.8
Webster	19	4	15	12.3	4.0	27.8
Wilkinson	23	2	21	11.3	3.8	14.0
Winston	33	2	31	9.0	1.4	13.8
Yalobusha	24	12	12	10.1	9.7	10.6
Yazoo	59	11	48	10.0	5.0	13.1

* Birthweight 2,500 grams or less.

TABLE 9
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1980

	Number			Percent		
County	Total	White	Non-White	Total	White	Non-white
STATE	6,289	2,074	4,215	13.2	8.4	18.2
Adams	98	18	80	12.9	5.8	17.8
Alcorn	39	25	14	8.3	6.2	20.0
Amite	25	5	20	11.1	4.9	16.3
Attala	38	11	27	11.9	6.4	18.1
Benton	11	6	5	8.6	10.0	7.4
Bolivar	198	27	171	17.3	10.0	19.5
Calhoun	28	12	16	11.7	8.2	17.4
Carroll	26	5	21	16.9	7.9	23.1
Chickasaw	37	9	28	10.3	5.3	14.8
Choctaw	21	5	16	12.1	5.9	18.0
Claiborne	31	2	29	12.4	4.8	13.9
Clarke	31	14	17	10.8	8.5	13.9
Clay	49	9	40	11.2	5.8	14.2
Coahoma	147	16	131	17.2	8.0	19.9
Copiah	65	9	56	13.4	5.2	17.9
Covington	51	15	36	17.0	10.8	22.4
DeSoto	73	42	31	9.1	7.0	15.3
Forrest	133	55	78	11.7	7.7	18.6
Franklin	25	10	15	14.9	12.6	16.8
George	30	21	9	9.8	8.2	18.0
Greene	20	15	5	10.1	10.5	9.1
Grenada	62	20	42	15.8	10.6	20.6
Hancock	55	42	13	13.6	12.4	19.7
Harrison	368	214	154	12.2	9.6	19.5
Hinds	694	151	543	14.2	8.0	18.1
Holmes	101	3	98	18.9	3.8	21.4
Humphreys	54	2	52	17.2	3.5	20.3
Issaquena	8	1	7	15.1	5.6	20.0
Itawamba	25	20	5	8.0	7.3	13.5
Jackson	233	135	98	10.6	8.4	16.4
Jasper	46	8	38	13.4	6.4	17.4
Jefferson	40	2	38	18.5	8.3	19.8
Jeff Davis	36	7	29	13.7	7.4	17.2
Jones	133	67	66	12.1	9.1	18.0
Kemper	23	5	18	12.0	6.0	16.8
Lafayette	40	13	27	9.8	5.6	15.2
Lamar	41	33	8	10.1	9.3	16.3
Lauderdale	167	69	98	11.4	8.5	14.9
Lawrence	32	13	19	13.2	9.4	18.3
Leake	51	22	29	14.2	12.6	15.8
Lee	94	52	42	8.6	6.9	12.6
Leflore	164	28	136	17.7	9.2	21.9

Table 9 - Page 2
Premature Live Births - Mississippi - 1980

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	78	34	44	14.2	10.8	18.7
Lowndes	170	56	114	14.3	8.8	20.7
Madison	110	34	76	13.1	10.0	15.3
Marion	52	22	30	10.9	7.6	16.2
Marshall	83	20	63	13.4	9.5	15.5
Monroe	73	27	46	11.7	7.1	18.8
Montgomery	37	9	28	15.5	8.7	20.7
Neshoba	47	18	29	10.8	7.4	15.3
Newton	36	16	20	11.1	9.8	12.5
Noxubee	48	4	44	16.3	6.6	18.8
Oktibbeha	75	17	58	12.2	6.3	16.9
Panola	82	16	66	13.8	7.2	17.7
Pearl River	82	57	25	13.3	11.4	21.0
Perry	20	8	12	9.9	5.6	20.0
Pike	147	40	107	21.7	13.7	27.7
Pontotoc	27	20	7	9.5	8.4	14.9
Prentiss	29	21	8	8.5	7.3	15.7
Quitman	47	4	43	17.4	5.7	21.5
Rankin	131	77	54	10.9	8.2	20.6
Scott	46	18	28	10.4	7.2	14.4
Sharkey	41	4	37	21.0	10.2	23.7
Simpson	59	18	41	13.3	7.3	20.7
Smith	31	16	15	12.9	11.0	15.8
Stone	22	10	12	12.3	9.4	16.4
Sunflower	147	18	129	17.6	10.5	19.4
Tallahatchie	74	11	63	19.1	11.4	21.6
Tate	51	14	37	14.1	8.3	19.2
Tippah	25	18	7	7.8	7.3	9.4
Tishomingo	21	18	3	7.6	6.8	25.0
Tunica	42	6	36	19.5	12.8	21.4
Union	37	21	16	10.6	7.8	20.0
Walthall	44	11	33	15.5	9.0	20.5
Warren	120	42	78	12.2	8.4	16.2
Washington	278	51	227	16.5	10.1	19.2
Wayne	42	14	28	11.8	6.8	18.8
Webster	20	10	10	13.0	10.0	18.5
Wilkinson	19	2	17	9.4	3.8	11.3
Winston	50	7	43	13.7	5.0	19.1
Yalobusha	30	12	18	12.6	9.7	15.9
Yazoo	73	15	58	12.4	6.8	15.8

* Gestation less than 37 weeks.

TABLE 10
REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE, ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1980

County	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	700	243	457	707	247	460	14.8	10.0	19.9
Adams	22	8	14	15	2	13	19.7	6.4	29.0
Alcorn	3	3	0	6	5	1	12.7	12.4	14.3
Amite	2	0	2	3	1	2	13.3	9.8	16.3
Attala	1	0	1	5	2	3	15.6	11.7	20.1
Benton	0	0	0	2	1	1	15.6	16.7	14.7
Bolivar	34	4	30	23	4	19	20.1	14.9	21.7
Calhoun	0	0	0	3	2	1	12.6	13.6	10.9
Carroll	0	0	0	3	0	3	19.5	-	33.0
Chickasaw	1	0	1	4	0	4	11.1	-	21.2
Choctaw	2	0	2	3	1	2	17.2	11.8	22.5
Claiborne	1	0	1	2	0	2	8.0	-	9.6
Clarke	1	0	1	5	3	2	17.4	18.2	16.4
Clay	4	0	4	5	0	5	11.4	-	17.7
Coahoma	22	7	15	19	7	12	22.2	35.2	18.3
Copiah	4	0	4	6	0	6	12.4	-	19.2
Covington	2	0	2	10	4	6	33.3	28.8	37.3
DeSoto	0	0	0	7	5	2	8.8	8.4	9.9
Forrest	40	24	16	20	12	8	17.6	16.8	19.0
Franklin	1	0	1	0	0	0	-	-	-
George	4	2	2	6	5	1	19.6	19.5	20.0
Greene	2	1	1	5	1	4	25.2	7.0	72.7
Grenada	7	2	5	2	0	2	5.1	-	9.8
Hancock	2	2	0	1	1	0	2.5	3.0	-
Harrison	30	17	13	31	17	14	10.2	7.6	17.7
Hinds	141	33	108	89	24	65	18.2	12.7	21.6
Holmes	1	0	1	9	1	8	16.8	12.8	17.5
Humphreys	2	0	2	5	0	5	16.0	-	19.5
Issaquena	0	0	0	0	0	0	-	-	-
Itawamba	0	0	0	3	3	0	9.6	10.9	-
Jackson	25	11	14	26	13	13	11.8	8.1	21.8
Jasper	0	0	0	3	1	2	8.7	8.1	9.1
Jefferson	0	0	0	3	1	2	13.9	41.7	10.4
Jeff Davis	0	0	0	3	1	2	11.4	10.6	11.8
Jones	29	8	21	15	7	8	13.6	9.5	21.8
Kemper	0	0	0	3	1	2	15.7	11.9	18.7
Lafayette	6	3	3	4	1	3	9.8	4.3	16.8
Lamar	0	0	0	4	1	3	9.9	2.8	61.2
Lauderdale	28	18	10	17	8	9	11.6	9.9	13.7
Lawrence	1	0	1	9	2	7	37.0	14.4	67.3
Leake	1	1	0	6	1	5	16.8	5.7	27.3
Lee	28	18	10	14	7	7	12.8	9.2	21.0
Leflore	18	3	15	10	1	9	10.8	3.3	14.5

Table 10 - Page 2
Fetal Deaths - Mississippi - 1980

	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	6	3	3	6	4	2	10.9	12.7	8.5
Lowndes	10	4	6	13	0	13	10.9	–	23.6
Madison	2	0	2	13	4	9	15.5	11.8	18.1
Marion	0	0	0	7	3	4	14.7	10.3	21.6
Marshall	0	0	0	5	0	5	8.1	–	12.3
Monroe	24	13	11	10	4	6	16.0	10.5	24.6
Montgomery	6	0	6	4	1	3	16.8	9.7	22.2
Neshoba	2	0	2	4	2	2	9.2	8.2	10.6
Newton	1	1	0	5	3	2	15.4	18.3	12.5
Noxubee	6	0	6	7	1	6	23.7	16.4	25.6
Oktibbeha	16	3	13	14	5	9	22.9	18.6	26.2
Panola	8	2	6	11	3	8	18.5	13.6	21.4
Pearl River	11	7	4	12	8	4	19.4	16.1	33.6
Perry	3	0	3	5	3	2	24.8	21.1	33.3
Pike	13	3	10	13	2	11	19.2	6.8	28.5
Pontotoc	0	0	0	6	4	2	21.1	16.9	42.6
Prentiss	0	0	0	4	4	0	11.8	13.8	–
Quitman	0	0	0	2	0	2	7.4	–	10.0
Rankin	31	16	15	9	6	3	7.5	6.4	11.4
Scott	4	1	3	11	5	6	24.8	20.1	30.8
Sharkey	0	0	0	1	0	1	5.1	–	6.4
Simpson	3	0	3	3	1	2	6.8	4.1	10.1
Smith	0	0	0	7	0	7	29.0	–	73.7
Stone	1	0	1	4	2	2	22.3	18.9	27.4
Sunflower	4	0	4	14	1	13	16.8	5.8	19.6
Tallahatchie	2	2	0	6	3	3	15.5	31.2	10.3
Tate	2	0	2	4	2	2	11.1	11.9	10.4
Tippah	10	7	3	5	4	1	15.6	16.2	13.5
Tishomingo	2	1	1	5	5	0	18.2	19.0	–
Tunica	0	0	0	2	0	2	9.3	–	11.9
Union	7	3	4	7	6	1	20.0	22.3	12.5
Walthall	2	1	1	1	1	0	3.5	8.2	–
Warren	18	4	14	17	5	12	17.4	10.1	24.9
Washington	19	5	14	28	4	24	16.6	8.0	20.3
Wayne	3	0	3	3	0	3	8.4	–	20.1
Webster	4	0	4	6	1	5	39.0	10.0	92.6
Wilkinson	6	1	5	6	0	6	29.6	–	40.0
Winston	5	1	4	6	1	5	16.4	7.1	22.2
Yalobusha	0	0	0	4	3	1	16.9	24.2	8.8
Yazoo	4	0	4	8	0	8	13.6	–	21.8
Out of state	38	27	11	31	23	8			

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Reportable fetal deaths per 1,000 live births.

TABLE 11
DEATHS, BY PLACE OF OCCURRENCE AND RACE, ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE, (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE), MISSISSIPPI, 1980

	Occurrence Data			Residence Data					
	Number			Number			Rate*		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	23,095	14,191	8,904	23,576	14,531	9,045	9.4	9.0	10.0
Adams	494	234	260	422	185	237	11.1	9.5	12.8
Alcorn	233	207	26	288	249	39	8.7	8.4	10.9
Amite	41	16	25	139	69	70	10.4	9.9	11.0
Attala	211	134	77	257	153	104	12.9	12.7	13.3
Benton	21	13	8	77	52	25	9.4	10.3	8.1
Bolivar	523	180	343	545	205	340	11.8	12.1	11.7
Calhoun	98	70	28	151	110	41	9.6	9.4	10.2
Carroll	22	12	10	76	43	33	7.8	8.1	7.4
Chickasaw	149	105	44	179	124	55	10.0	10.9	8.5
Choctaw	71	43	28	91	65	26	10.1	10.1	10.2
Claiborne	103	28	75	132	33	99	10.8	10.7	10.8
Clarke	123	84	39	164	108	56	9.7	9.8	9.4
Clay	154	79	75	183	95	88	8.7	9.1	8.3
Coahoma	446	170	276	431	149	282	11.7	11.4	11.8
Copiah	165	80	85	262	123	139	9.9	9.0	10.8
Covington	98	66	32	160	110	50	10.0	10.6	9.1
DeSoto	154	99	55	365	261	104	6.8	5.9	10.7
Forrest	881	659	222	636	453	183	9.6	9.5	10.0
Franklin	104	57	47	110	60	50	13.4	11.7	16.3
George	93	78	15	123	107	16	8.0	7.7	10.7
Greene	52	46	6	79	67	12	8.0	8.6	6.0
Grenada	230	132	98	231	129	102	11.0	10.6	11.5
Hancock	171	147	24	248	221	27	10.1	10.1	10.2
Harrison	1,456	1,155	301	1,185	928	257	7.5	7.5	7.6
Hinds	3,614	2,069	1,545	2,090	1,228	862	8.3	9.0	7.5
Holmes	214	55	159	264	78	186	11.5	11.8	11.3
Humphreys	155	42	113	180	60	120	12.9	12.7	13.0
Issaquena	12	4	8	17	5	12	6.8	4.5	8.5
Itawamba	111	98	13	188	174	14	9.2	9.1	10.6
Jackson	591	475	116	660	540	120	5.6	5.7	5.1
Jasper	106	55	51	178	92	86	10.3	10.5	10.1
Jefferson	56	6	50	84	16	68	9.1	9.7	9.0
Jeff Davis	106	53	53	144	68	76	10.4	10.6	10.2
Jones	596	420	176	605	453	152	9.8	9.6	10.4
Kemper	64	35	29	110	55	55	10.8	12.1	9.8
Lafayette	208	137	71	212	140	72	6.8	6.2	8.5
Lamar	87	66	21	154	133	21	6.5	6.3	7.8
Lauderdale	986	678	308	784	527	257	10.1	10.1	10.3
Lawrence	87	55	32	121	86	35	9.7	10.0	9.0
Leake	155	105	50	201	141	60	10.7	12.3	8.2
Lee	866	691	175	523	409	114	9.2	9.0	9.6
Leflore	513	208	305	466	185	281	11.2	11.1	11.3

Table 11 - Page 2
Deaths - Mississippi - 1980

County	Occurrence Data			Residence Data					
	Number			Number			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	243	176	67	288	197	91	9.5	9.3	10.0
Lowndes	522	326	196	444	261	183	7.7	7.0	9.1
Madison	233	95	138	338	135	203	8.1	7.4	8.7
Marion	217	150	67	289	198	91	11.2	11.0	11.8
Marshall	171	80	91	250	111	139	8.5	8.1	8.9
Monroe	382	265	117	418	291	127	11.5	11.4	11.7
Montgomery	155	89	66	163	104	59	12.2	13.2	10.8
Neshoba	147	98	49	231	165	66	9.7	9.7	9.8
Newton	147	92	55	188	121	67	9.4	8.6	11.3
Noxubee	97	29	68	119	36	83	9.0	7.7	9.7
Oktibbeha	230	128	102	222	119	103	6.2	5.1	8.0
Panola	259	127	132	343	179	164	12.2	12.5	11.8
Pearl River	220	184	36	299	248	51	8.8	8.7	9.8
Perry	59	48	11	102	78	24	10.3	10.1	11.2
Pike	480	278	202	468	272	196	12.9	13.3	12.4
Pontotoc	121	103	18	189	164	25	9.0	9.3	7.6
Prentiss	139	126	13	202	183	19	8.4	8.6	7.2
Quitman	97	38	59	171	80	91	13.5	14.5	12.8
Rankin	382	261	121	512	362	150	7.4	6.4	11.4
Scott	193	125	68	252	157	95	10.3	9.9	10.9
Sharkey	47	17	30	75	33	42	9.4	12.2	8.0
Simpson	193	141	52	237	163	74	10.1	10.1	10.2
Smith	53	44	9	117	104	13	7.8	8.8	4.0
Stone	71	57	14	87	67	20	9.0	9.0	8.9
Sunflower	310	110	200	361	128	233	10.4	9.8	10.7
Tallahatchie	155	73	82	226	100	126	13.2	13.8	12.7
Tate	139	86	53	193	115	78	9.6	9.3	10.0
Tippah	181	157	24	190	166	24	10.1	10.5	8.0
Tishomingo	121	119	2	168	166	2	9.1	9.4	2.6
Tunica	101	28	73	130	45	85	13.5	17.5	12.0
Union	223	191	32	235	204	31	10.8	10.9	10.2
Walthall	108	62	46	136	82	54	9.9	10.1	9.5
Warren	525	262	263	477	235	242	9.2	7.4	12.2
Washington	791	315	476	789	316	473	10.9	10.0	11.6
Wayne	155	106	49	161	109	52	8.4	8.6	8.1
Webster	97	79	18	121	97	24	11.7	11.7	11.8
Wilkinson	166	63	103	146	43	103	14.6	13.1	15.3
Winston	171	110	61	224	140	84	11.5	12.0	10.8
Yalobusha	99	72	27	144	102	42	11.0	12.6	8.3
Yazoo	275	135	140	356	166	190	13.0	12.6	13.4
Out of state	1,365	1,014	351	884	674	210			

Table 11 - Page 3
Deaths - Mississippi - 1980

	Residence Data					
	Number			Rate*		
Town**	Total	White	Non-white	Total	White	Non-white
Biloxi	310	246	64	6.3	6.4	6.0
Brookhaven	148	92	56	13.7	14.3	12.8
Canton	151	51	100	13.6	13.3	13.7
Clarksdale	274	105	169	13.0	13.2	12.8
Cleveland	157	86	71	10.8	9.9	12.1
Clinton	109	80	29	7.4	5.9	25.1
Columbus	281	153	128	10.3	10.2	10.4
Corinth	140	117	23	10.1	10.3	9.2
Greenville	554	236	318	13.6	14.6	13.0
Greenwood	278	121	157	13.8	12.7	14.8
Grenada	152	82	70	12.0	11.6	12.5
Gulfport	478	343	135	12.0	11.7	13.0
Hattiesburg	431	286	145	10.6	10.9	10.0
Jackson	1,706	1,028	678	8.4	9.7	7.0
Laurel	278	175	103	12.7	13.3	11.8
McComb	218	144	74	17.7	18.4	16.4
Meridian	549	351	198	11.8	12.1	11.2
Moss Point	104	47	57	5.5	7.2	4.6
Natchez	307	126	181	13.9	12.0	15.7
Ocean Springs	115	104	11	7.9	7.8	8.8
Pascagoula	208	173	35	7.1	7.2	6.6
Pearl	71	68	3	3.4	3.7	1.2
Picayune	112	74	38	10.8	10.6	11.2
Southaven	59	56	3	3.7	3.5	19.5
Starkville	117	74	43	7.7	6.7	10.4
Tupelo	258	205	53	10.8	10.5	11.9
Vicksburg	312	143	169	12.3	12.0	12.5
Yazoo City	211	92	119	17.0	14.5	19.5

* Deaths per 1,000 population.

** Towns of 10,000 population or more.

TABLE 12
DEATHS, BY CAUSE AND RACE, MISSISSIPPI RESIDENTS, 1980

International Classification Number*	Cause*	Total	White	Non-white
001-999	ALL CAUSES	23,576	14,531	9,045
001-139	INFECTIOUS AND PARASITIC DISEASES	194	100	94
001-009	Intestinal infectious diseases	3	1	2
002,003	Typhoid and paratyphoid fevers, and other salmonella infections	1	0	1
003	Other salmonella infections	1	0	1
004,006	Shigellosis and amebiasis	1	0	1
004	Shigellosis	1	0	1
008,009	Other and ill-defined intestinal infections	1	1	0
009	Ill-defined intestinal infections	1	1	0
010-018	Tuberculosis	30	15	15
010-012	Respiratory	26	12	14
011	Pulmonary	26	12	14
013-018	Other forms	4	3	1
018	Miliary	4	3	1
020-027	Zoonotic bacterial diseases	1	0	1
027	Other	1	0	1
030-041	Other bacterial diseases	115	62	53
031	Other diseases due to mycobacteria	3	3	0
036	Meningococcal infection	2	1	1
038	Septicemia	109	57	52
041	Bacterial infection of unspecified site	1	1	0
045-049	Poliomyelitis and other non-arthropod-borne diseases of central nervous system	1	1	0
049	Other non-arthropod-borne diseases	1	1	0
050-057	Viral diseases accompanied by exanthem	4	2	2
052	Chickenpox	1	0	1
054	Herpes simplex	2	2	0
057	Other viral exanthemata	1	0	1
060-066	Arthropod-borne viral diseases	0	0	0
070-079	Other diseases due to viruses and Chlamydiae	11	5	6
070	Viral hepatitis	7	4	3
078	Other diseases due to viruses and Chlamydiae	1	1	0
079	Viral infection in conditions classified elsewhere and of unspecified site	3	0	3
080-088	Rickettsioses and other arthropod-borne diseases	1	0	1
082	Tick-borne rickettsioses	1	0	1
090-099	Syphilis and other venereal diseases	3	0	3
090-097	Syphilis and its sequelae	3	0	3
093	Cardiovascular	2	0	2
094	Neurosyphilis	1	0	1
100-104	Other spirochetal diseases	0	0	0
110-118	Mycoses	14	8	6
112	Candidiasis	2	1	1
115	Histoplasmosis	1	1	0
116	Blastomycotic infection	6	4	2
117	Other mycoses	5	2	3

Table 12 - Page 2
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
120-129	Helminthiases	0	0	0
130-139	Other infectious and parasitic diseases	11	6	5
135	Sarcoidosis	2	1	1
136	Other and unspecified infectious and parasitic diseases	5	3	2
137	Late effects of tuberculosis	3	1	2
138	Late effects of acute poliomyelitis	1	1	0
140-239	NEOPLASMS	4,433	2,928	1,505
140-208	Malignant neoplasms	4,383	2,895	1,488
140-149	Lip, oral cavity, and pharynx	73	47	26
140	Lip	1	0	1
141	Tongue	8	5	3
142	Major salivary glands	6	5	1
143	Gum	2	1	1
144	Floor of mouth	6	6	0
145	Other and unspecified parts of mouth	13	8	5
146	Oropharynx	5	5	0
147	Nasopharynx	5	4	1
148	Hypopharynx	6	3	3
149	Other and ill-defined sites	21	10	11
150-159	Digestive organs and peritoneum	1,138	719	419
150	Esophagus	76	30	46
151	Stomach	161	76	85
152	Small intestine, including duodenum	12	9	3
153	Colon	417	287	130
154	Rectum, rectosigmoid junction, and anus	65	41	24
155	Liver and intrahepatic bile ducts	68	40	28
156	Gallbladder and extrahepatic bile ducts	39	30	9
157	Pancreas	283	194	89
158	Retroperitoneum and peritoneum	10	9	1
159	Other and ill-defined sites	7	3	4
160-165	Respiratory and intrathoracic organs	1,202	875	327
160	Nasal cavities, middle ear, and accessory sinuses	3	2	1
161	Larynx	40	31	9
162	Trachea, bronchus, and lung	1,151	835	316
163	Pleura	2	2	0
164	Thymus, heart, and mediastinum	5	4	1
165	Other and ill-defined sites	1	1	0
170-175	Bone, connective tissue, skin, and breast	416	302	114
170	Bone and articular cartilage	14	11	3
171	Connective and other soft tissue	23	12	11
172	Melanoma of skin	50	48	2
173	Skin, other	21	16	5
174	Female breast	307	215	92
175	Male breast	1	0	1
179-189	Genitourinary organs	646	353	293
(179-187)	(Genital organs)	499	252	247
179	Uterus, part unspecified	41	18	23
180	Cervix uteri	67	19	48

Table 12 - Page 3
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
181	Placenta	2	1	1
182	Body of uterus	29	15	14
183	Ovary and other uterine adnexa	84	62	22
184	Other and unspecified female genital organs	6	3	3
185	Prostate	261	129	132
187	Penis and other male genital organs	9	5	4
(188,189)	(Urinary organs)	147	101	46
188	Bladder	76	49	27
189	Kidney and other and unspecified urinary organs	71	52	19
190-199	Other and unspecified sites	510	320	190
190	Eye	2	2	0
191	Brain	93	75	18
192	Other and unspecified parts of nervous system	4	4	0
193	Thyroid gland	13	10	3
194	Other endocrine glands and related structures	11	9	2
195	Other and ill-defined sites	40	21	19
199	Site unspecified	347	199	148
200-208	Lymphatic and hematopoietic tissue	398	279	119
200	Lymphosarcoma and reticulosarcoma	53	43	10
201	Hodgkin's disease	17	14	3
202	Other lymphoid and histiocytic tissue	62	47	15
203	Multiple myeloma and immunoproliferative neoplasms	69	40	29
(204-208)	(Leukemia)	197	135	62
204	Lymphatic	56	41	15
205	Myeloid	82	59	23
206	Monocytic	3	2	1
207	Other specified	3	3	0
208	Unspecified cell type	53	30	23
210-229	Benign neoplasms	19	12	7
211	Benign neoplasm of other parts of digestive system	2	1	1
215	Other benign neoplasm of connective and other soft tissue	1	0	1
218	Uterine leiomyoma	1	1	0
223	Benign neoplasm of kidney and other urinary organs	1	1	0
225	Benign neoplasm of brain and other parts of nervous system	13	8	5
227	Benign neoplasm of other endocrine glands and related structures	1	1	0
230-234	Carcinoma in situ	0	0	0
235-239	Neoplasms of uncertain behavior and unspecified nature	31	21	10
235-238	Uncertain behavior	8	5	3
235	Digestive and respiratory systems	4	3	1
237	Endocrine glands and nervous system	2	1	1
238	Other and unspecified sites and tissues	2	1	1
239	Unspecified nature	23	16	7
240-279	ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES	542	265	277

Table 12 - Page 4
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
240-246	Diseases of thyroid gland	7	4	3
242	Thyrotoxicosis with or without goiter	3	2	1
244	Acquired hypothyroidism	2	2	0
245	Thyroiditis	1	0	1
246	Other disorders of thyroid	1	0	1
250-259	Diseases of other endocrine glands	419	203	216
250	Diabetes mellitus	409	198	211
251	Other disorders of pancreatic internal secretion	3	1	2
253	Disorders of the pituitary gland and its hypothalamic control	2	0	2
255	Disorders of adrenal glands	3	2	1
259	Other endocrine disorders	2	2	0
260-269	Nutritional deficiencies	24	11	13
261	Nutritional marasmus	4	1	3
263	Other and unspecified protein-calorie malnutrition	20	10	10
270-279	Other metabolic disorders and immunity disorders	92	47	45
270	Disorders of amino-acid transport and metabolism	1	1	0
272	Disorders of lipid metabolism	1	1	0
273	Disorders of plasma protein metabolism	4	2	2
274	Gout	1	0	1
275	Disorders of mineral metabolism	2	2	0
276	Disorders of fluid, electrolyte, and acid-base balance	48	20	28
277	Other and unspecified disorders of metabolism	18	13	5
278	Obesity and other hyperalimentation	15	7	8
279	Disorders involving the immune mechanism	2	1	1
280-289	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	70	39	31
280-285	Anemias	46	18	28
280	Iron deficiency	2	1	1
281	Other deficiency	2	1	1
282	Hereditary hemolytic	17	1	16
284	Aplastic	13	10	3
285	Other and unspecified	12	5	7
286	Coagulation defects	7	5	2
287	Purpura and other hemorrhagic conditions	7	6	1
288	Diseases of white blood cells	1	1	0
289	Other diseases of blood and blood-forming organs	9	9	0
290-319	MENTAL DISORDERS	138	83	55
290-299	Psychoses	30	15	15
290	Senile and presenile organic psychotic conditions	12	8	4
291	Alcoholic psychoses	11	4	7
294	Other organic psychotic conditions (chronic)	1	1	0
295	Schizophrenic psychoses	2	1	1
296	Affective psychoses	2	0	2
298	Other nonorganic psychoses	2	1	1
300-316	Neurotic disorders, personality disorders, and other nonpsychotic mental disorders	102	66	36
300	Neurotic disorders	1	1	0

Table 12 - Page 5
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
303	Alcohol dependence syndrome	41	26	15
305	Nondependent abuse of drugs	10	4	6
310	Specific nonpsychotic mental disorders following organic brain damage	50	35	15
317-319	Mental retardation	6	2	4
318	Other specified	4	2	2
319	Unspecified	2	0	2
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	239	136	103
320-326	Inflammatory diseases of central nervous system	37	15	22
320	Bacterial meningitis	18	10	8
322	Meningitis of unspecified cause	9	2	7
323	Encephalitis, myelitis, and encephalomyelitis	4	1	3
324	Intracranial and intraspinal abscess	3	0	3
325	Phlebitis and thrombophlebitis of intracranial venous sinuses	1	0	1
326	Late effects of intracranial abscess or pyogenic infection	2	2	0
330-337	Hereditary and degenerative diseases of the central nervous system	88	63	25
330	Cerebral degenerations usually manifest in childhood	1	0	1
331	Other cerebral degenerations	29	19	10
332	Parkinson's disease	25	21	4
333	Other extrapyramidal disease and abnormal movement disorders	6	4	2
334	Spinocerebellar disease	2	2	0
335	Anterior horn cell disease	23	15	8
336	Other diseases of spinal cord	2	2	0
340-349	Other disorders of the central nervous system	99	49	50
340	Multiple sclerosis	16	14	2
342	Hemiplegia	4	1	3
343	Infantile cerebral palsy	10	3	7
344	Other paralytic syndromes	8	5	3
345	Epilepsy	30	10	20
348	Other conditions of brain	28	14	14
349	Other and unspecified disorders of the nervous system	3	2	1
350-359	Disorders of peripheral nervous system	13	8	5
356	Hereditary and idiopathic peripheral neuropathy	1	1	0
357	Inflammatory and toxic neuropathy	2	2	0
358	Myoneural disorders	3	1	2
359	Muscular dystrophies and other myopathies	7	4	3
360-379	Disorders of the eye and adnexa	1	0	1
369	Blindness and low vision	1	0	1
380-389	Diseases of the ear and mastoid process	1	1	0
381-383	Otitis media and mastoiditis	1	1	0
382	Suppurative and unspecified otitis media	1	1	0

Table 12 - Page 6
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
390-459	DISEASES OF THE CIRCULATORY SYSTEM	11,218	7,259	3,959
390-392	Active rheumatic fever	1	0	1
390	Rheumatic fever without mention of heart involvement	1	0	1
393-398	Chronic rheumatic heart disease	28	20	8
394	Diseases of mitral valve	8	7	1
395	Diseases of aortic valve	2	2	0
396	Diseases of mitral and aortic valves	4	4	0
397	Diseases of other endocardial structures	3	1	2
398	Other rheumatic heart disease	11	6	5
401-405	Hypertensive disease	538	226	312
401,403	Hypertension with or without renal disease	119	42	77
401	Essential hypertension	41	10	31
403	Hypertensive renal disease	78	32	46
402,404	Hypertensive heart disease with or without renal disease	419	184	235
402	Hypertensive heart disease	350	155	195
404	Hypertensive heart and renal disease	69	29	40
410-414	Ischemic heart disease	5,438	3,882	1,556
410	Acute myocardial infarction	3,555	2,524	1,031
411	Other acute and subacute forms of ischemic heart disease	54	31	23
412	Old myocardial infarction	13	9	4
413	Angina pectoris	7	6	1
414	Other forms of chronic ischemic heart disease	1,809	1,312	497
415-417	Diseases of pulmonary circulation	199	107	92
415	Acute pulmonary heart disease	184	98	86
416	Chronic pulmonary heart disease	15	9	6
420-429	Other forms of heart disease	2,135	1,300	835
420	Acute pericarditis	1	0	1
421	Acute and subacute endocarditis	9	4	5
422	Acute myocarditis	1	1	0
423	Other diseases of pericardium	4	1	3
424	Other diseases of endocardium	39	28	11
425	Cardiomyopathy	71	35	36
426	Conduction disorders	10	8	2
427	Cardiac dysrhythmias	555	309	246
428	Heart failure	527	314	213
429	Ill-defined heart diseases	918	600	318
430-438	Cerebrovascular diseases	2,323	1,366	957
430	Subarachnoid hemorrhage	71	44	27
431	Intracerebral hemorrhage	217	117	100
432	Other and unspecified intracranial hemorrhage	13	4	9
433	Occlusion and stenosis of precerebral arteries	22	15	7
434	Occlusion of cerebral arteries	387	248	139
435	Transient cerebral ischemia	2	1	1
436	Acute but ill-defined cerebrovascular disease	1,380	760	620
437	Other and ill-defined cerebrovascular disease	159	125	34
438	Late effects of cerebrovascular disease	72	52	20
440-448	Diseases of arteries, arterioles, and capillaries	501	328	173
440	Atherosclerosis	296	185	111

International Classification Number*	Cause*	Total	White	Non-white
441-448	Other diseases of arteries, arterioles, and capillaries	205	143	62
441	Aortic aneurysm	134	99	35
442	Other aneurysm	12	9	3
443	Other peripheral vascular disease	17	8	9
444	Arterial embolism and thrombosis	21	12	9
446	Polyarteritis nodosa and allied conditions	10	6	4
447	Other disorders of arteries and arterioles	10	8	2
448	Diseases of capillaries	1	1	0
451-459	Diseases of veins and lymphatics, and other diseases of circulatory system	55	30	25
451-453	Venous thrombosis and embolism	16	10	6
451	Phlebitis and thrombophlebitis	12	6	6
453	Other venous embolism and thrombosis	4	4	0
454-459	Other diseases of the circulatory system	39	20	19
454	Varicose veins of lower extremities	4	1	3
455	Hemorrhoids	1	1	0
456	Varicose veins of other sites	7	4	3
458	Hypotension	10	3	7
459	Other disorders of circulatory system	17	11	6
460-519	DISEASES OF THE RESPIRATORY SYSTEM	1,178	882	296
460-466	Acute respiratory infections	20	8	12
464	Acute laryngitis and tracheitis	3	0	3
465	Acute upper respiratory infection of multiple or unspecified sites	9	2	7
466	Acute bronchitis and bronchiolitis	8	6	2
470-478	Other diseases of upper respiratory tract	4	3	1
473	Chronic sinusitis	1	1	0
474	Chronic disease of tonsils and adenoids	1	1	0
478	Other diseases of upper respiratory tract	2	1	1
480-487	Pneumonia and influenza	482	345	137
480-486	Pneumonia	464	335	129
480	Viral	6	4	2
481	Pneumococcal	10	7	3
482	Other bacterial	21	13	8
485	Broncho, organism unspecified	65	47	18
486	Organism unspecified	362	264	98
487	Influenza	18	10	8
490-496	Chronic obstructive pulmonary disease and allied conditions	495	400	95
490,491	Chronic and unqualified bronchitis	15	11	4
490	Unqualified	3	1	2
491	Chronic	12	10	2
492	Emphysema	130	108	22
493	Asthma	45	19	26
494	Bronchiectasis	9	7	2
496	Chronic airways obstruction, not elsewhere classified	296	255	41
500-508	Pneumoconioses and other lung diseases due to external agents	41	29	12
501	Asbestosis	2	2	0

Table 12 - Page 8
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
502	Pneumoconiosis due to other silica or silicates	2	0	2
506	Respiratory conditions due to chemical fumes and vapors	1	1	0
507	Pneumonitis due to solids and liquids	36	26	10
510-519	Other diseases of respiratory system	136	97	39
510	Empyema	1	1	0
511	Pleurisy	6	4	2
512	Pneumothorax	4	3	1
513	Abscess of lung and mediastinum	8	4	4
514	Pulmonary congestion and hypostasis	15	9	6
515	Postinflammatory pulmonary fibrosis	38	31	7
516	Other alveolar and parietoalveolar pneumopathy	5	5	0
518	Other diseases of lung	49	34	15
519	Other diseases of respiratory system	10	6	4
520-579	DISEASES OF THE DIGESTIVE SYSTEM	678	465	213
520-529	Diseases of oral cavity, salivary glands, and jaws	0	0	0
530-537	Diseases of esophagus, stomach, and duodenum	79	55	24
530	Diseases of esophagus	7	7	0
531-533	Peptic ulcer	59	40	19
531	Gastric ulcer	18	13	5
532	Duodenal ulcer	23	15	8
533	Peptic ulcer, site unspecified	18	12	6
535	Gastritis and duodenitis	5	2	3
536	Disorders of function of stomach	3	3	0
537	Other disorders of stomach and duodenum	5	3	2
540-543	Appendicitis	11	9	2
540	Acute appendicitis	10	8	2
541	Appendicitis, unqualified	1	1	0
550-553	Hernia of abdominal cavity	12	7	5
550	Inguinal	1	1	0
551	Other, of abdominal cavity, with gangrene	1	0	1
552	Other, of abdominal cavity with obstruction, without mention of gangrene	3	2	1
553	Other, of abdominal cavity without mention of obstruction or gangrene	7	4	3
555-558	Noninfective enteritis and colitis	62	39	23
555	Regional enteritis	1	1	0
556	Idiopathic proctocolitis	2	2	0
557	Vascular insufficiency of intestine	35	27	8
558	Other noninfective gastroenteritis and colitis	24	9	15
560-569	Other diseases of intestine and peritoneum	132	82	50
560	Intestinal obstruction without mention of hernia	40	28	12
562	Diverticula of intestine	44	30	14
565	Anal fissure and fistula	2	1	1
566	Abscess of anal and rectal regions	7	0	7
567	Peritonitis	14	8	6
568	Other disorders of peritoneum	3	1	2
569	Other disorders of intestine	22	14	8

Table 12 - Page 9
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
570-579	Other diseases of digestive system	382	273	109
570	Acute and subacute necrosis of liver	4	2	2
571	Chronic liver disease and cirrhosis	196	148	48
572	Liver abscess and sequelae of chronic liver disease	29	19	10
573	Other disorders of liver	17	10	7
574,575	Cholelithiasis and other disorders of gallbladder	42	26	16
574	Cholelithiasis	17	12	5
575	Other disorders of gallbladder	25	14	11
576	Other disorders of biliary tract	9	7	2
577	Diseases of pancreas	37	25	12
578	Gastrointestinal hemorrhage	46	34	12
579	Intestinal malabsorption	2	2	0
580-629	DISEASES OF THE GENITOURINARY SYSTEM	414	214	200
580-589	Nephritis, nephrotic syndrome, and nephrosis	240	113	127
580	Acute glomerulonephritis	3	2	1
581	Nephrotic syndrome	2	1	1
582	Chronic glomerulonephritis	32	14	18
583	Nephritis and nephropathy, unqualified	3	2	1
584-587	Renal failure and renal sclerosis	200	94	106
584	Acute	32	22	10
585	Chronic	52	18	34
586	Unspecified	115	53	62
587	Renal sclerosis, unspecified	1	1	0
590-599	Other diseases of urinary system	159	94	65
590	Infections of kidney	49	30	19
591	Hydronephrosis	1	0	1
592,594	Calculus of urinary system	7	5	2
592	Of kidney and ureter	7	5	2
593	Other disorders of kidney and ureter	13	6	7
595	Cystitis	1	0	1
596	Other disorders of bladder	1	1	0
598	Urethral stricture	1	0	1
599	Other disorders of urethra and urinary tract	86	52	34
600-608	Diseases of male genital organs	11	6	5
600	Hyperplasia of prostate	9	5	4
601	Inflammatory diseases of prostate	1	1	0
608	Other disorders of male genital organs	1	0	1
610,611	Disorders of breast	0	0	0
614-616	Inflammatory disease of female pelvic organs	3	1	2
614	Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue, and peritoneum	3	1	2
617-629	Other disorders of female genital tract	1	0	1
620	Noninflammatory disorders of ovary, fallopian tube, and broad ligament	1	0	1
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	2	1	1

International Classification Number*	Cause*	Total	White	Non-white
630-639	Pregnancy with abortive outcome	0	0	0
640-648	Complications mainly related to pregnancy	1	0	1
641	Antepartum hemorrhage, abruptio placenta, and placenta previa	1	0	1
650-659	Normal delivery, and other indications for care in pregnancy, labor, and delivery	0	0	0
660-669	Complications occurring mainly in the course of labor and delivery	0	0	0
670-676	Complications of the puerperium	1	1	0
670	Major puerperal infection	1	1	0
680-709	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	44	23	21
680-686	Infections of skin and subcutaneous tissue	13	9	4
682	Other cellulitis and abscess	6	5	1
686	Other local infections of skin and subcutaneous tissue	7	4	3
690-698	Other inflammatory conditions of skin and subcutaneous tissue	8	2	6
694	Bullous dermatoses	3	0	3
695	Erythematous conditions	5	2	3
700-709	Other diseases of skin and subcutaneous tissue	23	12	11
707	Chronic ulcer of skin	22	11	11
709	Other disorders of skin and subcutaneous tissue	1	1	0
710-739	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	70	48	22
710-719	Arthropathies and related disorders	56	36	20
710	Diffuse diseases of connective tissue	30	19	11
711-716	Arthropathy, rheumatoid arthritis, and osteoarthrosis	26	17	9
711	Arthropathy associated with infections	2	0	2
714	Rheumatoid arthritis and other inflammatory polyarthropathies	19	13	6
715	Osteoarthrosis and allied disorders	2	1	1
716	Other and unspecified arthropathies	3	3	0
720-724	Dorsopathies	0	0	0
725-729	Rheumatism, excluding the back	2	2	0
728	Disorders of muscle, ligament, and fascia	2	2	0
730-739	Osteopathies, chondropathies, and acquired musculoskeletal deformities	12	10	2
730	Osteomyelitis, periostitis, and other infections involving bone	2	2	0
733	Other disorders of bone and cartilage	5	5	0
737	Curvature of spine	5	3	2
740-759	CONGENITAL ANOMALIES	186	107	79
740-742	Nervous system	41	29	12
740	Anencephalus and similar anomalies	14	13	1
741	Spina bifida	5	5	0
742	Other congenital anomalies of nervous system	22	11	11

Table 12 - Page 11
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
743,744	Eye, ear, face, and neck	0	0	0
745-747	Circulatory system	74	40	34
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	19	12	7
746	Heart	37	17	20
747	Other congenital anomalies of circulatory system	18	11	7
748	Respiratory system	8	3	5
749-751	Digestive system	9	2	7
749	Cleft palate and cleft lip	2	0	2
751	Other congenital anomalies of digestive system	7	2	5
752,753	Genitourinary system	8	7	1
753	Urinary system	8	7	1
754-756	Musculoskeletal system	11	5	6
755	Other congenital anomalies of limbs	1	1	0
756	Other congenital musculoskeletal anomalies	10	4	6
757	Congenital anomalies of the integument	2	1	1
758	Chromosomal anomalies	13	8	5
759	Other and unspecified congenital anomalies	20	12	8
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	392	121	271
760	Maternal conditions unrelated to present pregnancy	2	0	2
761-763	Complications of pregnancy, labor, and delivery	43	9	34
761	Maternal complications of pregnancy	24	4	20
762	Complications of placenta, cord, and membranes	17	4	13
763	Other complications of labor and delivery	2	1	1
764	Slow fetal growth and fetal malnutrition	1	0	1
765,766	Disorders relating to gestation	66	17	49
765	Short gestation and unspecified low birthweight	66	17	49
767	Birth trauma	11	5	6
768-770	Respiratory conditions of fetus and newborn	175	61	114
768	Intrauterine hypoxia and birth asphyxia	32	11	21
769	Respiratory distress syndrome	94	37	57
770	Other respiratory conditions of fetus and newborn	49	13	36
771	Infections specific to the perinatal period	32	11	21
772	Fetal and neonatal hemorrhage	13	5	8
773	Hemolytic disease of fetus or newborn, due to isoimmunization	2	1	1
774	Other perinatal jaundice	3	0	3
775	Endocrine and metabolic disturbances specific to the fetus and newborn	1	0	1
776	Hematological disorders of fetus and newborn	2	2	0
777	Perinatal disorders of digestive system	9	1	8
778	Conditions involving the integument and temperature regulation of fetus and newborn	1	1	0
779	Other and ill-defined conditions originating in the perinatal period	31	8	23

Table 12 - Page 12
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
780-799	SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	1,448	560	888
780-789	Symptoms	8	4	4
780	General	3	2	1
785	Involving cardiovascular system	2	2	0
786	Involving respiratory system and other chest symptoms	3	0	3
790-796	Nonspecific abnormal findings	0	0	0
797-799	Ill-defined and unknown causes of morbidity and mortality	1,440	556	884
797	Senility without mention of psychosis	53	15	38
798	Sudden death, cause unknown	90	29	61
799	Other ill-defined and unknown causes	1,297	512	785
800-999	EXTERNAL CAUSES OF INJURY AND POISONING	2,330	1,300	1,030
800-949	Accidents and adverse effects	1,711	985	726
800-807	Railway	8	5	3
804	Fall in, on, or from railway train	1	0	1
805	Hit by rolling stock	7	5	2
810-825	Motor vehicle	743	489	254
(810-819)	(Traffic)	720	472	248
810	Involving collision with train	15	11	4
812	Involving collision with another motor vehicle	245	170	75
813	Involving collision with other vehicle	12	6	6
814	Involving collision with pedestrian	81	39	42
815	Other involving collision on the highway	76	48	28
816	Due to loss of control, without collision on the highway	164	115	49
818	Other noncollision	10	5	5
819	Of unspecified nature	117	78	39
(820-825)	(Nontraffic)	23	17	6
822	Involving collision of other motor vehicle with moving object	11	9	2
823	Involving collision of other motor vehicle with stationary object	1	1	0
825	Of other and unspecified nature	11	7	4
826-829	Other road vehicle	4	3	1
826	Pedal cycle	1	0	1
828	Involving animal being ridden	3	3	0
830-838	Water transport	27	22	5
830	Accident to watercraft causing submersion	7	5	2
832	Other submersion or drowning in water transport	17	14	3
837	Explosion, fire, or burning in watercraft	1	1	0
838	Other and unspecified	2	2	0
840-845	Air and space transport	11	11	0
841	Accident to powered aircraft, other and unspecified	10	10	0
844	Other specified	1	1	0
846-848	Vehicle accidents not elsewhere classifiable	0	0	0
850-869	Poisoning	47	32	15

Table 12 - Page 13
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
(850-858)	(By drugs, medicaments, and biologicals)	27	21	6
850	Analgesics, antipyretics, antirheumatics	2	0	2
853	Tranquillizers	2	2	0
854	Other psychotropic agents	3	2	1
855	Other drugs acting on central and autonomic nervous systems	1	1	0
858	Other drugs	19	16	3
(860-869)	(By other solid and liquid substances, gas, and vapors)	20	11	9
860	Alcohol, not elsewhere classified	2	1	1
863	Agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers	3	0	3
866	Other and unspecified solid and liquid substances	2	2	0
867	Gas distributed by pipeline	1	0	1
868	Other utility gas and other carbon monoxide	9	6	3
869	Other gases and vapors	3	2	1
870-876	Misadventures to patients during surgical and medical care	3	2	1
870	Accidental cut, puncture, perforation, or hemorrhage during medical care	2	2	0
876	Other and unspecified	1	0	1
878,879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventures at the time of procedure	16	12	4
878	Surgical operation or other surgical procedure	10	8	2
879	Other procedures	6	4	2
880-888	Falls	106	82	24
880	On or from stairs or steps	3	3	0
881	On or from ladders or scaffolding	2	2	0
882	From or out of building or other structure	6	4	2
883	Into hole or other opening in surface	1	1	0
884	Other from one level to another	5	3	2
885	On same level from slipping, tripping, or stumbling	2	1	1
887	Fracture, cause unspecified	55	44	11
888	Other and unspecified fall	32	24	8
890-899	Caused by fires and flames	152	50	102
890	Conflagration in private dwelling	124	42	82
891	Conflagration in other and unspecified building or structure	3	1	2
892	Conflagration not in building or structure	2	2	0
893	Ignition of clothing	9	2	7
894	Ignition of highly inflammable material	1	1	0
895	Controlled fire in private dwelling	3	0	3
897	Controlled fire not in building or structure	1	0	1
898	Other specified fire and flames	2	1	1
899	Unspecified fire	7	1	6
900-909	Due to natural and environmental factors	163	28	135
900	Excessive heat	135	17	118
901	Excessive cold	13	3	10

International Classification Number*	Cause*	Total	White	Non-white
904	Hunger, thirst, exposure, and neglect	11	4	7
907	Lightning	2	2	0
908	Cataclysmic storms and floods resulting from storms	1	1	0
909	Cataclysmic earth surface movements and eruptions	1	1	0
910-915	Accidents caused by submersion, suffocation, and foreign bodies	203	100	103
910	Drowning and submersion	121	59	62
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	42	21	21
912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	30	16	14
913	Mechanical suffocation	9	4	5
915	Foreign body accidentally entering other orifice	1	0	1
916-929	Other accidents	224	148	76
916	Struck by falling object	25	15	10
917	Striking against or struck by objects or persons	8	6	2
919	Caused by machinery	37	29	8
920	Caused by cutting and piercing instruments or objects	3	2	1
921	Caused by explosion of pressure vessel	1	0	1
922	Caused by firearm missile	88	60	28
923	Caused by explosive material	9	4	5
924	Caused by hot substance or object, caustic or corrosive material, and steam	2	1	1
925	Caused by electric current	13	6	7
928	Other and unspecified environmental and accidental causes	27	19	8
929	Late effects of accidental injury	11	6	5
930-949	Drugs, medicaments, and biological substances causing adverse effects in therapeutic use	4	1	3
947	Other and unspecified drugs and medicaments	4	1	3
950-959	Suicide and self-inflicted injury	231	188	43
950-952	By poisoning	16	13	3
950	By solid or liquid substances	9	6	3
952	By other gases and vapors	7	7	0
953	By hanging, strangulation, and suffocation	13	11	2
954	By submersion (drowning)	3	2	1
955	By firearms and explosives	192	159	33
956	By cutting and piercing instruments	1	1	0
957	By jumping from high place	2	1	1
958	By other and unspecified means	4	1	3
960-978	Homicide and injury purposely inflicted by other persons; legal intervention	359	112	247
960-969	Homicide and injury purposely inflicted by other persons	359	112	247
960	Fight, brawl, rape	1	0	1

nternational lassification umber*	Cause*	Total	White	Non-white
963	Assault by hanging and strangulation	6	4	2
964	Assault by submersion (drowning)	1	1	0
965	Assault by firearms and explosives	271	83	188
966	Assault by cutting and piercing instrument	43	9	34
967	Child battering and other maltreatment	2	0	2
968	Assault by other and unspecified means	35	15	20
30-989	Injury undetermined whether accidentally or purposely inflicted	29	15	14
980	Poisoning by solid or liquid substances	2	2	0
984	Submersion (drowning)	3	2	1
985	Injury by firearms and explosives	18	7	11
988	Injury by other and unspecified means	5	3	2
989	Late effects of injury undetermined whether accidentally or purposely inflicted	1	1	0
90-999	Injury resulting from operations of war	0	0	0

Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

TABLE 13
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE, ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1980

nter- ational lassifi- ation umber*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Age Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
01-999	ALL CAUSES	23,576	9.4	W	14,531	M	8,133	171	27	24	30	289	225	287	680	1,468	4,930	2
						F	6,398	101	33	17	19	95	94	150	325	670	4,894	0
				NW	9,045	M	5,003	310	48	34	38	233	237	233	372	701	2,791	6
						F	4,042	230	33	20	12	69	107	137	265	454	2,708	7
01-139	Infectious and parasitic diseases	194	7.7	W	100	M	62	3	1	0	1	1	1	3	5	10	37	0
						F	38	0	0	0	0	1	2	2	1	3	29	0
				NW	94	M	49	7	1	1	3	2	2	0	9	5	19	0
						F	45	5	3	0	0	2	0	1	3	4	27	0
10-018	Tuberculosis	30	1.2	W	15	M	11	0	0	0	0	0	0	0	2	4	5	0
						F	4	0	0	0	0	0	0	0	0	1	3	0
				NW	15	M	9	0	0	0	0	0	0	0	3	1	5	0
						F	6	0	0	0	0	1	0	0	2	1	2	0
70	Viral hepatitis	7	0.3	W	4	M	2	0	0	0	0	0	0	0	0	1	1	0
						F	2	0	0	0	0	0	0	0	0	0	2	0
				NW	3	M	2	1	0	0	0	0	1	0	0	0	0	0
						F	1	0	0	0	0	1	0	0	0	0	0	0
40-208	Malignant neoplasms	4,383	173.9	W	2,895	M	1,659	0	2	5	2	8	16	44	162	420	1,000	0
						F	1,236	1	1	2	4	9	18	53	132	239	777	0
				NW	1,488	M	869	0	0	3	2	12	8	23	78	178	563	2
						F	619	1	1	2	2	7	18	29	61	120	378	0
10-239	Benign neoplasms and neoplasms of undetermined nature	50	2.0	W	33	M	13	0	0	0	0	0	2	0	0	2	9	0
						F	20	0	0	0	0	0	0	2	0	5	13	0
				NW	17	M	4	0	0	0	0	0	1	0	0	0	3	0
						F	13	0	0	2	0	0	0	0	1	2	8	0

le 13 - Page 2
ths - Mississippi - 1980

er-tional ssifi-tion ber*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
0-279	Endocrine, nutritional, and metabolic diseases and immunity disorders	542	21.5	W	265	M	126	4	1	2	0	3	1	4	13	19	79	0
						F	139	1	0	1	3	4	3	5	5	14	103	0
				NW	277	M	100	0	0	0	0	0	4	11	2	24	59	0
						F	177	2	0	0	0	1	0	9	16	19	130	0
0	Diabetes mellitus	409	16.2	W	198	M	93	0	0	0	0	0	0	3	8	16	66	0
						F	105	0	0	0	1	0	2	5	2	9	86	0
				NW	211	M	65	0	0	0	0	0	2	7	0	16	40	0
						F	146	0	0	0	0	0	0	6	11	19	110	0
0-269	Nutritional deficiencies	24	1.0	W	11	M	6	0	0	0	0	0	0	0	1	0	5	0
						F	5	0	0	0	0	0	0	0	0	0	5	0
				NW	13	M	7	0	0	0	0	0	0	0	1	1	5	0
						F	6	1	0	0	0	0	0	0	0	0	5	0
0-289	Diseases of blood and blood-forming organs	70	2.8	W	39	M	18	0	0	0	0	0	0	2	1	3	12	0
						F	21	0	0	0	0	3	0	1	1	0	16	0
				NW	31	M	13	0	1	1	1	1	1	1	0	2	5	0
						F	18	0	1	2	0	1	4	1	1	1	7	0
0-285	Anemias	46	1.8	W	18	M	8	0	0	0	0	0	0	1	0	1	6	0
						F	10	0	0	0	0	0	0	0	1	0	9	0
				NW	28	M	12	0	1	1	1	1	1	1	0	2	4	0
						F	16	0	1	2	0	0	4	1	1	0	7	0
0-319	Mental disorders	138	5.5	W	83	M	52	0	0	0	0	1	0	5	8	12	26	0
						F	31	0	1	0	0	0	0	0	1	1	28	0
				NW	55	M	29	0	0	0	0	1	5	3	7	1	12	0
						F	26	0	0	0	0	1	1	2	3	2	17	0
3	Alcoholism	41	1.6	W	26	M	21	0	0	0	0	1	0	4	3	8	5	0
						F	5	0	0	0	0	0	0	0	1	1	3	0
				NW	15	M	10	0	0	0	0	1	1	1	3	1	3	0
						F	5	0	0	0	0	0	0	2	2	0	1	0

le 13 - Page 3
ths - Mississippi - 1980

er- ional ssifi- ion ber*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
-389	Diseases of the nervous system and sense organs	239	9.5	W	136	M	77	4	1	0	1	6	5	2	5	15	38	0
						F	59	1	4	1	2	1	4	4	4	11	27	0
				NW	103	M	54	2	7	6	1	0	7	5	5	7	14	0
						F	49	8	2	1	3	3	4	5	7	2	14	0
-322	Meningitis	27	1.1	W	12	M	8	4	0	0	0	2	0	0	0	1	1	0
						F	4	1	0	0	0	0	0	1	1	1	0	0
				NW	15	M	7	1	2	0	0	0	1	0	0	2	1	0
						F	8	5	0	0	0	0	0	0	0	0	3	0
	Epilepsy	30	1.2	W	10	M	6	0	0	0	0	1	0	0	1	3	1	0
						F	4	0	0	0	0	0	1	1	0	1	1	0
				NW	20	M	13	0	0	2	1	0	3	2	1	1	3	0
						F	7	0	0	0	2	1	1	2	1	0	0	0
-459	Diseases of the circulatory system	11,218	445.0	W	7,259	M	3,780	7	2	0	1	6	16	90	281	672	2,704	1
						F	3,479	1	0	1	0	4	9	25	81	265	3,093	0
				NW	3,959	M	2,022	11	2	0	1	12	32	54	139	298	1,469	4
						F	1,937	10	1	0	0	13	28	42	104	216	1,518	5
-398, 02, -429	Heart diseases	8,220	326.1	W	5,493	M	3,000	6	1	0	1	5	11	78	252	594	2,051	1
						F	2,493	1	0	0	0	2	7	17	61	204	2,201	0
				NW	2,727	M	1,434	10	2	0	1	11	21	40	106	222	1,018	3
						F	1,293	9	1	0	0	8	16	23	74	163	997	2
,403	Hypertension	119	4.7	W	42	M	17	0	0	0	0	0	0	1	0	2	14	0
						F	25	0	0	0	0	0	0	0	0	0	25	0
				NW	77	M	35	0	0	0	0	0	2	1	3	4	25	0
						F	42	0	0	0	0	0	0	1	4	4	33	0
-438	Cerebrovascular diseases	2,323	92.2	W	1,366	M	579	0	1	0	0	1	2	9	24	51	491	0
						F	787	0	0	1	0	2	0	8	17	54	705	0
				NW	957	M	455	1	0	0	0	1	8	10	28	67	339	1
						F	502	0	0	0	0	4	10	15	21	46	404	2

able 13 - Page 4
eaths - Mississippi - 1980

nter- ational lassi- ication umber*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
40	Atherosclerosis	296	11.7	W	185	M	77	0	0	0	0	0	0	0	2	1	74	0
						F	108	0	0	0	0	0	0	0	0	3	105	0
				NW	111	M	51	0	0	0	0	0	0	0	1	2	48	0
						F	60	0	0	0	0	0	0	0	0	1	59	0
60-519	Diseases of the respiratory system	1,178	46.7	W	882	M	548	5	1	2	0	3	7	6	20	64	440	0
						F	334	5	2	0	0	3	3	7	11	31	272	0
				NW	296	M	197	27	1	1	2	4	4	7	13	27	111	0
						F	99	14	3	0	1	2	1	3	7	8	60	0
80-486	Pneumonia	464	18.4	W	335	M	174	2	1	1	0	0	4	4	3	11	148	0
						F	161	4	0	0	0	2	2	2	3	4	144	0
				NW	129	M	81	18	1	0	2	3	3	1	4	8	41	0
						F	48	6	0	0	1	0	0	2	2	2	35	0
87	Influenza	18	0.7	W	10	M	2	0	0	0	0	0	0	0	0	0	2	0
						F	8	0	0	0	0	0	0	0	0	0	8	0
				NW	8	M	5	1	0	0	0	0	0	0	0	0	4	0
						F	3	0	0	0	0	0	0	0	0	0	3	0
92	Emphysema	130	5.2	W	108	M	89	0	0	0	0	0	0	2	3	12	72	0
						F	19	0	0	0	0	0	0	0	0	5	14	0
				NW	22	M	20	0	0	0	0	0	0	1	2	5	12	0
						F	2	0	0	0	0	0	0	0	0	0	2	0
90,491, 93-496	Other chronic obstructive pulmonary diseases and allied conditions	365	14.5	W	292	M	207	0	0	0	0	1	0	0	9	29	168	0
						F	85	0	0	0	0	1	1	0	5	15	63	0
				NW	73	M	50	1	0	0	0	0	1	2	4	7	35	0
						F	23	1	1	0	0	1	1	1	3	6	9	0
20-579	Diseases of the digestive system	678	26.9	W	465	M	243	3	0	0	1	0	3	12	44	62	118	0
						F	222	1	0	0	0	0	1	8	25	34	153	0
				NW	213	M	114	12	0	1	0	1	3	8	19	29	41	0
						F	99	5	0	0	0	2	3	1	12	20	56	0

Table 13 - Page 5
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
531-533	Ulcer of stomach and duodenum	59	2.3	W	40	M	21	0	0	0	0	0	0	1	2	3	15	0
						F	19	0	0	0	0	0	0	1	0	1	17	0
				NW	19	M	12	0	0	0	0	0	0	1	3	4	4	0
						F	7	0	0	0	0	1	0	0	0	0	6	0
571	Chronic liver disease and cirrhosis	196	7.8	W	148	M	92	0	0	0	0	0	1	9	25	29	28	0
						F	56	0	0	0	0	0	0	4	16	17	19	0
				NW	48	M	31	1	0	0	0	0	0	5	8	11	6	0
						F	17	0	0	0	0	0	0	1	6	4	6	0
580-629	Diseases of the genitourinary system	414	16.4	W	214	M	111	2	0	0	0	0	1	0	6	12	90	0
						F	103	1	0	0	0	0	0	3	3	5	91	0
				NW	200	M	113	0	0	0	0	2	0	5	2	12	92	0
						F	87	1	0	0	0	0	1	5	6	8	66	0
580-589	Nephritis, nephrotic syndrome, and nephrosis	240	9.5	W	113	M	62	2	0	0	0	0	1	0	3	7	49	0
						F	51	1	0	0	0	0	0	2	1	4	43	0
				NW	127	M	69	0	0	0	0	2	0	5	1	8	53	0
						F	58	1	0	0	0	0	1	3	5	6	42	0
590	Infections of kidney	49	1.9	W	30	M	14	0	0	0	0	0	0	0	1	0	13	0
						F	16	0	0	0	0	0	0	1	1	0	14	0
				NW	19	M	8	0	0	0	0	0	0	0	0	0	8	0
						F	11	0	0	0	0	0	0	0	1	1	9	0
630-676	Complications of pregnancy, childbirth, and the puerperium	2	4.2	W	1	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	1	0	0	0	0	0	0	1	0	0	0	0
				NW	1	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	1	0	0	0	0	0	0	1	0	0	0	0
680-709	Diseases of the skin and subcutaneous tissue	44	1.7	W	23	M	10	0	0	0	0	0	0	0	0	1	9	0
						F	13	0	0	0	0	0	0	0	0	0	13	0
				NW	21	M	7	0	1	0	0	0	0	0	0	1	5	0
						F	14	0	0	0	0	0	0	0	0	0	14	0

able 13 - Page 6
eaths - Mississippi - 1980

nterational lassifiation umber*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
10-739	Diseases of the musculoskeletal system and connective tissue	70	2.8	W	48	M	17	0	0	0	0	0	0	0	2	6	9	0
						F	31	0	0	0	0	2	0	1	5	3	20	0
				NW	22	M	5	0	0	0	0	1	0	0	0	0	4	0
						F	17	0	0	1	1	3	1	0	1	4	6	0
40-759	Congenital anomalies	186	7.4	W	107	M	55	43	1	1	0	1	1	0	1	2	5	0
						F	52	32	6	1	3	2	2	2	1	2	1	0
				NW	79	M	42	29	6	1	0	1	3	1	0	1	0	0
						F	37	28	3	0	1	2	2	0	1	0	0	0
60-779	Certain conditions originating in the perinatal period	393	8.2	W	122	M	75	75	0	0	0	0	0	0	0	0	0	0
						F	47	47	0	0	0	0	0	0	0	0	0	0
				NW	271	M	161	161	0	0	0	0	0	0	0	0	0	0
						F	110	110	0	0	0	0	0	0	0	0	0	0
80-799	Symptoms, signs, and ill-defined conditions	1,448	57.4	W	560	M	347	16	2	0	1	3	7	8	34	69	206	1
						F	213	7	1	0	0	0	4	5	13	26	157	0
				NW	888	M	485	46	3	1	0	7	12	23	33	58	302	0
						F	403	34	2	2	0	0	7	13	23	30	292	0
00-999	All external causes	2,330	92.4	W	1,300	M	941	10	16	14	23	257	165	111	98	99	148	0
						F	359	4	18	11	7	66	48	31	42	31	101	0
				NW	1,030	M	739	15	26	19	28	189	155	92	65	58	92	0
						F	291	12	17	10	4	32	37	25	19	18	115	2
10-825	Motor vehicle accidents	743	29.5	W	489	M	344	2	5	5	10	133	59	33	34	28	35	0
						F	145	3	11	4	2	40	25	13	12	8	27	0
				NW	254	M	202	0	9	8	7	59	47	28	22	11	11	0
						F	52	1	6	3	4	11	10	5	5	2	5	0
00-807, 26-949	All other accidents and adverse effects	968	38.4	W	496	M	360	8	11	9	13	72	48	41	38	42	78	0
						F	136	1	7	7	4	15	7	6	14	8	67	0
				NW	472	M	289	15	16	10	20	51	36	25	14	32	70	0
						F	183	10	9	7	0	9	10	8	10	13	105	2

Table 13 - Page 7
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Age Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
950-959	Suicide	231	9.2	W	188	M	145	0	0	0	0	38	26	15	17	19	30	0
						F	43	0	0	0	0	4	12	5	8	8	6	0
				NW	43	M	36	0	0	0	0	11	14	2	4	4	1	0
						F	7	0	0	0	0	2	1	2	0	0	2	0
960-978	Homicide and legal intervention	359	14.2	W	112	M	81	0	0	0	0	10	30	20	9	9	3	0
						F	31	0	0	0	1	6	3	6	8	6	1	0
				NW	247	M	200	0	1	1	1	63	54	37	24	10	9	0
						F	47	1	2	0	0	10	15	9	4	3	3	0

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Total deaths per 1,000 population. Deaths from specific causes per 100,000 population, except deaths from maternal causes (classification numbers 630-676) are per 100,000 live births and deaths from certain conditions originating in the perinatal period (classification numbers 760-779) are per 1,000 live births.

TABLE 14A

INFANT, NEONATAL, AND POSTNEONATAL DEATHS*, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1980

	Infant Deaths			Neonatal Deaths			Postneonatal Deaths		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	812	272	540	523	189	334	289	83	206
Adams	10	1	9	9	1	8	1	0	1
Alcorn	9	7	2	6	5	1	3	2	1
Amite	5	0	5	4	0	4	1	0	1
Attala	6	0	6	4	0	4	2	0	2
Benton	1	0	1	0	0	0	1	0	1
Bolivar	23	5	18	16	4	12	7	1	6
Calhoun	8	2	6	4	1	3	4	1	3
Carroll	3	0	3	1	0	1	2	0	2
Chickasaw	6	2	4	3	1	2	3	1	2
Choctaw	2	1	1	1	0	1	1	1	0
Claiborne	6	0	6	6	0	6	0	0	0
Clarke	4	1	3	1	0	1	3	1	2
Clay	9	1	8	7	1	6	2	0	2
Coahoma	18	2	16	11	2	9	7	0	7
Copiah	8	1	7	5	0	5	3	1	2
Covington	6	1	5	6	1	5	0	0	0
DeSoto	10	8	2	6	5	1	4	3	1
Forrest	15	11	4	8	6	2	7	5	2
Franklin	4	2	2	3	2	1	1	0	1
George	3	2	1	2	1	1	1	1	0
Greene	1	1	0	0	0	0	1	1	0
Grenada	5	1	4	4	1	3	1	0	1
Hancock	4	4	0	4	4	0	0	0	0
Harrison	43	26	17	25	16	9	18	10	8
Hinds	84	16	68	55	13	42	29	3	26
Holmes	6	2	4	5	2	3	1	0	1
Humphreys	7	0	7	3	0	3	4	0	4
Issaquena	2	0	2	1	0	1	1	0	1
Itawamba	5	5	0	3	3	0	2	2	0
Jackson	30	19	11	25	16	9	5	3	2
Jasper	8	0	8	4	0	4	4	0	4
Jefferson	3	0	3	3	0	3	0	0	0
Jeff Davis	5	2	3	4	2	2	1	0	1
Jones	17	11	6	13	9	4	4	2	2
Kemper	3	1	2	1	0	1	2	1	1
Lafayette	2	0	2	0	0	0	2	0	2
Lamar	2	1	1	1	0	1	1	1	0
Lauderdale	13	4	9	10	3	7	3	1	2
Lawrence	1	0	1	1	0	1	0	0	0
Leake	6	1	5	3	0	3	3	1	2
Lee	15	8	7	11	5	6	4	3	1
Leflore	22	5	17	14	3	11	8	2	6

Table 14A - Page 2
Infant, Neonatal, and Postneonatal Deaths - Mississippi - 1980

County	Infant Deaths			Neonatal Deaths			Postneonatal Deaths		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	7	2	5	4	2	2	3	0	3
Lowndes	24	6	18	15	4	11	9	2	7
Madison	16	2	14	5	0	5	11	2	9
Marion	8	6	2	4	3	1	4	3	1
Marshall	10	1	9	8	1	7	2	0	2
Monroe	13	7	6	9	6	3	4	1	3
Montgomery	4	2	2	3	1	2	1	1	0
Neshoba	3	1	2	2	0	2	1	1	0
Newton	3	1	2	2	0	2	1	1	0
Noxubee	5	0	5	2	0	2	3	0	3
Oktibbeha	15	4	11	11	3	8	4	1	3
Panola	15	3	12	10	2	8	5	1	4
Pearl River	12	6	6	9	4	5	3	2	1
Perry	5	4	1	4	3	1	1	1	0
Pike	14	6	8	10	5	5	4	1	3
Pontotoc	6	4	2	4	4	0	2	0	2
Prentiss	4	0	4	2	0	2	2	0	2
Quitman	7	0	7	4	0	4	3	0	3
Rankin	9	5	4	5	2	3	4	3	1
Scott	10	5	5	6	4	2	4	1	3
Sharkey	5	1	4	3	1	2	2	0	2
Simpson	6	3	3	5	3	2	1	0	1
Smith	3	2	1	2	1	1	1	1	0
Stone	1	1	0	0	0	0	1	1	0
Sunflower	23	1	22	19	1	18	4	0	4
Tallahatchie	9	0	9	5	0	5	4	0	4
Tate	9	5	4	2	2	0	7	3	4
Tippah	5	3	2	5	3	2	0	0	0
Tishomingo	3	3	0	1	1	0	2	2	0
Tunica	8	1	7	4	1	3	4	0	4
Union	5	4	1	4	3	1	1	1	0
Walthall	4	0	4	2	0	2	2	0	2
Warren	21	7	14	13	6	7	8	1	7
Washington	37	12	25	21	9	12	16	3	13
Wayne	7	2	5	4	2	2	3	0	3
Webster	3	0	3	1	0	1	2	0	2
Wilkinson	5	1	4	4	1	3	1	0	1
Winston	5	2	3	4	2	2	1	0	1
Yalobusha	4	1	3	3	1	2	1	0	1
Yazoo	19	4	15	9	1	8	10	3	7

* Infant deaths are those of children under one year of age; neonatal deaths are those of infants under 28 days of age; postneonatal deaths are those of infants ages 28 days to one year.

TABLE 14B

INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1976-1980 (5-YEAR AVERAGE)

	Infant**			Neonatal**			Postneonatal**		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	18.6	12.3	25.4	12.4	8.9	16.1	6.2	3.4	9.3
Adams	17.3	7.2	24.1	11.4	4.4	16.2	5.8	2.9	7.8
Alcorn	12.6	12.0	16.0	8.8	9.0	8.0	3.8	3.0	8.0
Amite	16.8	2.1	27.6	11.5	-	20.0	5.3	2.1	7.7
Attala	15.3	5.4	24.7	10.0	5.4	14.3	5.3	-	10.4
Benton	7.8	6.3	9.2	6.2	6.3	6.1	1.6	-	3.0
Bolivar	27.3	17.2	30.3	17.9	11.8	19.7	9.4	5.5	10.6
Calhoun	22.6	14.3	35.7	12.2	10.0	15.6	10.4	4.3	20.1
Carroll	29.8	3.6	48.5	16.4	3.6	25.5	13.4	-	23.0
Chickasaw	17.1	8.2	25.5	12.0	3.5	19.9	5.1	4.7	5.5
Choctaw	10.2	9.2	11.7	5.1	2.3	8.7	5.1	6.9	2.9
Claiborne	29.0	13.2	32.7	20.7	13.2	22.5	8.3	-	10.2
Clarke	18.2	11.4	26.0	11.5	8.9	14.5	6.8	2.5	11.6
Clay	21.5	11.9	27.2	16.1	10.6	19.4	5.4	1.3	7.8
Coahoma	27.2	14.7	31.0	18.5	12.6	20.2	8.8	2.1	10.8
Copiah	20.4	7.3	28.5	11.2	4.2	15.6	9.2	3.1	13.0
Covington	24.2	11.6	35.2	17.5	10.1	23.9	6.7	1.4	11.3
DeSoto	13.6	11.8	19.0	9.7	9.2	11.4	3.9	2.6	7.6
Forrest	21.8	16.5	30.7	16.1	12.6	21.9	5.7	3.8	8.8
Franklin	26.0	27.1	24.9	14.4	18.1	11.1	11.5	9.0	13.8
George	13.4	12.6	17.7	7.4	7.9	4.4	6.0	4.7	13.3
Greene	19.1	20.8	15.0	12.8	11.9	15.0	6.4	8.9	-
Grenada	19.6	12.3	26.3	15.4	11.1	19.2	4.2	1.1	7.1
Hancock	7.1	6.3	11.7	4.1	4.2	3.9	3.0	2.1	7.8
Harrison	13.7	11.0	21.1	9.0	7.5	13.3	4.6	3.5	7.8
Hinds	14.1	8.0	18.3	9.4	6.3	11.5	4.7	1.7	6.8
Holmes	20.4	20.4	20.4	12.6	18.2	11.4	7.8	2.3	9.0
Humphreys	35.7	12.2	42.0	22.0	12.2	24.7	13.6	-	17.3
Issaquena	32.4	28.6	34.2	27.8	28.6	27.4	4.6	-	6.8
Itawamba	11.6	12.1	7.6	7.0	7.8	-	4.6	4.3	7.6
Jackson	15.3	12.2	23.9	11.0	8.7	17.3	4.3	3.5	6.6
Jasper	21.0	11.9	26.0	13.8	8.5	16.7	7.2	3.4	9.3
Jefferson	15.4	-	17.3	12.5	-	14.1	2.9	-	3.2
Jeff Davis	17.5	12.9	19.5	11.9	12.9	11.5	5.6	-	8.0
Jones	17.5	13.2	25.4	11.7	8.9	16.9	5.8	4.3	8.5
Kemper	21.0	6.8	28.6	10.5	-	16.1	10.5	6.8	12.5
Lafayette	15.0	13.4	17.0	7.5	8.0	6.8	7.5	5.4	10.2
Lamar	7.6	7.0	11.0	4.3	4.4	3.7	3.2	2.5	7.4
Lauderdale	18.5	12.8	25.4	13.6	8.8	19.3	5.0	4.0	6.1
Lawrence	15.2	9.5	22.4	10.7	7.9	14.3	4.5	1.6	8.2
Leake	17.5	11.2	22.8	11.0	8.4	13.2	6.5	2.8	9.6
Lee	18.5	14.9	26.1	12.3	10.8	15.6	6.2	4.1	10.6
Leflore	28.8	17.8	33.6	19.4	13.4	22.1	9.4	4.4	11.5

Table 14B - Page 2
Infant, Neonatal, and Postneonatal Mortality Rates - Mississippi - 1976-1980

County	Infant**			Neonatal**			Postneonatal**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	14.7	8.5	23.0	10.2	6.4	15.3	4.5	2.1	7.7
Lowndes	19.9	14.2	26.9	13.8	10.8	17.4	6.1	3.4	9.5
Madison	16.4	5.1	22.3	9.7	3.6	12.8	6.7	1.4	9.4
Marion	17.1	12.0	24.7	9.9	7.5	13.5	7.2	4.5	11.2
Marshall	20.8	19.0	21.8	11.9	10.0	13.0	8.9	9.0	8.8
Monroe	19.9	18.0	22.4	12.6	12.4	12.8	7.3	5.6	9.6
Montgomery	19.1	16.6	20.8	11.3	10.4	11.9	7.8	6.2	8.9
Neshoba	16.1	8.9	24.7	10.2	7.1	14.0	5.8	1.8	10.8
Newton	21.9	19.8	24.4	15.0	14.0	16.3	6.9	5.8	8.1
Noxubee	30.3	14.7	35.5	18.8	11.7	21.1	11.6	2.9	14.4
Oktibbeha	24.9	14.7	33.7	16.6	9.3	22.9	8.3	5.4	10.8
Panola	26.0	11.8	33.7	15.2	7.8	19.3	10.7	3.9	14.4
Pearl River	16.3	14.9	21.6	10.4	8.8	16.2	5.9	6.0	5.4
Perry	23.6	21.5	28.3	18.7	18.6	18.9	4.9	2.9	9.4
Pike	19.5	11.9	25.4	13.3	9.8	16.0	6.2	2.1	9.4
Pontotoc	15.6	13.3	24.9	11.4	10.7	14.2	4.3	2.7	10.7
Prentiss	18.6	13.7	42.8	12.0	11.6	14.3	6.6	2.2	28.6
Quitman	29.2	7.4	37.3	17.3	4.9	21.8	12.0	2.4	15.5
Rankin	10.8	9.5	15.1	6.9	6.1	9.6	3.9	3.4	5.6
Scott	18.7	14.1	23.9	15.0	11.4	18.9	3.7	2.6	5.0
Sharkey	17.7	8.0	20.6	10.2	8.0	10.9	7.4	-	9.7
Simpson	11.4	11.5	11.2	9.4	11.5	6.7	2.0	-	4.5
Smith	26.6	16.3	44.2	12.0	10.8	14.0	14.6	5.4	30.2
Stone	14.1	12.0	18.0	7.7	8.0	7.2	6.4	4.0	10.8
Sunflower	29.5	11.3	34.8	23.7	11.3	27.2	5.8	-	7.6
Tallahatchie	30.5	10.6	37.2	19.8	6.3	24.3	10.7	4.2	12.9
Tate	21.3	20.4	22.1	10.4	10.2	10.5	10.9	10.2	11.6
Tippah	24.7	19.0	44.0	18.7	13.8	35.2	6.0	5.2	8.8
Tishomingo	10.1	10.7	-	6.8	7.1	-	3.4	3.6	-
Tunica	34.6	20.0	37.5	18.1	15.0	18.8	16.5	5.0	18.8
Union	14.8	12.5	22.4	10.8	8.8	17.4	4.0	3.7	5.0
Walthall	20.8	10.8	28.1	13.8	9.0	17.4	6.9	1.8	10.7
Warren	20.5	14.5	26.7	14.6	11.2	18.1	5.9	3.3	8.6
Washington	18.8	14.1	21.0	11.7	11.0	12.0	7.1	3.0	9.0
Wayne	17.1	10.5	25.0	12.0	7.4	17.5	5.1	3.2	7.5
Webster	24.1	16.7	37.7	15.7	14.9	17.1	8.4	1.8	20.5
Wilkinson	19.1	8.8	22.9	14.3	8.8	16.3	4.8	-	6.5
Winston	16.9	12.7	19.9	12.6	11.3	13.6	4.2	1.4	6.3
Yalobusha	24.4	17.2	31.4	18.8	15.3	22.2	5.6	1.9	9.2
Yazoo	24.8	15.9	29.8	14.4	8.0	18.0	10.4	8.0	11.8

* Deaths per 1,000 live births.

** Infant - age less than one year; neonatal - age less than 28 days; postneonatal - age 28 days to one year.

TABLE 15
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE, ALSO MORTALITY RATES FOR SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1980

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
ALL CAUSES	812	17.0	W	272	189	94	57	16	18	4	83
			NW	540	334	188	90	25	13	18	206
Meningococcal infection (036)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
Septicemia (038)	10	0.2	W	2	0	0	0	0	0	0	2
			NW	8	0	0	0	0	0	0	8
Other infectious and parasitic diseases (001-035, 037, 039-139)	5	0.1	W	1	0	0	0	0	0	0	1
			NW	4	0	0	0	0	0	0	4
Meningitis (320-322)	11	0.2	W	5	2	0	1	1	0	0	3
			NW	6	1	0	0	1	0	0	5
Acute upper respiratory infections (460-465)	5	0.1	W	1	0	0	0	0	0	0	1
			NW	4	1	0	0	0	0	1	3
Bronchitis and bronchiolitis (446, 490, 491)	4	0.1	W	1	0	0	0	0	0	0	1
			NW	3	0	0	0	0	0	0	3
Pneumonia and influenza (480-487)	31	0.6	W	6	0	0	0	0	0	0	6
			NW	25	6	1	2	1	2	0	19
Hernia and intestional obstruction (550-553, 560)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	0	0	0	0	0	0	2
Congenital anomalies (740-759)	132	2.8	W	75	57	27	19	4	5	2	18
			NW	57	44	20	16	7	0	1	13
Maternal conditions unrelated to pregnancy (760)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	2	2	0	0	0	0	0
Maternal complications of pregnancy (761)	24	0.5	W	4	4	4	0	0	0	0	0
			NW	20	20	20	0	0	0	0	0
Complications of placenta, cord, and membranes (762)	17	0.4	W	4	4	4	0	0	0	0	0
			NW	13	13	10	2	0	1	0	0
Other complications of labor and delivery (763)	2	##	W	1	1	1	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0
Disorders relating to short gestation and unspecified low birthweight (765)	66	1.4	W	17	17	17	0	0	0	0	0
			NW	49	46	45	1	0	0	0	3
Birth trauma (767)	11	0.2	W	5	5	0	3	1	1	0	0
			NW	6	6	0	4	0	1	1	0

Table 15 - Page 2
Infant Deaths - Mississippi - 1980

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
Intrauterine hypoxia and birth asphyxia (768)	32	0.7	W	11	10	3	6	0	1	0	1
			NW	21	21	9	9	1	1	1	0
Respiratory distress syndrome (769)	94	2.0	W	37	35	16	17	2	0	0	2
			NW	57	54	27	22	3	0	2	3
Infections specific to the perinatal period (771)	32	0.7	W	11	11	4	3	0	4	0	0
			NW	21	21	7	8	3	2	1	0
Neonatal hemorrhage (772)	13	0.3	W	5	5	2	2	1	0	0	0
			NW	8	8	1	3	1	2	1	0
Hemorrhagic disease of newborn (776.0)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
Sudden infant death syndrome (798.0)	73	1.5	W	18	2	0	0	1	0	1	16
			NW	55	7	1	2	1	0	3	48
All other symptoms, signs, and ill-defined conditions (780-797, 798.1-799)	30	0.6	W	5	0	0	0	0	0	0	5
			NW	25	4	0	0	3	0	1	21
Accidents (800-949)	40	0.8	W	14	2	0	0	1	0	1	12
			NW	26	1	0	0	0	1	0	25
All other causes	176	3.7	W	49	34	16	6	5	7	0	15
			NW	127	78	45	20	4	3	6	49

* Deaths of children under 1 year of age.

** Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Deaths per 1,000 live births.

## Less than 0.06.

TABLE 16
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT, MISSISSIPPI, 1980

ounty	Total	Motor Vehicle	Water Trans-port	Poison-ing	Falls	Fires and Flames	Drowning and Sub-mersion	Fire-arms	All Other
ATE	1,738	796	23	47	107	145	123	90	407
ams	20	8	1	0	2	0	4	0	5
corn	19	8	0	0	1	5	0	1	4
ite	7	4	0	0	0	0	1	0	2
tala	10	4	0	0	0	3	1	0	2
nton	3	2	0	0	0	0	1	0	0
livar	34	13	0	0	4	5	0	4	8
lhoun	7	5	0	0	0	0	2	0	0
rroll	4	0	0	0	0	1	1	1	1
ickasaw	9	6	0	0	1	2	0	0	0
octaw	6	2	0	0	1	0	0	1	2
aiborne	9	6	0	0	0	0	0	2	1
arke	13	7	0	0	1	1	0	0	4
ay	17	9	0	0	0	0	1	1	6
ahoma	24	9	0	1	1	6	1	1	5
piah	17	6	0	0	0	2	2	3	4
vington	10	6	0	0	0	1	0	1	2
Soto	15	11	2	0	0	1	1	0	0
rrest	54	30	0	0	4	6	0	2	12
anklin	8	3	0	0	0	2	2	1	0
orge	9	2	0	0	1	1	1	1	3
eene	6	2	0	0	0	1	0	1	2
enada	20	5	0	0	0	1	3	0	11
ncock	18	14	0	0	0	0	1	0	3
rrison	100	45	3	10	5	8	8	2	19
nds	223	100	0	8	21	23	8	12	51
lmes	19	9	0	1	0	0	3	1	5
mphreys	17	7	0	0	1	0	0	0	9
saquena	5	0	1	0	0	0	4	0	0
awamba	12	5	0	0	0	3	0	0	4
ckson	52	33	2	1	2	1	8	0	5
sper	13	6	0	0	0	2	0	2	3
efferson	6	1	0	0	1	3	0	0	1
eff Davis	3	2	0	0	0	0	1	0	0
ones	38	22	1	3	3	1	3	0	5
emper	6	4	0	0	0	0	0	1	1
fayette	9	8	0	0	0	0	1	0	0
mar	7	3	0	0	0	0	1	2	1
uderdale	57	26	1	1	7	1	3	3	15
wrence	7	3	0	0	0	0	0	2	2
ake	4	4	0	0	0	0	0	0	0
e	62	34	0	1	7	2	2	4	12
flore	38	11	1	1	1	5	2	1	16

Table 16 - Page 2
Accidental Deaths - Mississippi - 1980

County	Total	Motor Vehicle	Water Trans- port	Poison- ing	Falls	Fires and Flames	Drowning and Sub- mersion	Fire- arms	All Other
Lincoln	16	10	0	0	1	1	1	1	2
Lowndes	68	33	0	0	5	2	3	4	21
Madison	34	10	4	0	1	3	9	2	5
Marion	27	16	1	0	1	4	2	1	2
Marshall	24	17	0	0	0	2	3	0	2
Monroe	37	10	0	2	3	1	5	2	14
Montgomery	14	7	0	0	1	0	2	0	4
Neshoba	7	4	0	1	0	1	0	1	0
Newton	12	6	0	0	0	0	0	1	5
Noxubee	9	3	0	0	1	0	1	0	4
Oktibbeha	18	7	0	0	1	2	1	1	6
Panola	15	4	0	0	2	0	1	1	7
Pearl River	15	7	0	2	1	0	0	2	3
Perry	5	3	0	0	0	0	2	0	0
Pike	22	11	0	3	1	0	2	2	3
Pontotoc	11	3	2	0	0	3	0	2	1
Prentiss	6	3	0	1	0	0	0	0	2
Quitman	12	3	1	0	0	2	3	0	3
Rankin	29	12	0	0	2	3	4	0	8
Scott	21	11	0	3	1	0	1	0	5
Sharkey	7	5	0	0	0	1	0	0	1
Simpson	15	7	0	0	0	0	1	0	7
Smith	8	6	0	0	0	0	0	0	2
Stone	3	1	0	0	0	0	0	1	1
Sunflower	16	8	0	0	0	3	1	0	4
Tallahatchie	12	3	0	1	1	3	1	1	2
Tate	10	6	0	0	0	0	2	0	2
Tippah	10	6	0	0	1	1	1	0	1
Tishomingo	16	9	0	0	0	0	2	2	3
Tunica	18	6	0	0	0	2	1	0	9
Union	8	4	0	0	2	0	0	0	2
Walthall	6	4	0	0	0	0	0	1	1
Warren	34	7	2	1	7	7	1	3	6
Washington	70	19	1	5	3	11	2	3	26
Wayne	17	6	0	0	2	0	0	3	6
Webster	10	7	0	0	0	1	0	2	0
Wilkinson	21	8	0	0	2	3	1	2	5
Winston	16	11	0	0	1	0	0	1	3
Yalobusha	5	0	0	0	1	0	3	0	1
Yazoo	17	8	0	1	2	2	1	1	2

TABLE 17
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE, ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE, ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE, MISSISSIPPI, 1980

ounty	Licensure Data			Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
TATE	27,908	20,620	7,288	27,908	20,620	7,288	25,594	18,723	6,871
dams	484	309	175	484	310	174	415	255	160
lcorn	430	377	53	450	398	52	329	290	39
mite	127	76	51	135	86	49	113	67	46
ttala	204	142	62	195	138	57	183	130	53
enton	51	36	15	77	61	16	63	49	14
olivar	403	212	191	390	201	189	383	200	183
alhoun	127	98	29	147	115	32	144	111	33
arroll	68	41	27	80	53	27	67	40	27
hickasaw	214	148	66	194	137	57	185	128	57
hoctaw	89	68	21	84	69	15	78	62	16
laiborne	92	40	52	105	39	66	78	27	51
larke	146	88	58	168	104	64	155	91	64
lay	203	117	86	208	112	96	202	112	90
oahoma	336	176	160	338	175	163	317	159	158
opiah	228	138	90	252	152	100	230	138	92
ovington	169	121	48	172	126	46	171	114	57
eSoto	801	650	151	757	615	142	439	383	56
orrest	1,026	820	206	924	732	192	908	727	181
ranklin	91	63	28	95	62	33	96	66	30
eorge	287	268	19	288	268	20	177	164	13
reene	71	62	9	87	75	12	70	60	10
renada	196	136	60	188	125	63	191	132	59
ancock	352	330	22	368	345	23	264	248	16
arrison	2,445	2,151	294	2,434	2,142	292	1,973	1,721	252
inds	3,090	2,065	1,025	2,806	1,872	934	2,965	1,959	1,006
olmes	178	67	111	179	72	107	184	66	118
umphreys	118	57	61	124	62	62	102	47	55
ssaquena	12	8	4	27	15	12	13	8	5
tawamba	185	179	6	191	185	6	186	179	7
ackson	1,452	1,238	214	1,464	1,252	212	1,396	1,215	181
asper	126	70	56	150	81	69	124	65	59
efferson	65	15	50	61	14	47	66	16	50
eff Davis	153	85	68	156	88	68	148	80	68
ones	730	594	136	734	604	130	734	591	143
emper	79	41	38	87	47	40	77	41	36
afayette	225	159	66	218	151	67	228	155	73
amar	208	185	23	246	218	28	246	220	26
auderdale	854	650	204	809	603	206	809	620	189
awrence	156	123	33	155	122	33	148	114	34
eake	177	121	56	195	139	56	176	118	58
ee	777	639	138	750	619	131	751	624	127
eflore	372	220	152	378	219	159	378	225	153

Table 17 - Page 2
Marriages - Mississippi - 1980

	Licensure Data			Occurrence Data			Residence Data		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	279	194	85	279	197	82	265	185	80
Lowndes	591	451	140	584	445	139	555	432	123
Madison	296	149	147	371	191	180	321	170	151
Marion	382	286	96	374	285	89	332	251	81
Marshall	253	149	104	253	145	108	211	114	97
Monroe	350	271	79	377	290	87	344	259	85
Montgomery	127	80	47	134	86	48	131	84	47
Neshoba	251	193	58	261	202	59	252	192	60
Newton	162	121	41	185	142	43	169	125	44
Noxubee	103	48	55	103	47	56	94	35	59
Oktibbeha	279	194	85	246	163	83	256	174	82
Panola	283	195	88	283	187	96	258	171	87
Pearl River	383	340	43	378	332	46	328	290	38
Perry	117	99	18	123	101	22	112	92	20
Pike	379	264	115	401	271	130	356	248	108
Pontotoc	195	166	29	205	175	30	191	165	26
Prentiss	230	217	13	227	215	12	228	215	13
Quitman	119	63	56	126	76	50	130	73	57
Rankin	653	570	83	675	594	81	691	610	81
Scott	313	225	88	335	242	93	304	219	85
Sharkey	89	42	47	87	43	44	77	32	45
Simpson	297	226	71	301	228	73	271	206	65
Smith	99	87	12	146	123	23	129	115	14
Stone	144	125	19	125	108	17	112	92	20
Sunflower	224	105	119	248	119	129	226	113	113
Tallahatchie	153	83	70	160	93	67	142	78	64
Tate	235	156	79	245	168	77	217	149	68
Tippah	200	174	26	198	168	30	177	148	29
Tishomingo	304	289	15	298	284	14	178	172	6
Tunica	99	35	64	100	38	62	79	21	58
Union	223	202	21	220	203	17	212	192	20
Walthall	131	88	43	139	96	43	127	86	41
Warren	577	418	159	560	408	152	525	383	142
Washington	696	396	300	705	410	295	657	372	285
Wayne	242	176	66	214	160	54	212	156	56
Webster	102	90	12	106	92	14	96	86	10
Wilkinson	144	93	51	149	93	56	84	34	50
Winston	192	128	64	203	141	62	188	126	62
Yalobusha	136	100	36	133	97	36	123	90	33
Yazoo	279	149	130	289	152	137	272	151	121
Unknown county				12	7	5			
Out of state	*	*	*	*	*	*	2,300	1,887	413
Unknown state							14	10	4

* Information on Mississippi brides who obtained licenses and/or married in other states

TABLE 18
DIVORCES AND RATES, BY COUNTY OF OCCURRENCE AND RACE, MISSISSIPPI, 1980

	Number			Rate*		
County	Total	White	Non-white	Total	White	Non-white
STATE	13,846	10,760	3,086	24.5	26.0	20.5
Adams	203	114	89	25.0	22.4	29.4
Alcorn	203	189	14	24.0	24.2	21.1
Amite	56	42	14	18.1	22.0	11.8
Attala	96	65	31	20.3	19.7	21.9
Benton	46	40	6	23.5	28.4	10.9
Bolivar	168	100	68	20.0	23.8	16.2
Calhoun	38	30	8	9.7	9.4	11.0
Carroll	28	18	10	12.2	12.0	12.4
Chickasaw	99	77	22	23.8	25.7	18.9
Choctaw	33	26	7	15.5	15.5	15.4
Claiborne	37	15	22	17.4	18.4	16.7
Clarke	67	44	23	16.7	14.8	22.0
Clay	111	75	36	24.2	26.7	20.2
Coahoma	170	88	82	24.1	25.8	22.6
Copiah	119	80	39	21.0	22.8	18.1
Covington	59	48	11	15.8	17.3	11.2
DeSoto	412	396	16	31.6	34.7	9.9
Forrest	462	371	91	33.4	34.0	31.1
Franklin	34	23	11	17.6	16.2	21.4
George	72	66	6	19.1	18.7	24.2
Greene	26	25	1	11.0	12.4	2.8
Grenada	104	81	23	21.8	24.6	15.4
Hancock	142	133	9	24.4	24.9	19.3
Harrison	1,223	1,061	162	34.8	36.2	27.4
Hinds	1,444	995	449	27.1	29.2	23.4
Holmes	65	25	40	14.9	14.7	15.0
Humphreys	42	21	21	15.8	17.0	14.6
Issaquena	7	3	4	13.9	10.1	19.4
Itawamba	122	119	3	22.4	22.9	12.2
Jackson	923	812	111	33.3	34.2	27.9
Jasper	67	42	25	16.8	17.4	15.8
Jefferson	32	8	24	19.0	18.1	19.3
Jeff Davis	40	25	15	13.1	14.5	11.3
Jones	402	339	63	26.7	27.0	25.4
Kemper	35	16	19	15.4	12.7	18.8
Lafayette	138	93	45	22.9	20.0	32.6
Lamar	143	133	10	24.5	24.7	21.6
Lauderdale	476	392	84	27.2	29.6	19.9
Lawrence	60	44	16	20.1	19.0	24.1
Leake	83	62	21	17.9	19.3	14.8
Lee	379	330	49	26.8	27.5	22.7
Leflore	177	130	47	21.8	30.4	12.3

Table 18 - Page 2
Divorces - Mississippi - 1980

	Number			Rate*		
County	Total	White	Non-white	Total	White	Non-white
Lincoln	120	95	25	16.7	17.0	15.5
Lowndes	329	260	69	25.8	27.4	21.3
Madison	182	116	66	21.1	23.5	17.9
Marion	187	147	40	30.4	30.7	29.3
Marshall	146	114	32	23.8	31.4	12.8
Monroe	200	165	35	23.2	24.3	19.1
Montgomery	63	47	16	20.4	22.0	16.8
Neshoba	114	97	17	19.5	20.8	14.5
Newton	77	55	22	15.7	14.5	20.1
Noxubee	34	16	18	12.8	12.6	12.9
Oktibbeha	131	94	37	19.4	19.7	18.5
Panola	139	92	47	22.8	23.8	21.1
Pearl River	229	208	21	27.6	28.1	23.7
Perry	60	51	9	26.0	25.7	27.4
Pike	192	124	68	23.9	23.5	24.7
Pontotoc	121	108	13	22.6	22.9	20.8
Prentiss	128	119	9	21.3	21.3	20.6
Quitman	50	24	26	19.4	16.4	23.2
Rankin	428	388	40	25.0	26.3	16.8
Scott	144	103	41	24.5	24.4	24.9
Sharkey	25	14	11	16.8	19.1	14.7
Simpson	92	67	25	16.4	15.6	18.9
Smith	70	59	11	18.4	18.3	18.9
Stone	69	52	17	31.4	28.1	49.1
Sunflower	106	52	54	16.2	15.8	16.6
Tallahatchie	53	29	24	15.1	15.2	15.0
Tate	107	78	29	24.2	25.0	22.2
Tippah	105	95	10	22.4	23.1	17.6
Tishomingo	92	90	2	18.4	18.5	13.8
Tunica	34	13	21	19.5	19.8	19.3
Union	109	103	6	19.1	20.0	10.6
Walthall	51	39	12	15.8	17.7	11.7
Warren	338	238	100	29.7	29.2	30.9
Washington	424	267	157	29.2	32.6	24.7
Wayne	96	76	20	21.8	23.0	18.3
Webster	50	46	4	19.3	20.6	11.0
Wilkinson	17	9	8	8.4	10.7	6.8
Winston	93	71	22	20.2	22.0	16.0
Yalobusha	67	55	12	21.6	24.7	13.6
Yazoo	131	88	43	22.6	25.1	18.7

* Divorces per 1,000 married women 15 years of age and over.

NOTE:

Table 19 extends from page 103 through page 144 with identical data for each county as well as for the state.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ADAMS AND ALCORN COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Adams						Alcorn					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	84	34	50	220.8	174.1	270.2	44	39	5	133.2	132.4	139.8
Diabetes mellitus (250)	12	2	10	31.5	10.2	54.0	5	4	1	15.1	13.6	28.0
Diseases of heart (390-398, 402, 404, 410-429)	139	59	80	365.4	302.1	432.3	110	92	18	333.0	312.3	503.4
Hypertension (401, 403)	4	1	3	10.5	5.1	16.2	2	2	0	6.0	6.8	-
Cerebrovascular diseases (430-438)	49	23	26	128.8	117.8	140.5	22	20	2	66.6	67.9	55.9
Atherosclerosis (440)	5	4	1	13.1	20.5	5.4	3	3	0	9.1	10.2	-
Pneumonia and influenza (480-487)	9	7	2	23.7	35.8	10.8	8	8	0	24.2	27.2	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	10	9	1	26.3	46.1	5.4	12	11	1	36.3	37.3	28.0
Chronic liver disease and cirrhosis (571)	2	2	0	5.2	10.2	-	4	4	0	12.1	13.6	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	1	3	10.5	5.1	16.2	3	3	0	9.1	10.2	-
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	1	1	5.2	5.1	5.4	5	4	1	15.1	13.6	28.0
Certain conditions originating in the perinatal period (760-779)	6	0	6	7.9	-	13.4	3	3	0	6.4	7.5	-
Accidents (800-949)	22	15	7	57.8	76.8	37.8	25	20	5	75.7	67.9	139.8
Motor vehicle accidents# (810-825)	10	8	2	26.3	41.0	10.8	7	7	0	21.2	23.8	-
Suicide (950-959)	7	7	0	18.4	35.8	-	2	2	0	6.0	6.8	-
Homicide and legal intervention (960-978)	5	0	5	13.1	-	27.0	10	7	3	30.3	23.8	83.9
Symptoms, signs, and ill-defined conditions# (780-799)	15	2	13	39.4	10.2	70.2	4	4	0	12.1	13.6	-

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF AMITE AND ATTALA COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Amite						Attala					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	19	8	11	142.1	114.4	172.6	41	29	12	206.4	240.6	153.6
Diabetes mellitus (250)	2	1	1	15.0	14.3	15.7	5	2	3	25.2	16.6	38.4
Diseases of heart (390-398, 402, 404, 410-429)	35	22	13	261.8	314.5	204.0	106	61	45	533.6	506.1	576.0
Hypertension (401, 403)	1	1	0	7.5	14.3	-	2	1	1	10.1	8.3	12.8
Cerebrovascular diseases (430-438)	10	3	7	74.8	42.9	109.8	29	16	13	146.0	132.8	166.4
Atherosclerosis (440)	2	1	1	15.0	14.3	15.7	10	9	1	50.3	74.7	12.8
Pneumonia and influenza (480-487)	2	2	0	15.0	28.6	-	11	8	3	55.4	66.4	38.4
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	3	0	22.4	42.9	-	4	3	1	20.1	24.9	12.8
Chronic liver disease and cirrhosis (571)	1	0	1	7.5	-	15.7	2	2	0	10.1	16.6	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	-	-	-	4	2	2	20.1	16.6	25.6
Infections of kidney (590)	1	0	1	7.5	-	15.7	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	1	0	1	5.0	-	12.8
Certain conditions originating in the perinatal period (760-779)	3	0	3	13.3	-	24.4	3	0	3	9.4	-	20.1
Accidents (800-949)	17	8	9	127.2	114.4	141.2	12	5	7	60.4	41.5	89.6
Motor vehicle accidents# (810-825)	9	4	5	67.3	57.2	78.4	2	2	0	10.1	16.6	-
Suicide (950-959)	3	1	2	22.4	14.3	31.4	0	0	0	-	-	-
Homicide and legal intervention (960-978)	1	0	1	7.5	-	15.7	3	0	3	15.1	-	38.4
Symptoms, signs, and ill-defined conditions# (780-799)	25	8	17	187.0	114.4	266.8	4	2	2	20.1	16.6	25.6

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF BENTON AND BOLIVAR COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Benton						Bolivar					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	1	1	0	2.2	5.9	-
Malignant neoplasms (140-208)	17	11	6	208.5	217.6	193.6	86	41	45	187.1	241.4	155.3
Diabetes mellitus (250)	1	1	0	12.3	19.8	-	7	0	7	15.2	-	24.2
Diseases of heart (390-398, 402, 404, 410-429)	18	12	6	220.8	237.4	193.6	192	77	115	417.7	453.3	396.8
Hypertension (401, 403)	0	0	0	-	-	-	3	0	3	6.5	-	10.4
Cerebrovascular diseases (430-438)	6	5	1	73.6	98.9	32.3	56	27	29	121.8	159.0	100.1
Atherosclerosis (440)	0	0	0	-	-	-	20	8	12	43.5	47.1	41.4
Pneumonia and influenza (480-487)	3	2	1	36.8	39.6	32.3	5	3	2	10.9	17.7	6.9
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	4	0	49.1	79.1	-	11	4	7	23.9	23.5	24.2
Chronic liver disease and cirrhosis (571)	1	1	0	12.3	19.8	-	4	2	2	8.7	11.8	6.9
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	12.3	19.8	-	2	2	0	4.4	11.8	-
Infections of kidney (590)	1	1	0	12.3	19.8	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	3	1	2	6.5	5.9	6.9
Certain conditions originating in the perinatal period (760-779)	0	0	0	-	-	-	13	4	9	11.4	14.9	10.3
Accidents (800-949)	5	2	3	61.3	39.6	96.8	37	13	24	80.5	76.5	82.8
Motor vehicle accidents# (810-825)	3	2	1	36.8	39.6	32.3	16	8	8	34.8	47.1	27.6
Suicide (950-959)	1	1	0	12.3	19.8	-	2	1	1	4.4	5.9	3.4
Homicide and legal intervention (960-978)	2	0	2	24.5	-	64.5	15	1	14	32.6	5.9	48.3
Symptoms, signs, and ill-defined conditions# (780-799)	11	6	5	134.9	118.7	161.3	52	7	45	113.1	41.2	155.3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CALHOUN AND CARROLL COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Calhoun						Carroll					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	26	21	5	166.0	180.2	124.6	14	10	4	143.2	187.5	90.0
Diabetes mellitus (250)	2	1	1	12.8	8.6	24.9	0	0	0	-	-	-
Diseases of heart (390-398, 402, 404, 410-429)	54	44	10	344.7	377.7	249.1	19	8	11	194.4	150.0	247.5
Hypertension (401, 403)	2	0	2	12.8	-	49.8	4	1	3	40.9	18.8	67.5
Cerebrovascular diseases (430-438)	19	13	6	121.3	111.6	149.5	14	12	2	143.2	225.0	45.0
Atherosclerosis (440)	0	0	0	-	-	-	0	0	0	-	-	-
Pneumonia and influenza (480-487)	3	3	0	19.2	25.8	-	2	1	1	20.4	18.8	22.5
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	2	1	19.2	17.2	24.9	1	1	0	10.2	18.8	-
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	1	0	1	10.2	-	22.5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	1	2	19.2	8.6	49.8	1	0	1	10.2	-	22.5
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	1	1	12.8	8.6	24.9	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	3	0	3	12.6	-	32.6	1	0	1	6.5	-	11.0
Accidents (800-949)	11	6	5	70.2	51.5	124.6	7	3	4	71.6	56.3	90.0
Motor vehicle accidents# (810-825)	7	4	3	44.7	34.3	74.7	0	0	0	-	-	-
Suicide (950-959)	2	1	1	12.8	8.6	24.9	2	2	0	20.4	37.5	-
Homicide and legal intervention (960-978)	2	0	2	12.8	-	49.8	1	1	0	10.2	18.8	-
Symptoms, signs, and ill-defined conditions# (780-799)	5	4	1	31.9	34.3	24.9	6	3	3	61.4	56.3	67.5

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CHICKASAW AND CHOCTAW COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Chickasaw						Choctaw					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	34	25	9	190.4	219.6	139.1	16	12	4	177.8	186.1	156.9
Diabetes mellitus (250)	3	2	1	16.8	17.6	15.4	0	0	0	-	-	-
Diseases of heart (390-398, 402, 404, 410-429)	83	59	24	464.9	518.3	370.9	43	35	8	478.0	542.9	313.8
Hypertension (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	12	10	2	67.2	87.8	30.9	6	4	2	66.7	62.0	78.5
Atherosclerosis (440)	0	0	0	-	-	-	1	0	1	11.1	-	39.2
Pneumonia and influenza (480-487)	2	2	0	11.2	17.6	-	0	0	0	-	-	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	5	0	28.0	43.9	-	3	2	1	33.3	31.0	39.2
Chronic liver disease and cirrhosis (571)	1	1	0	5.6	8.8	-	1	1	0	11.1	15.5	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	1	2	16.8	8.8	30.9	1	1	0	11.1	15.5	-
Infections of kidney (590)	1	1	0	5.6	8.8	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	0	1	5.6	-	15.4	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	3	1	2	8.4	5.9	10.6	1	0	1	5.7	-	11.2
Accidents (800-949)	10	6	4	56.0	52.7	61.8	7	4	3	77.8	62.0	117.7
Motor vehicle accidents# (810-825)	4	2	2	22.4	17.6	30.9	5	3	2	55.6	46.5	78.5
Suicide (950-959)	1	1	0	5.6	8.8	-	0	0	0	-	-	-
Homicide and legal intervention (960-978)	2	1	1	11.2	8.8	15.4	0	0	0	-	-	-
Symptoms, signs, and ill-defined conditions# (780-799)	4	2	2	22.4	17.6	30.9	3	1	2	33.3	15.5	78.5

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CLAIBORNE AND CLARKE COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Claiborne						Clarke					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	15	2	13	122.2	65.1	141.2	34	22	12	200.6	199.9	202.0
Diabetes mellitus (250)	4	0	4	32.6	-	43.4	3	2	1	17.7	18.2	16.8
Diseases of heart (390-398, 402, 404, 410-429)	62	19	43	504.9	618.1	467.1	73	52	21	430.8	472.6	353.5
Hypertension (401, 403)	1	0	1	8.1	-	10.9	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	8	1	7	65.2	32.5	76.0	13	7	6	76.7	63.6	101.0
Atherosclerosis (440)	4	0	4	32.6	-	43.4	1	1	0	5.9	9.1	-
Pneumonia and influenza (480-487)	0	0	0	-	-	-	7	6	1	41.3	54.5	16.8
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	1	1	16.3	32.5	10.9	2	1	1	11.8	9.1	16.8
Chronic liver disease and cirrhosis (571)	1	1	0	8.1	32.5	-	1	1	0	5.9	9.1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	0	1	8.1	-	10.9	1	0	1	5.9	-	16.8
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	0	2	16.3	-	21.7	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	3	0	3	12.0	-	14.4	1	0	1	3.5	-	8.2
Accidents (800-949)	9	5	4	73.3	162.6	43.4	14	9	5	82.6	81.8	84.2
Motor vehicle accidents# (810-825)	5	3	2	40.7	97.6	21.7	6	4	2	35.4	36.4	33.7
Suicide (950-959)	1	1	0	8.1	32.5	-	1	1	0	5.9	9.1	-
Homicide and legal intervention (960-978)	3	1	2	24.4	32.5	21.7	1	1	0	5.9	9.1	-
Symptoms, signs, and ill-defined conditions# (780-799)	8	1	7	65.2	32.5	76.0	5	1	4	29.5	9.1	67.3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CLAY AND COAHOMA COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Clay						Coahoma					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	1	0	1	2.7	-	4.2
Malignant neoplasms (140-208)	39	21	18	185.0	200.6	169.6	86	37	49	232.9	283.0	205.5
Diabetes mellitus (250)	5	2	3	23.7	19.1	28.3	4	2	2	10.8	15.3	8.4
Diseases of heart (390-398, 402, 404, 410-429)	74	39	35	351.0	372.5	329.8	122	56	66	330.5	428.3	276.8
Hypertension (401, 403)	1	0	1	4.7	-	9.4	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	15	6	9	71.2	57.3	84.8	47	16	31	127.3	122.4	130.0
Atherosclerosis (440)	3	1	2	14.2	9.6	18.8	3	2	1	8.1	15.3	4.2
Pneumonia and influenza (480-487)	4	3	1	19.0	28.6	9.4	4	1	3	10.8	7.6	12.6
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	2	0	9.5	19.1	-	3	2	1	8.1	15.3	4.2
Chronic liver disease and cirrhosis (571)	1	1	0	4.7	9.6	-	7	4	3	19.0	30.6	12.6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	0	1	4.7	-	9.4	4	2	2	10.8	15.3	8.4
Infections of kidney (590)	0	0	0	-	-	-	2	1	1	5.4	7.6	4.2
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	4	2	2	10.8	15.3	8.4
Certain conditions originating in the perinatal period (760-779)	7	1	6	16.0	6.4	21.3	8	1	7	9.3	5.0	10.6
Accidents (800-949)	15	8	7	71.2	76.4	66.0	22	4	18	59.6	30.6	75.5
Motor vehicle accidents# (810-825)	7	3	4	33.2	28.6	37.7	5	2	3	13.5	15.3	12.6
Suicide (950-959)	1	1	0	4.7	9.6	-	7	4	3	19.0	30.6	12.6
Homicide and legal intervention (960-978)	0	0	0	-	-	-	4	1	3	10.8	7.6	12.6
Symptoms, signs, and ill-defined conditions# (780-799)	4	4	0	19.0	38.2	-	73	2	71	197.7	15.3	297.8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF COPIAH AND COVINGTON COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Copiah						Covington					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	3.8	7.3	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	39	22	17	147.2	161.3	132.2	30	24	6	188.4	230.5	108.8
Diabetes mellitus (250)	4	1	3	15.1	7.3	23.3	2	1	1	12.6	9.6	18.1
Diseases of heart (390-398, 402, 404, 410-429)	86	44	42	324.5	322.5	326.6	49	36	13	307.6	345.8	235.6
Hypertension (401, 403)	2	0	2	7.5	-	15.6	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	29	16	13	109.4	117.3	101.1	16	11	5	100.4	105.7	90.6
Atherosclerosis (440)	5	1	4	18.9	7.3	31.1	3	0	3	18.8	-	54.4
Pneumonia and influenza (480-487)	5	4	1	18.9	29.3	7.8	2	1	1	12.6	9.6	18.1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	6	5	1	22.6	36.6	7.8	1	1	0	6.3	9.6	-
Chronic liver disease and cirrhosis (571)	3	1	2	11.3	7.3	15.6	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	1	4	18.9	7.3	31.1	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-	1	1	0	6.3	9.6	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	0	1	3.8	-	7.8	1	0	1	6.3	-	18.1
Certain conditions originating in the perinatal period (760-779)	4	0	4	8.2	-	12.8	5	1	4	16.7	7.2	24.8
Accidents (800-949)	21	7	14	79.2	51.3	108.8	13	8	5	81.6	76.8	90.6
Motor vehicle accidents# (810-825)	8	2	6	30.2	14.7	46.6	6	5	1	37.7	48.0	18.1
Suicide (950-959)	2	2	0	7.5	14.7	-	1	1	0	6.3	9.6	-
Homicide and legal intervention (960-978)	4	1	3	15.1	7.3	23.3	0	0	0	-	-	-
Symptoms, signs, and ill-defined conditions# (780-799)	20	6	14	75.5	44.0	108.8	20	13	7	125.6	124.9	126.9

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF DESOTO AND FORREST COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	DeSoto						Forrest					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	1	0	1	1.5	-	5.5
Malignant neoplasms (140-208)	78	62	16	144.6	140.3	164.5	136	90	46	206.0	188.6	251.4
Diabetes mellitus (250)	1	1	0	1.8	2.3	-	14	7	7	21.2	14.7	38.2
Diseases of heart (390-398, 402, 404, 410-429)	85	69	16	157.6	156.1	164.5	216	177	39	327.2	370.9	213.1
Hypertension (401, 403)	1	0	1	1.8	-	10.3	3	2	1	4.5	4.2	5.5
Cerebrovascular diseases (430-438)	30	24	6	55.6	54.3	61.7	51	37	14	77.2	77.5	76.5
Atherosclerosis (440)	2	2	0	3.7	4.5	-	9	8	1	13.6	16.8	5.5
Pneumonia and influenza (480-487)	6	6	0	11.1	13.6	-	10	10	0	15.1	21.0	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	12	12	0	22.2	27.1	-	13	12	1	19.7	25.1	5.5
Chronic liver disease and cirrhosis (571)	5	5	0	9.3	11.3	-	2	0	2	3.0	-	10.9
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	2	2	7.4	4.5	20.6	4	1	3	6.0	2.1	16.4
Infections of kidney (590)	0	0	0	-	-	-	2	0	2	3.0	-	10.9
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	3	3	0	5.6	6.8	-	3	2	1	4.5	4.2	5.5
Certain conditions originating in the perinatal period (760-779)	4	3	1	5.0	5.0	5.0	5	4	1	4.4	5.6	2.4
Accidents (800-949)	26	17	9	48.2	38.4	92.5	32	20	12	48.5	41.9	65.6
Motor vehicle accidents# (810-825)	17	12	5	31.5	27.1	51.4	15	11	4	22.7	23.0	21.8
Suicide (950-959)	3	2	1	5.6	4.5	10.3	10	8	2	15.1	16.8	10.9
Homicide and legal intervention (960-978)	6	2	4	11.1	4.5	41.1	5	3	2	7.6	6.3	10.9
Symptoms, signs, and ill-defined conditions# (780-799)	77	35	42	142.8	79.2	431.8	67	33	34	101.5	69.2	185.8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF FRANKLIN AND GEORGE COUNTIES, MISSISSIPPI, 1980

	Franklin						George					
	Number			Rate**			Number			Rate**		
Cause and International Classification Number*	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	1	1	0	6.5	7.2	-
Malignant neoplasms (140-208)	9	8	1	109.6	155.6	32.6	26	25	1	170.0	181.0	67.2
Diabetes mellitus (250)	6	3	3	73.1	58.3	97.9	0	0	0	-	-	-
Diseases of heart (390-398, 402, 404, 410-429)	46	21	25	560.4	408.3	815.7	38	35	3	248.4	253.5	201.5
Hypertension (401, 403)	2	0	2	24.4	-	65.2	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	10	4	6	121.8	77.8	195.8	9	6	3	58.8	43.4	201.5
Atherosclerosis (440)	3	2	1	36.5	38.9	32.6	3	2	1	19.6	14.5	67.2
Pneumonia and influenza (480-487)	2	1	1	24.4	19.4	32.6	1	1	0	6.5	7.2	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	2	0	24.4	38.9	-	5	5	0	32.7	36.2	-
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	12.2	19.4	-	5	4	1	32.7	29.0	67.2
Infections of kidney (590)	0	0	0	-	-	-	1	1	0	6.5	7.2	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	2	0	24.4	38.9	-	1	1	0	6.5	7.2	-
Certain conditions originating in the perinatal period (760-779)	1	0	1	6.0	-	11.2	1	0	1	3.3	-	20.0
Accidents (800-949)	9	5	4	109.6	97.2	130.5	13	12	1	85.0	86.9	67.2
Motor vehicle accidents# (810-825)	4	3	1	48.7	58.3	32.6	3	3	0	19.6	21.7	-
Suicide (950-959)	1	1	0	12.2	19.4	-	2	2	0	13.1	14.5	-
Homicide and legal intervention (960-978)	2	1	1	24.4	19.4	32.6	1	1	0	6.5	7.2	-
Symptoms, signs, and ill-defined conditions# (780-799)	3	2	1	36.5	38.9	32.6	2	1	1	13.1	7.2	67.2

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF GREENE AND GRENADA COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Greene						Grenada					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	11	7	4	111.9	89.3	200.9	51	32	19	242.4	262.2	214.9
Diabetes mellitus (250)	0	0	0	-	-	-	0	0	0	-	-	-
Diseases of heart (390-398, 402, 404, 410-429)	36	32	4	366.3	408.4	200.9	77	49	28	365.9	401.5	316.7
Hypertension (401, 403)	0	0	0	-	-	-	2	0	2	9.5	-	22.6
Cerebrovascular diseases (430-438)	7	7	0	71.2	89.3	-	43	26	17	204.3	213.1	192.3
Atherosclerosis (440)	2	2	0	20.4	25.5	-	2	2	0	9.5	16.4	-
Pneumonia and influenza (480-487)	2	2	0	20.4	25.5	-	4	2	2	19.0	16.4	22.6
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	5	0	50.9	63.8	-	6	3	3	28.5	24.6	33.9
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	1	0	1	4.8	-	11.3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	-	-	-	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	3	2	1	30.5	25.5	50.2	1	1	0	4.8	8.2	-
Certain conditions originating in the perinatal period (760-779)	0	0	0	-	-	-	3	0	3	7.6	-	14.7
Accidents (800-949)	5	5	0	50.9	63.8	-	19	4	15	90.3	32.8	169.7
Motor vehicle accidents# (810-825)	1	1	0	10.2	12.8	-	3	2	1	14.2	16.4	11.3
Suicide (950-959)	1	1	0	10.2	12.8	-	2	0	2	9.5	-	22.6
Homicide and legal intervention (960-978)	1	0	1	10.2	-	50.2	1	0	1	4.8	-	11.3
Symptoms, signs, and ill-defined conditions# (780-799)	3	2	1	30.5	25.5	50.2	7	1	6	33.3	8.2	67.9

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF HANCOCK AND HARRISON COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Hancock						Harrison					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	1	1	0	0.6	0.8	-
Malignant neoplasms (140-208)	61	51	10	248.6	233.0	378.1	248	205	43	157.3	165.3	127.9
Diabetes mellitus (250)	3	3	0	12.2	13.7	-	18	16	2	11.4	12.9	5.9
Diseases of heart (390-398, 402, 404, 410-429)	100	92	8	407.5	420.2	302.4	473	378	95	300.0	304.8	282.5
Hypertension (401, 403)	0	0	0	-	-	-	6	5	1	3.8	4.0	3.0
Cerebrovascular diseases (430-438)	10	9	1	40.8	41.1	37.8	87	62	25	55.2	50.0	74.3
Atherosclerosis (440)	7	6	1	28.5	27.4	37.8	7	7	0	4.4	5.6	-
Pneumonia and influenza (480-487)	5	4	1	20.4	18.3	37.8	21	17	4	13.3	13.7	11.9
Emphysema and other chronic obstructive pulmonary diseases (490-496)	7	6	1	28.5	27.4	37.8	24	19	5	15.2	15.3	14.9
Chronic liver disease and cirrhosis (571)	6	4	2	24.4	18.3	75.6	14	13	1	8.9	10.5	3.0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	2	0	8.2	9.1	-	7	3	4	4.4	2.4	11.9
Infections of kidney (590)	1	1	0	4.1	4.6	-	1	1	0	0.6	0.8	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	2	0	8.2	9.1	-	14	12	2	8.9	9.7	5.9
Certain conditions originating in the perinatal period (760-779)	2	2	0	5.0	5.9	-	20	11	9	6.6	4.9	11.4
Accidents (800-949)	16	16	0	65.2	73.1	-	90	67	23	57.1	54.0	68.4
Motor vehicle accidents# (810-825)	8	8	0	32.6	36.5	-	41	31	10	26.0	25.0	29.7
Suicide (950-959)	4	3	1	16.3	13.7	37.8	22	19	3	14.0	15.3	8.9
Homicide and legal intervention (960-978)	2	2	0	8.2	9.1	-	17	5	12	10.8	4.0	35.7
Symptoms, signs, and ill-defined conditions# (780-799)	0	0	0	-	-	-	6	4	2	3.8	3.2	5.9

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

TABLE 19

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF HINDS AND HOLMES COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Hinds						Holmes					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	2	1	1	0.8	0.7	0.9	0	0	0	-	-	-
Malignant neoplasms (140-208)	468	299	169	186.4	219.4	147.3	37	16	21	161.1	243.3	128.1
Diabetes mellitus (250)	35	18	17	13.9	13.2	14.8	9	0	9	39.2	-	54.9
Diseases of heart (390-398, 402, 404, 410-429)	683	429	254	272.1	314.8	221.4	109	31	78	474.5	471.3	475.8
Hypertension (401, 403)	6	2	4	2.4	1.5	3.5	8	2	6	34.8	30.4	36.6
Cerebrovascular diseases (430-438)	192	111	81	76.5	81.4	70.6	27	11	16	117.5	167.2	97.6
Atherosclerosis (440)	23	14	9	9.2	10.3	7.8	4	1	3	17.4	15.2	18.3
Pneumonia and influenza (480-487)	43	29	14	17.1	21.3	12.2	5	2	3	21.8	30.4	18.3
Emphysema and other chronic obstructive pulmonary diseases (490-496)	38	31	7	15.1	22.7	6.1	3	2	1	13.1	30.4	6.1
Chronic liver disease and cirrhosis (571)	20	16	4	8.0	11.7	3.5	2	2	0	8.7	30.4	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	18	8	10	7.2	5.9	8.7	1	0	1	4.4	-	6.1
Infections of kidney (590)	6	6	0	2.4	4.4	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	20	8	12	8.0	5.9	10.4	1	0	1	4.4	-	6.1
Certain conditions originating in the perinatal period (760-779)	40	7	33	8.2	3.7	11.0	3	1	2	5.6	12.8	4.4
Accidents (800-949)	127	76	51	50.6	55.8	44.4	17	4	13	74.0	60.8	79.3
Motor vehicle accidents# (810-825)	56	35	21	22.3	25.7	18.3	10	2	8	43.5	30.4	48.8
Suicide (950-959)	31	26	5	12.4	19.1	4.4	2	1	1	8.7	15.2	6.1
Homicide and legal intervention (960-978)	50	13	37	19.9	9.5	32.2	6	0	6	26.1	-	36.6
Symptoms, signs, and ill-defined conditions# (780-799)	79	22	57	31.5	16.1	49.7	9	1	8	39.2	15.2	48.8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF HUMPHREYS AND ISSAQUENA COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Humphreys						Issaquena					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	1	0	1	39.8	-	71.1
Malignant neoplasms (140-208)	27	8	19	193.8	169.6	206.2	2	1	1	79.6	90.3	71.1
Diabetes mellitus (250)	2	0	2	14.4	-	21.7	1	0	1	39.8	-	71.1
Diseases of heart (390-398, 402, 404, 410-429)	62	30	32	445.0	635.9	347.3	4	2	2	159.2	180.7	142.2
Hypertension (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	20	5	15	143.6	106.0	162.8	0	0	0	-	-	-
Atherosclerosis (440)	15	2	13	107.7	42.4	141.1	0	0	0	-	-	-
Pneumonia and influenza (480-487)	1	1	0	7.2	21.2	-	1	1	0	39.8	90.3	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	2	2	28.7	42.4	21.7	0	0	0	-	-	-
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	0	2	14.4	-	21.7	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	0	1	7.2	-	10.8	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	2	0	2	6.4	-	7.8	1	0	1	18.9	-	28.6
Accidents (800-949)	16	6	10	114.8	127.2	108.5	2	0	2	79.6	-	142.2
Motor vehicle accidents# (810-825)	6	4	2	43.1	84.8	21.7	0	0	0	-	-	-
Suicide (950-959)	0	0	0	-	-	-	0	0	0	-	-	-
Homicide and legal intervention (960-978)	2	1	1	14.4	21.2	10.8	0	0	0	-	-	-
Symptoms, signs, and ill-defined conditions# (780-799)	13	1	12	93.3	21.2	130.2	4	1	3	159.2	90.3	213.4

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ITAWAMBA AND JACKSON COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Itawamba						Jackson					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	32	31	1	156.0	161.5	75.6	130	104	26	110.2	109.8	111.6
Diabetes mellitus (250)	4	4	0	19.5	20.8	-	7	5	2	5.9	5.3	8.6
Diseases of heart (390-398, 402, 404, 410-429)	64	59	5	311.9	307.4	378.2	207	175	32	175.4	184.8	137.3
Hypertension (401, 403)	0	0	0	-	-	-	1	1	0	0.8	1.0	-
Cerebrovascular diseases (430-438)	30	27	3	146.2	140.6	226.9	50	40	10	42.4	42.2	42.9
Atherosclerosis (440)	2	2	0	9.7	10.4	-	6	6	0	5.1	6.3	-
Pneumonia and influenza (480-487)	5	4	1	24.4	20.8	75.6	13	12	1	11.0	12.7	4.3
Emphysema and other chronic obstructive pulmonary diseases (490-496)	7	7	0	34.1	36.5	-	18	18	0	15.2	19.0	-
Chronic liver disease and cirrhosis (571)	2	2	0	9.7	10.4	-	13	10	3	11.0	10.6	12.9
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	2	0	9.7	10.4	-	5	5	0	4.2	5.3	-
Infections of kidney (590)	0	0	0	-	-	-	1	0	1	0.8	-	4.3
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	2	0	9.7	10.4	-	16	14	2	13.6	14.8	8.6
Certain conditions originating in the perinatal period (760-779)	2	2	0	6.4	7.3	-	14	5	9	6.4	3.1	15.1
Accidents (800-949)	21	18	3	102.3	93.8	226.9	45	34	11	38.1	35.9	47.2
Motor vehicle accidents# (810-825)	9	9	0	43.9	46.9	-	27	20	7	22.9	21.1	30.0
Suicide (950-959)	2	2	0	9.7	10.4	-	8	8	0	6.8	8.4	-
Homicide and legal intervention (960-978)	3	2	1	14.6	10.4	75.6	18	12	6	15.2	12.7	25.7
Symptoms, signs, and ill-defined conditions# (780-799)	1	1	0	4.9	5.2	-	42	34	8	35.6	35.9	34.3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF JASPER AND JEFFERSON COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Jasper						Jefferson					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	40	21	19	231.7	239.7	223.4	17	6	11	185.2	364.7	146.0
Diabetes mellitus (250)	2	0	2	11.6	-	23.5	6	2	4	65.4	121.6	53.1
Diseases of heart (390-398, 402, 404, 410-429)	50	27	23	289.6	308.2	270.5	24	3	21	261.4	182.4	278.7
Hypertension (401, 403)	1	1	0	5.8	11.4	-	1	0	1	10.9	-	13.3
Cerebrovascular diseases (430-438)	22	13	9	127.4	148.4	105.8	3	1	2	32.7	60.8	26.5
Atherosclerosis (440)	1	1	0	5.8	11.4	-	1	0	1	10.9	-	13.3
Pneumonia and influenza (480-487)	4	2	2	23.2	22.8	23.5	1	0	1	10.9	-	13.3
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	2	0	11.6	22.8	-	1	0	1	10.9	-	13.3
Chronic liver disease and cirrhosis (571)	1	1	0	5.8	11.4	-	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	0	2	11.6	-	23.5	2	0	2	21.8	-	26.5
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	1	1	0	10.9	60.8	-
Certain conditions originating in the perinatal period (760-779)	4	0	4	11.7	-	18.3	2	0	2	9.2	-	10.4
Accidents (800-949)	20	11	9	115.8	125.6	105.8	8	1	7	87.1	60.8	92.9
Motor vehicle accidents# (810-825)	13	8	5	75.3	91.3	58.8	1	0	1	10.9	-	13.3
Suicide (950-959)	3	3	0	17.4	34.2	-	0	0	0	-	-	-
Homicide and legal intervention (960-978)	3	1	2	17.4	11.4	23.5	3	0	3	32.7	-	39.8
Symptoms, signs, and ill-defined conditions# (780-799)	8	2	6	46.3	22.8	70.6	7	0	7	76.2	-	92.9

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF JEFF DAVIS AND JONES COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Jeff Davis						Jones					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	3	0	3	4.8	-	20.6
Malignant neoplasms (140-208)	29	15	14	209.4	234.3	188.0	106	86	20	171.2	181.8	137.0
Diabetes mellitus (250)	4	1	3	28.9	15.6	40.3	8	4	4	12.9	8.4	27.4
Diseases of heart (390-398, 402, 404, 410-429)	41	24	17	296.1	374.9	228.3	236	188	48	381.2	397.3	328.8
Hypertension (401, 403)	0	0	0	-	-	-	5	1	4	8.1	2.1	27.4
Cerebrovascular diseases (430-438)	10	4	6	72.2	62.5	80.6	57	37	20	92.1	78.2	137.0
Atherosclerosis (440)	1	0	1	7.2	-	13.4	4	4	0	6.5	8.4	-
Pneumonia and influenza (480-487)	1	1	0	7.2	15.6	-	6	4	2	9.7	8.4	13.7
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	4	1	36.1	62.5	13.4	16	11	5	25.8	23.2	34.2
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	8	8	0	12.9	16.9	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	-	-	-	6	3	3	9.7	6.3	20.6
Infections of kidney (590)	1	0	1	7.2	-	13.4	1	1	0	1.6	2.1	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	7.2	15.6	-	2	1	1	3.2	2.1	6.8
Certain conditions originating in the perinatal period (760-779)	3	1	2	11.4	10.6	11.8	12	8	4	10.9	10.9	10.9
Accidents (800-949)	10	5	5	72.2	78.1	67.2	39	29	10	63.0	61.3	68.5
Motor vehicle accidents# (810-825)	6	3	3	43.3	46.9	40.3	19	13	6	30.7	27.5	41.1
Suicide (950-959)	3	2	1	21.7	31.2	13.4	3	3	0	4.8	6.3	-
Homicide and legal intervention (960-978)	4	0	4	28.9	-	53.7	8	6	2	12.9	12.7	13.7
Symptoms, signs, and ill-defined conditions# (780-799)	23	7	16	166.1	109.4	214.9	27	18	9	43.6	38.0	61.6

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF KEMPER AND LAFAYETTE COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Kemper						Lafayette					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	13	6	7	128.1	131.7	125.2	40	24	16	128.9	106.5	188.5
Diabetes mellitus (250)	2	2	0	19.7	43.9	-	5	2	3	16.1	8.9	35.3
Diseases of heart (390-398, 402, 404, 410-429)	37	18	19	364.6	395.0	339.8	67	52	15	215.9	230.7	176.7
Hypertension (401, 403)	0	0	0	-	-	-	2	0	2	6.4	-	23.6
Cerebrovascular diseases (430-438)	11	6	5	108.4	131.7	89.4	31	21	10	99.9	93.2	117.8
Atherosclerosis (440)	1	0	1	9.8	-	17.9	1	1	0	3.2	4.4	-
Pneumonia and influenza (480-487)	2	0	2	19.7	-	35.8	0	0	0	-	-	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	2	1	29.6	43.9	17.9	5	3	2	16.1	13.3	23.6
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	1	1	0	3.2	4.4	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	1	2	29.6	21.9	35.8	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	0	1	9.8	-	17.9	3	2	1	9.7	8.9	11.8
Certain conditions originating in the perinatal period (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
Accidents (800-949)	10	7	3	98.5	153.6	53.6	8	6	2	25.8	26.6	23.6
Motor vehicle accidents# (810-825)	5	4	1	49.3	87.8	17.9	7	5	2	22.6	22.2	23.6
Suicide (950-959)	2	2	0	19.7	43.9	-	2	2	0	6.4	8.9	-
Homicide and legal intervention (960-978)	2	1	1	19.7	21.9	17.9	2	0	2	6.4	-	23.6
Symptoms, signs, and ill-defined conditions# (780-799)	15	6	9	147.8	131.7	161.0	20	9	11	64.4	39.9	129.6

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LAMAR AND LAUDERDALE COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Lamar						Lauderdale					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	4.2	4.7	-	1	0	1	1.3	-	4.0
Malignant neoplasms (140-208)	41	37	4	172.1	175.1	148.4	145	94	51	187.6	179.5	204.7
Diabetes mellitus (250)	2	2	0	8.4	9.5	-	9	6	3	11.6	11.4	12.0
Diseases of heart (390-398, 402, 404, 410-429)	39	34	5	163.7	160.9	185.4	269	191	78	348.1	364.7	313.1
Hypertension (401, 403)	2	1	1	8.4	4.7	37.1	3	2	1	3.9	3.8	4.0
Cerebrovascular diseases (430-438)	15	12	3	63.0	56.8	111.3	126	82	44	163.0	156.6	176.6
Atherosclerosis (440)	0	0	0	-	-	-	15	13	2	19.4	24.8	8.0
Pneumonia and influenza (480-487)	4	3	1	16.8	14.2	37.1	12	11	1	15.5	21.0	4.0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	7	7	0	29.4	33.1	-	13	13	0	16.8	24.8	-
Chronic liver disease and cirrhosis (571)	3	3	0	12.6	14.2	-	9	4	5	11.6	7.6	20.1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	1	1	8.4	4.7	37.1	5	3	2	6.5	5.7	8.0
Infections of kidney (590)	0	0	0	-	-	-	3	2	1	3.9	3.8	4.0
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	6	3	3	7.8	5.7	12.0
Certain conditions originating in the perinatal period (760-779)	1	0	1	2.5	-	20.4	7	2	5	4.8	2.5	7.6
Accidents (800-949)	10	10	0	42.0	47.3	-	38	24	14	49.2	45.8	56.2
Motor vehicle accidents# (810-825)	3	3	0	12.6	14.2	-	13	10	3	16.8	19.1	12.0
Suicide (950-959)	3	3	0	12.6	14.2	-	7	6	1	9.0	11.4	4.0
Homicide and legal intervention (960-978)	1	0	1	4.2	-	37.1	16	6	10	20.7	11.4	40.1
Symptoms, signs, and ill-defined conditions# (780-799)	15	12	3	63.0	56.8	111.3	22	9	13	28.5	17.2	52.2

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LAWRENCE AND LEAKE COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Lawrence						Leake					
	Number			Rate**			Number			Rate**		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	28	18	10	223.7	208.5	257.3	39	29	10	207.6	253.2	136.3
Diabetes mellitus (250)	3	3	0	24.0	34.8	-	4	3	1	21.3	26.2	13.6
Diseases of heart (390-398, 402, 404, 410-429)	36	28	8	287.6	324.4	205.9	89	68	21	473.6	593.7	286.2
Hypertension (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	15	9	6	119.8	104.3	154.4	19	11	8	101.1	96.0	109.0
Atherosclerosis (440)	1	1	0	8.0	11.6	-	0	0	0	-	-	-
Pneumonia and influenza (480-487)	3	2	1	24.0	23.2	25.7	6	3	3	31.9	26.2	40.9
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	3	1	32.0	34.8	25.7	3	3	0	16.0	26.2	-
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	8.0	11.6	-	0	0	0	-	-	-
Infections of kidney (590)	1	0	1	8.0	-	25.7	2	2	0	10.6	17.5	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	0	1	8.0	-	25.7	1	0	1	5.3	-	13.6
Certain conditions originating in the perinatal period (760-779)	1	0	1	4.1	-	9.6	2	0	2	5.6	-	10.9
Accidents (800-949)	13	11	2	103.8	127.4	51.5	10	7	3	53.2	61.1	40.9
Motor vehicle accidents# (810-825)	4	4	0	32.0	46.3	-	6	4	2	31.9	34.9	27.3
Suicide (950-959)	0	0	0	-	-	-	6	4	2	31.9	34.9	27.3
Homicide and legal intervention (960-978)	0	0	0	-	-	-	5	1	4	26.6	8.7	54.5
Symptoms, signs, and ill-defined conditions# (780-799)	1	0	1	8.0	-	25.7	5	3	2	26.6	26.2	27.3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LEE AND LEFLORE COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Lee						Leflore					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	2	1	1	4.8	6.0	4.0
Malignant neoplasms (140-208)	94	73	21	164.7	161.4	177.4	68	28	40	163.8	167.4	161.3
Diabetes mellitus (250)	5	2	3	8.8	4.4	25.4	7	3	4	16.8	17.9	16.1
Diseases of heart (390-398, 402, 404, 410-429)	219	184	35	383.8	406.8	295.8	197	83	114	474.4	496.3	459.6
Hypertension (401, 403)	2	1	1	3.5	2.2	8.4	7	1	6	16.8	6.0	24.2
Cerebrovascular diseases (430-438)	48	36	12	84.1	79.6	101.4	56	22	34	134.8	131.5	137.1
Atherosclerosis (440)	15	13	2	26.3	28.7	16.9	2	1	1	4.8	6.0	4.0
Pneumonia and influenza (480-487)	8	4	4	14.0	8.8	33.8	8	6	2	19.3	35.9	8.1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	16	13	3	28.0	28.7	25.4	6	2	4	14.4	12.0	16.1
Chronic liver disease and cirrhosis (571)	4	4	0	7.0	8.8	-	3	2	1	7.2	12.0	4.0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	2	2	7.0	4.4	16.9	5	2	3	12.0	12.0	12.1
Infections of kidney (590)	2	2	0	3.5	4.4	-	2	1	1	4.8	6.0	4.0
Maternal causes (630-676)	1	1	0	91.8	132.3	-	0	0	0	-	-	-
Congenital anomalies (740-759)	5	3	2	8.8	6.6	16.9	3	3	0	7.2	17.9	-
Certain conditions originating in the perinatal period (760-779)	7	3	4	6.4	4.0	12.0	13	2	11	14.0	6.5	17.7
Accidents (800-949)	32	25	7	56.1	55.3	59.2	37	12	25	89.1	71.8	100.8
Motor vehicle accidents# (810-825)	14	13	1	24.5	28.7	8.4	13	9	4	31.3	53.8	16.1
Suicide (950-959)	5	5	0	8.8	11.0	-	3	3	0	7.2	17.9	-
Homicide and legal intervention (960-978)	12	5	7	21.0	11.0	59.2	5	1	4	12.0	6.0	16.1
Symptoms, signs, and ill-defined conditions# (780-799)	6	4	2	10.5	8.8	16.9	5	1	4	12.0	6.0	16.1

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

TABLE 19

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LINCOLN AND LOWNDES COUNTIES, MISSISSIPPI, 1980

	Lincoln						Lowndes					
	Number			Rate**			Number			Rate**		
Cause and International Classification Number*	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	50	37	13	165.7	175.6	142.9	93	62	31	162.3	166.8	153.9
Diabetes mellitus (250)	6	2	4	19.9	9.5	44.0	9	6	3	15.7	16.1	14.9
Diseases of heart (390-398, 402, 404, 410-429)	110	92	18	364.6	436.5	197.8	132	87	45	230.4	234.1	223.4
Hypertension (401, 403)	1	0	1	3.3	-	11.0	2	1	1	3.5	2.7	5.0
Cerebrovascular diseases (430-438)	26	16	10	86.2	75.9	109.9	37	21	16	64.6	56.5	79.4
Atherosclerosis (440)	1	0	1	3.3	-	11.0	1	0	1	1.7	-	5.0
Pneumonia and influenza (480-487)	11	7	4	36.4	33.2	44.0	6	4	2	10.5	10.8	9.9
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	5	0	16.6	23.7	-	5	4	1	8.7	10.8	5.0
Chronic liver disease and cirrhosis (571)	4	1	3	13.2	4.7	33.0	2	2	0	3.5	5.4	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	2	0	6.6	9.5	-	4	1	3	7.0	2.7	14.9
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	1	1	6.6	4.7	11.0	3	0	3	5.2	-	14.9
Certain conditions originating in the perinatal period (760-779)	3	1	2	5.4	3.2	8.5	11	4	7	9.2	6.2	12.7
Accidents (800-949)	18	9	9	59.6	42.7	98.9	55	28	27	96.0	75.4	134.0
Motor vehicle accidents# (810-825)	9	5	4	29.8	23.7	44.0	24	15	9	41.9	40.4	44.7
Suicide (950-959)	4	4	0	13.2	19.0	-	1	1	0	1.7	2.7	-
Homicide and legal intervention (960-978)	6	3	3	19.9	14.2	33.0	4	1	3	7.0	2.7	14.9
Symptoms, signs, and ill-defined conditions# (780-799)	17	5	12	56.3	23.7	131.9	36	15	21	62.8	40.4	104.2

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MADISON AND MARION COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Madison						Marion					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	0	1	2.4	-	4.3	0	0	0	-	-	-
Malignant neoplasms (140-208)	57	25	32	137.0	137.0	137.0	54	42	12	210.0	233.7	155.0
Diabetes mellitus (250)	6	0	6	14.4	-	25.7	2	2	0	7.8	11.1	-
Diseases of heart (390-398, 402, 404, 410-429)	74	45	29	177.8	246.6	124.1	76	55	21	295.6	306.1	271.3
Hypertension (401, 403)	4	2	2	9.6	11.0	8.6	1	0	1	3.9	-	12.9
Cerebrovascular diseases (430-438)	29	9	20	69.7	49.3	85.6	35	23	12	136.1	128.0	155.0
Atherosclerosis (440)	2	1	1	4.8	5.5	4.3	11	4	7	42.8	22.3	90.4
Pneumonia and influenza (480-487)	8	4	4	19.2	21.9	17.1	10	9	1	38.9	50.1	12.9
Emphysema and other chronic obstructive pulmonary diseases (490-496)	8	5	3	19.2	27.4	12.8	3	2	1	11.7	11.1	12.9
Chronic liver disease and cirrhosis (571)	1	1	0	2.4	5.5	-	4	4	0	15.6	22.3	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	2	5	16.8	11.0	21.4	3	0	3	11.7	-	38.8
Infections of kidney (590)	1	0	1	2.4	-	4.3	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	4	2	2	9.6	11.0	8.6	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	5	0	5	6.0	-	10.0	4	3	1	8.4	10.3	5.4
Accidents (800-949)	35	11	24	84.1	60.3	102.7	33	21	12	128.4	116.9	155.0
Motor vehicle accidents# (810-825)	12	4	8	28.8	21.9	34.2	15	10	5	58.3	55.6	64.6
Suicide (950-959)	5	4	1	12.0	21.9	4.3	2	2	0	7.8	11.1	-
Homicide and legal intervention (960-978)	7	0	7	16.8	-	30.0	8	1	7	31.1	5.6	90.4
Symptoms, signs, and ill-defined conditions# (780-799)	52	8	44	125.0	43.8	188.3	28	20	8	108.9	111.3	103.4

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MARSHALL AND MONROE COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Marshall						Monroe					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	44	31	13	150.2	227.2	83.1	71	49	22	195.0	191.8	202.6
Diabetes mellitus (250)	2	1	1	6.8	7.3	6.4	6	3	3	16.5	11.7	27.6
Diseases of heart (390-398, 402, 404, 410-429)	69	39	30	235.5	285.8	191.7	137	112	25	376.3	438.4	230.2
Hypertension (401, 403)	0	0	0	-	-	-	3	2	1	8.2	7.8	9.2
Cerebrovascular diseases (430-438)	24	8	16	81.9	58.6	102.2	42	25	17	115.4	97.9	156.5
Atherosclerosis (440)	5	3	2	17.1	22.0	12.8	8	7	1	22.0	27.4	9.2
Pneumonia and influenza (480-487)	2	2	0	6.8	14.6	-	16	11	5	44.0	43.1	46.0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	4	1	17.1	29.3	6.4	10	7	3	27.5	27.4	27.6
Chronic liver disease and cirrhosis (571)	2	1	1	6.8	7.3	6.4	2	1	1	5.5	3.9	9.2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	0	3	10.2	-	19.2	5	3	2	13.7	11.7	18.4
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	0	2	6.8	-	12.8	3	1	2	8.2	3.9	18.4
Certain conditions originating in the perinatal period (760-779)	6	1	5	9.7	4.7	12.3	9	6	3	14.4	15.8	12.3
Accidents (800-949)	24	10	14	81.9	73.3	89.5	42	26	16	115.4	101.8	147.3
Motor vehicle accidents# (810-825)	15	6	9	51.2	44.0	57.5	16	12	4	44.0	47.0	36.8
Suicide (950-959)	3	2	1	10.2	14.6	6.4	2	2	0	5.5	7.8	-
Homicide and legal intervention (960-978)	5	1	4	17.1	7.3	25.6	3	1	2	8.2	3.9	18.4
Symptoms, signs, and ill-defined conditions# (780-799)	33	4	29	112.6	29.3	185.3	18	6	12	49.4	23.5	110.5

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MONTGOMERY AND NESHOBA COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Montgomery						Neshoba					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	22	16	6	164.6	203.0	109.4	31	24	7	130.3	140.6	104.2
Diabetes mellitus (250)	4	4	0	29.9	50.7	-	1	0	1	4.2	-	14.9
Diseases of heart (390-398, 402, 404, 410-429)	63	44	19	471.3	558.2	346.5	77	63	14	323.7	369.0	208.5
Hypertension (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	27	15	12	202.0	190.3	218.8	14	10	4	58.8	58.6	59.6
Atherosclerosis (440)	0	0	0	-	-	-	2	1	1	8.4	5.8	14.9
Pneumonia and influenza (480-487)	0	0	0	-	-	-	5	3	2	21.0	17.6	29.8
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	1	2	22.4	12.7	36.5	5	4	1	21.0	23.4	14.9
Chronic liver disease and cirrhosis (571)	1	1	0	7.5	12.7	-	2	1	1	8.4	5.8	14.9
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	3	0	22.4	38.0	-	4	3	1	16.8	17.6	14.9
Infections of kidney (590)	0	0	0	-	-	-	1	1	0	4.2	5.8	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	2	0	15.0	25.4	-	1	0	1	4.2	-	14.9
Certain conditions originating in the perinatal period (760-779)	2	0	2	8.4	-	14.8	1	0	1	2.3	-	5.3
Accidents (800-949)	12	4	8	89.8	50.7	145.9	14	9	5	58.8	52.7	74.5
Motor vehicle accidents# (810-825)	5	2	3	37.4	25.4	54.7	9	6	3	37.8	35.1	44.7
Suicide (950-959)	1	1	0	7.5	12.7	-	4	1	3	16.8	5.8	44.7
Homicide and legal intervention (960-978)	5	4	1	37.4	50.7	18.2	3	0	3	12.6	-	44.7
Symptoms, signs, and ill-defined conditions# (780-799)	5	1	4	37.4	12.7	73.0	44	27	17	185.0	158.1	253.2

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF NEWTON AND NOXUBEE COUNTIES, MISSISSIPPI, 1980

	Newton						Noxubee					
	Number			Rate**			Number			Rate**		
Cause and International Classification Number*	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	33	27	6	165.5	192.9	100.9	23	8	15	174.1	171.9	175.2
Diabetes mellitus (250)	7	2	5	35.1	14.3	84.1	0	0	0	-	-	-
Diseases of heart (390-398, 402, 404, 410-429)	77	50	27	386.1	357.2	454.1	43	16	27	325.5	343.9	315.4
Hypertension (401, 403)	1	1	0	5.0	7.1	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	21	14	7	105.3	100.0	117.7	12	1	11	90.8	21.5	128.5
Atherosclerosis (440)	0	0	0	-	-	-	1	0	1	7.6	-	11.7
Pneumonia and influenza (480-487)	3	0	3	15.0	-	50.4	4	1	3	30.3	21.5	35.0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	2	0	10.0	14.3	-	2	1	1	15.1	21.5	11.7
Chronic liver disease and cirrhosis (571)	2	1	1	10.0	7.1	16.8	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	2	2	20.0	14.3	33.6	2	1	1	15.1	21.5	11.7
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	1	0	1	7.6	-	11.7
Certain conditions originating in the perinatal period (760-779)	2	0	2	6.2	-	12.5	2	0	2	6.8	-	8.5
Accidents (800-949)	13	9	4	65.2	64.3	67.3	8	3	5	60.6	64.5	58.4
Motor vehicle accidents# (810-825)	5	4	1	25.1	28.6	16.8	1	1	0	7.6	21.5	-
Suicide (950-959)	0	0	0	-	-	-	0	0	0	-	-	-
Homicide and legal intervention (960-978)	4	1	3	20.0	7.1	50.4	0	0	0	-	-	-
Symptoms, signs, and ill-defined conditions# (780-799)	7	6	1	35.1	42.9	16.8	15	1	14	113.5	21.5	163.6

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF OKTIBBEHA AND PANOLA COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Oktibbeha						Panola					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	2.8	4.3	-	1	1	0	3.6	7.0	-
Malignant neoplasms (140-208)	30	18	12	83.3	77.8	93.2	68	36	32	241.4	251.5	231.0
Diabetes mellitus (250)	3	3	0	8.3	13.0	-	10	4	6	35.5	27.9	43.3
Diseases of heart (390-398, 402, 404, 410-429)	95	51	44	263.8	220.4	341.6	110	64	46	390.6	447.2	332.1
Hypertension (401, 403)	1	0	1	2.8	-	7.8	5	1	4	17.8	7.0	28.9
Cerebrovascular diseases (430-438)	26	14	12	72.2	60.5	93.2	43	19	24	152.7	132.8	173.3
Atherosclerosis (440)	2	1	1	5.6	4.3	7.8	8	3	5	28.4	21.0	36.1
Pneumonia and influenza (480-487)	2	2	0	5.6	8.6	-	4	3	1	14.2	21.0	7.2
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	2	1	8.3	8.6	7.8	9	8	1	32.0	55.9	7.2
Chronic liver disease and cirrhosis (571)	1	0	1	2.8	-	7.8	3	1	2	10.6	7.0	14.4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	2	1	8.3	8.6	7.8	3	0	3	10.6	-	21.6
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	2.8	4.3	-	1	0	1	3.6	-	7.2
Certain conditions originating in the perinatal period (760-779)	11	3	8	18.0	11.2	23.3	8	2	6	13.5	9.0	16.1
Accidents (800-949)	15	6	9	41.6	25.9	69.9	20	10	10	71.0	69.9	72.2
Motor vehicle accidents# (810-825)	3	3	0	8.3	13.0	-	9	6	3	32.0	41.9	21.6
Suicide (950-959)	3	2	1	8.3	8.6	7.8	2	2	0	7.1	14.0	-
Homicide and legal intervention (960-978)	4	2	2	11.1	8.6	15.5	5	2	3	17.8	14.0	21.6
Symptoms, signs, and ill-defined conditions# (780-799)	3	1	2	8.3	4.3	15.5	8	3	5	28.4	21.0	36.1

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF PEARL RIVER AND PERRY COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Pearl River						Perry					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	68	57	11	201.2	199.1	212.6	22	17	5	223.0	220.4	232.3
Diabetes mellitus (250)	3	3	0	8.9	10.5	-	2	1	1	20.3	13.0	46.5
Diseases of heart (390-398, 402, 404, 410-429)	96	82	14	284.1	286.5	270.6	32	23	9	324.4	298.2	418.2
Hypertension (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	13	11	2	38.5	38.4	38.7	7	7	0	71.0	90.8	-
Atherosclerosis (440)	4	3	1	11.8	10.5	19.3	1	0	1	10.1	-	46.5
Pneumonia and influenza (480-487)	8	7	1	23.7	24.4	19.3	2	1	1	20.3	13.0	46.5
Emphysema and other chronic obstructive pulmonary diseases (490-496)	7	7	0	20.7	24.4	-	5	4	1	50.7	51.9	46.5
Chronic liver disease and cirrhosis (571)	1	1	0	3.0	3.5	-	1	1	0	10.1	13.0	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	4	1	14.8	14.0	19.3	1	1	0	10.1	13.0	-
Infections of kidney (590)	3	3	0	8.9	10.5	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	6	4	2	17.8	14.0	38.7	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	5	1	4	8.1	2.0	33.6	5	4	1	24.8	28.2	16.7
Accidents (800-949)	29	27	2	85.8	94.3	38.7	13	8	5	131.8	103.7	232.3
Motor vehicle accidents# (810-825)	15	14	1	44.4	48.9	19.3	5	3	2	50.7	38.9	92.9
Suicide (950-959)	3	3	0	8.9	10.5	-	0	0	0	-	-	-
Homicide and legal intervention (960-978)	4	3	1	11.8	10.5	19.3	0	0	0	-	-	-
Symptoms, signs, and ill-defined conditions# (780-799)	15	12	3	44.4	41.9	58.0	2	2	0	20.3	25.9	-

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF PIKE AND PONTOTOC COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Pike						Pontotoc					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	85	55	30	235.0	269.5	190.3	27	22	5	129.1	124.9	151.5
Diabetes mellitus (250)	20	7	13	55.3	34.3	82.4	6	5	1	28.7	28.4	30.3
Diseases of heart (390-398, 402, 404, 410-429)	165	111	54	456.1	544.0	342.5	89	79	10	425.5	448.4	303.0
Hypertension (401, 403)	4	0	4	11.0	-	25.4	1	1	0	4.8	5.7	-
Cerebrovascular diseases (430-438)	58	36	22	160.3	176.4	139.5	11	11	0	52.6	62.4	-
Atherosclerosis (440)	10	3	7	27.6	14.7	44.4	3	2	1	14.3	11.4	30.3
Pneumonia and influenza (480-487)	3	1	2	8.3	4.9	12.7	4	4	0	19.1	22.7	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	4	0	11.0	19.6	-	6	5	1	28.7	28.4	30.3
Chronic liver disease and cirrhosis (571)	2	2	0	5.5	9.8	-	3	3	0	14.3	17.0	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	5	1	16.6	24.5	6.3	1	1	0	4.8	5.7	-
Infections of kidney (590)	2	1	1	5.5	4.9	6.3	1	1	0	4.8	5.7	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	0	2	5.5	-	12.7	1	1	0	4.8	5.7	-
Certain conditions originating in the perinatal period (760-779)	7	4	3	10.3	13.7	7.8	3	3	0	10.6	12.6	-
Accidents (800-949)	23	8	15	63.6	39.2	95.1	17	14	3	81.3	79.5	90.9
Motor vehicle accidents# (810-825)	13	5	8	35.9	24.5	50.7	8	7	1	38.2	39.7	30.3
Suicide (950-959)	2	1	1	5.5	4.9	6.3	0	0	0	-	-	-
Homicide and legal intervention (960-978)	9	1	8	24.9	4.9	50.7	4	2	2	19.1	11.4	60.6
Symptoms, signs, and ill-defined conditions# (780-799)	25	7	18	69.1	34.3	114.2	2	1	1	9.6	5.7	30.3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF PRENTISS AND QUITMAN COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Prentiss						Quitman					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	39	37	2	162.3	173.0	75.7	32	16	16	253.2	289.3	225.2
Diabetes mellitus (250)	3	3	0	12.5	14.0	-	2	1	1	15.8	18.1	14.1
Diseases of heart (390-398, 402, 404, 410-429)	68	61	7	283.0	285.3	265.0	61	31	30	482.7	560.6	422.2
Hypertension (401, 403)	1	0	1	4.2	-	37.8	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	11	10	1	45.8	46.8	37.8	28	10	18	221.6	180.8	253.3
Atherosclerosis (440)	4	4	0	16.6	18.7	-	2	1	1	15.8	18.1	14.1
Pneumonia and influenza (480-487)	9	8	1	37.5	37.4	37.8	4	3	1	31.6	54.2	14.1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	2	1	12.5	9.4	37.8	5	5	0	39.6	90.4	-
Chronic liver disease and cirrhosis (571)	2	2	0	8.3	9.4	-	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	4	0	16.6	18.7	-	4	2	2	31.6	36.2	28.1
Infections of kidney (590)	0	0	0	-	-	-	1	0	1	7.9	-	14.1
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	4.2	4.7	-	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	2	0	2	5.9	-	39.2	2	0	2	7.4	-	10.0
Accidents (800-949)	8	7	1	33.3	32.7	37.8	13	5	8	102.9	90.4	112.6
Motor vehicle accidents# (810-825)	5	5	0	20.8	23.4	-	1	1	0	7.9	18.1	-
Suicide (950-959)	1	1	0	4.2	4.7	-	0	0	0	-	-	-
Homicide and legal intervention (960-978)	3	3	0	12.5	14.0	-	3	2	1	23.7	36.2	14.1
Symptoms, signs, and ill-defined conditions# (780-799)	31	30	1	129.0	140.3	37.8	2	1	1	15.8	18.1	14.1

* Causes and numbers are from the _Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death_.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF RANKIN AND SCOTT COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Rankin						Scott					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	0	1	1.4	-	7.6	0	0	0	-	-	-
Malignant neoplasms (140-208)	88	70	18	126.8	124.4	136.9	46	26	20	187.3	164.0	229.7
Diabetes mellitus (250)	17	7	10	24.5	12.4	76.1	2	1	1	8.1	6.3	11.5
Diseases of heart (390-398, 402, 404, 410-429)	191	144	47	275.1	255.8	357.6	99	66	33	403.2	416.4	379.0
Hypertension (401, 403)	3	2	1	4.3	3.6	7.6	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	32	19	13	46.1	33.8	98.9	28	17	11	114.0	107.2	126.3
Atherosclerosis (440)	6	5	1	8.6	8.9	7.6	3	2	1	12.2	12.6	11.5
Pneumonia and influenza (480-487)	13	9	4	18.7	16.0	30.4	9	8	1	36.6	50.5	11.5
Emphysema and other chronic obstructive pulmonary diseases (490-496)	8	5	3	11.5	8.9	22.8	9	9	0	36.6	56.8	-
Chronic liver disease and cirrhosis (571)	5	3	2	7.2	5.3	15.2	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	3	3	8.6	5.3	22.8	3	0	3	12.2	-	34.4
Infections of kidney (590)	1	0	1	1.4	-	7.6	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	1	1	2.9	1.8	7.6	3	1	2	12.2	6.3	23.0
Certain conditions originating in the perinatal period (760-779)	5	2	3	4.2	2.1	11.4	3	2	1	6.8	8.0	5.1
Accidents (800-949)	42	29	13	60.5	51.5	98.9	21	12	9	85.5	75.7	103.4
Motor vehicle accidents# (810-825)	20	17	3	28.8	30.2	22.8	10	7	3	40.7	44.2	34.4
Suicide (950-959)	6	6	0	8.6	10.7	-	1	1	0	4.1	6.3	-
Homicide and legal intervention (960-978)	3	1	2	4.3	1.8	15.2	2	0	2	8.1	-	23.0
Symptoms, signs, and ill-defined conditions# (780-799)	17	13	4	24.5	23.1	30.4	9	5	4	36.6	31.5	45.9

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF SHARKEY AND SIMPSON COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Sharkey						Simpson					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	1	1	0	4.3	6.2	-
Malignant neoplasms (140-208)	13	6	7	163.2	222.2	133.0	45	30	15	192.0	185.2	207.1
Diabetes mellitus (250)	3	2	1	37.7	74.1	19.0	2	1	1	8.5	6.2	13.8
Diseases of heart (390-398, 402, 404, 410-429)	23	13	10	288.8	481.5	190.0	95	68	27	405.3	419.8	372.8
Hypertension (401, 403)	0	0	0	-	-	-	1	0	1	4.3	-	13.8
Cerebrovascular diseases (430-438)	1	1	0	12.6	37.0	-	19	15	4	81.0	92.6	55.2
Atherosclerosis (440)	2	1	1	25.1	37.0	19.0	3	2	1	12.8	12.3	13.8
Pneumonia and influenza (480-487)	3	2	1	37.7	74.1	19.0	6	5	1	25.6	30.9	13.8
Emphysema and other chronic obstructive pulmonary diseases (490-496)	0	0	0	-	-	-	7	6	1	29.9	37.0	13.8
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	0	3	37.7	-	57.0	3	2	1	12.8	12.3	13.8
Infections of kidney (590)	0	0	0	-	-	-	3	1	2	12.8	6.2	27.6
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	1	0	1	4.3	-	13.8
Certain conditions originating in the perinatal period (760-779)	3	1	2	15.4	25.6	12.8	5	3	2	11.3	12.2	10.1
Accidents (800-949)	11	5	6	138.1	185.2	114.0	21	14	7	89.6	86.4	96.6
Motor vehicle accidents# (810-825)	2	0	2	25.1	-	38.0	10	5	5	42.7	30.9	69.0
Suicide (950-959)	0	0	0	-	-	-	1	1	0	4.3	6.2	-
Homicide and legal intervention (960-978)	1	0	1	12.6	-	19.0	3	2	1	12.8	12.3	13.8
Symptoms, signs, and ill-defined conditions# (780-799)	8	0	8	100.4	-	152.0	6	3	3	25.6	18.5	41.4

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF SMITH AND STONE COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Smith						Stone					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	6.6	8.4	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	20	18	2	132.6	151.7	62.2	14	12	2	144.1	160.8	88.8
Diabetes mellitus (250)	4	4	0	26.5	33.7	-	2	1	1	20.6	13.4	44.4
Diseases of heart (390-398, 402, 404, 410-429)	32	31	1	212.2	261.3	31.1	39	34	5	401.4	455.6	221.9
Hypertension (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	11	10	1	73.0	84.3	31.1	6	4	2	61.8	53.6	88.8
Atherosclerosis (440)	3	2	1	19.9	16.8	31.1	0	0	0	-	-	-
Pneumonia and influenza (480-487)	7	6	1	46.4	50.6	31.1	3	3	0	30.9	40.2	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	2	0	13.3	16.8	-	1	1	0	10.3	13.4	-
Chronic liver disease and cirrhosis (571)	1	1	0	6.6	8.4	-	1	0	1	10.3	-	44.4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	6.6	8.4	-	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	2	1	1	8.3	6.8	10.5	0	0	0	-	-	-
Accidents (800-949)	13	12	1	86.2	101.1	31.1	6	4	2	61.8	53.6	88.8
Motor vehicle accidents# (810-825)	9	8	1	59.7	67.4	31.1	2	0	2	20.6	-	88.8
Suicide (950-959)	0	0	0	-	-	-	1	0	1	10.3	-	44.4
Homicide and legal intervention (960-978)	0	0	0	-	-	-	2	0	2	20.6	-	88.8
Symptoms, signs, and ill-defined conditions# (780-799)	6	6	0	39.8	50.6	-	5	3	2	51.5	40.2	88.8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF SUNFLOWER AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Sunflower						Tallahatchie					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	54	21	33	155.0	160.9	151.4	36	19	17	209.8	262.0	171.6
Diabetes mellitus (250)	10	3	7	28.7	23.0	32.1	3	0	3	17.5	-	30.3
Diseases of heart (390-398, 402, 404, 410-429)	142	54	88	407.5	413.7	403.8	75	41	34	437.1	565.4	343.3
Hypertension (401, 403)	2	1	1	5.7	7.7	4.6	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	49	17	32	140.6	130.2	146.8	24	7	17	139.9	96.5	171.6
Atherosclerosis (440)	2	1	1	5.7	7.7	4.6	0	0	0	-	-	-
Pneumonia and influenza (480-487)	8	4	4	23.0	30.6	18.4	9	5	4	52.4	68.9	40.4
Emphysema and other chronic obstructive pulmonary diseases (490-496)	6	5	1	17.2	38.3	4.6	7	6	1	40.8	82.7	10.1
Chronic liver disease and cirrhosis (571)	2	2	0	5.7	15.3	-	3	1	2	17.5	13.8	20.2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	1	2	8.6	7.7	9.2	4	2	2	23.3	27.6	20.2
Infections of kidney (590)	0	0	0	-	-	-	1	1	0	5.8	13.8	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	6	0	6	17.2	-	27.5	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	11	1	10	13.2	5.8	15.1	5	0	5	12.9	-	17.1
Accidents (800-949)	19	6	13	54.5	46.0	59.6	11	3	8	64.1	41.4	80.8
Motor vehicle accidents# (810-825)	10	4	6	28.7	30.6	27.5	2	1	1	11.6	13.8	10.1
Suicide (950-959)	2	0	2	5.7	-	9.2	1	1	0	5.8	13.8	-
Homicide and legal intervention (960-978)	5	0	5	14.3	-	22.9	2	0	2	11.6	-	20.2
Symptoms, signs, and ill-defined conditions# (780-799)	15	3	12	43.0	23.0	55.1	21	4	17	122.4	55.2	171.6

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF TATE AND TIPPAH COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Tate						Tippah					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	38	22	16	188.9	178.3	205.6	30	26	4	160.1	165.2	133.5
Diabetes mellitus (250)	4	1	3	19.9	8.1	38.6	1	1	0	5.3	6.4	-
Diseases of heart (390-398, 402, 404, 410-429)	77	46	31	382.7	372.8	398.4	74	68	6	394.9	431.9	200.3
Hypertension (401, 403)	2	0	2	9.9	-	25.7	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	18	11	7	89.5	89.1	90.0	27	22	5	144.1	139.7	166.9
Atherosclerosis (440)	3	3	0	14.9	24.3	-	0	0	0	-	-	-
Pneumonia and influenza (480-487)	2	0	2	9.9	-	25.7	5	5	0	26.7	31.8	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	6	6	0	29.8	48.6	-	6	5	1	32.0	31.8	33.4
Chronic liver disease and cirrhosis (571)	1	1	0	5.0	8.1	-	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	2	2	19.9	16.2	25.7	1	1	0	5.3	6.4	-
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	1	0	1	5.3	-	33.4
Certain conditions originating in the perinatal period (760-779)	1	1	0	2.8	6.0	-	4	2	2	12.5	8.1	27.0
Accidents (800-949)	9	3	6	44.7	24.3	77.1	11	9	2	58.7	57.2	66.8
Motor vehicle accidents# (810-825)	4	2	2	19.9	16.2	25.7	6	5	1	32.0	31.8	33.4
Suicide (950-959)	0	0	0	-	-	-	2	2	0	10.7	12.7	-
Homicide and legal intervention (960-978)	2	0	2	9.9	-	25.7	2	1	1	10.7	6.4	33.4
Symptoms, signs, and ill-defined conditions# (780-799)	11	7	4	54.7	56.7	51.4	10	8	2	53.4	50.8	66.8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF TISHOMINGO AND TUNICA COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Tishomingo						Tunica					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	5.4	5.6	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	26	26	0	141.0	147.1	-	22	14	8	227.9	545.6	112.9
Diabetes mellitus (250)	4	4	0	21.7	22.6	-	1	0	1	10.4	-	14.1
Diseases of heart (390-398, 402, 404, 410-429)	61	60	1	330.9	339.4	131.9	56	17	39	580.2	662.5	550.4
Hypertension (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	14	14	0	75.9	79.2	-	7	3	4	72.5	116.9	56.4
Atherosclerosis (440)	3	3	0	16.3	17.0	-	0	0	0	-	-	-
Pneumonia and influenza (480-487)	6	6	0	32.5	33.9	-	1	1	0	10.4	39.0	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	5	0	27.1	28.3	-	1	1	0	10.4	39.0	-
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	2	2	0	20.7	77.9	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	3	0	16.3	17.0	-	2	0	2	20.7	-	28.2
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	1	0	1	465.1	-	595.2
Congenital anomalies (740-759)	1	1	0	5.4	5.6	-	1	1	0	10.4	39.0	-
Certain conditions originating in the perinatal period (760-779)	0	0	0	-	-	-	2	0	2	9.3	-	11.9
Accidents (800-949)	18	18	0	97.6	101.8	-	12	2	10	124.3	77.9	141.1
Motor vehicle accidents# (810-825)	10	10	0	54.2	56.6	-	3	0	3	31.1	-	42.3
Suicide (950-959)	0	0	0	-	-	-	2	1	1	20.7	39.0	14.1
Homicide and legal intervention (960-978)	0	0	0	-	-	-	1	1	0	10.4	39.0	-
Symptoms, signs, and ill-defined conditions# (780-799)	13	12	1	70.5	67.9	131.9	13	1	12	134.7	39.0	169.3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF UNION AND WALTHALL COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Union						Walthall					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	39	32	7	179.4	171.1	230.3	34	27	7	247.1	333.5	123.5
Diabetes mellitus (250)	1	1	0	4.6	5.3	-	3	1	2	21.8	12.4	35.3
Diseases of heart (390-398, 402, 404, 410-429)	79	73	6	363.4	390.4	197.4	43	25	18	312.5	308.8	317.7
Hypertension (401, 403)	0	0	0	-	-	-	1	1	0	7.3	12.4	-
Cerebrovascular diseases (430-438)	13	10	3	59.8	53.5	98.7	10	8	2	72.7	98.8	35.3
Atherosclerosis (440)	1	1	0	4.6	5.3	-	2	2	0	14.5	24.7	-
Pneumonia and influenza (480-487)	14	13	1	64.4	69.5	32.9	1	0	1	7.3	-	17.6
Emphysema and other chronic obstructive pulmonary diseases (490-496)	7	7	0	32.2	37.4	-	4	2	2	29.1	24.7	35.3
Chronic liver disease and cirrhosis (571)	3	3	0	13.8	16.0	-	1	1	0	7.3	12.4	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	3	1	18.4	16.0	32.9	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	3	3	0	13.8	16.0	-	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	2	1	1	5.7	3.7	12.5	3	0	3	10.6	-	18.6
Accidents (800-949)	16	11	5	73.6	58.8	164.5	8	4	4	58.1	49.4	70.6
Motor vehicle accidents# (810-825)	11	7	4	50.6	37.4	131.6	5	3	2	36.3	37.0	35.3
Suicide (950-959)	5	5	0	23.0	26.7	-	1	1	0	7.3	12.4	-
Homicide and legal intervention (960-978)	0	0	0	-	-	-	0	0	0	-	-	-
Symptoms, signs, and ill-defined conditions# (780-799)	25	19	6	115.0	101.6	197.4	9	2	7	65.4	24.7	123.5

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF WARREN AND WASHINGTON COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Warren						Washington					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	3	0	3	5.8	-	15.2	4	3	1	5.5	9.5	2.4
Malignant neoplasms (140-208)	86	41	45	166.6	128.6	227.8	140	70	70	193.5	221.4	171.9
Diabetes mellitus (250)	2	1	1	3.9	3.1	5.1	18	4	14	24.9	12.6	34.4
Diseases of heart (390-398, 402, 404, 410-429)	172	95	77	333.2	298.[illegible]	389.9	248	116	132	342.8	366.9	324.1
Hypertension (401, 403)	2	0	2	3.9	-	10.1	1	0	1	1.4	-	2.4
Cerebrovascular diseases (430-438)	60	28	32	116.2	87.8	162.0	96	37	59	132.7	117.0	144.9
Atherosclerosis (440)	4	2	2	7.7	6.3	10.1	4	2	2	5.5	6.3	4.9
Pneumonia and influenza (480-487)	8	4	4	15.5	12.5	20.2	13	8	5	18.0	25.3	12.3
Emphysema and other chronic obstructive pulmonary diseases (490-496)	11	7	4	21.3	22.0	20.2	10	4	6	13.8	12.6	14.7
Chronic liver disease and cirrhosis (571)	2	2	0	3.9	6.3	-	8	4	4	11.0	12.6	9.8
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8	0	8	15.5	-	40.5	10	1	9	13.8	3.2	22.1
Infections of kidney (590)	1	0	1	1.9	-	5.1	1	0	1	1.4	-	2.4
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	5	4	1	9.7	12.5	5.1	7	5	2	9.7	15.8	4.9
Certain conditions originating in the perinatal period (760-779)	9	3	6	9.2	6.0	12.4	16	6	10	9.5	11.9	8.4
Accidents (800-949)	32	17	15	62.0	53.3	76.0	57	20	37	78.8	63.2	90.8
Motor vehicle accidents# (810-825)	8	5	3	15.5	15.7	15.2	13	5	8	18.0	15.8	19.6
Suicide (950-959)	6	4	2	11.6	12.5	10.1	4	4	0	5.5	12.6	-
Homicide and legal intervention (960-978)	4	1	3	7.7	3.1	15.2	14	0	14	19.4	-	34.4
Symptoms, signs, and ill-defined conditions# (780-799)	16	4	12	31.0	12.5	60.8	83	11	72	114.7	34.8	176.8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF WAYNE AND WEBSTER COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Wayne						Webster					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	26	16	10	135.9	126.0	155.3	24	21	3	233.0	254.1	147.4
Diabetes mellitus (250)	1	1	0	5.2	7.9	-	1	1	0	9.7	12.1	-
Diseases of heart (390-398, 402, 404, 410-429)	68	47	21	355.4	370.2	326.1	36	29	7	349.5	350.9	344.0
Hypertension (401, 403)	2	1	1	10.4	7.9	15.5	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	13	7	6	67.9	55.1	93.2	17	14	3	165.0	169.4	147.4
Atherosclerosis (440)	3	3	0	15.7	23.6	-	0	0	0	-	-	-
Pneumonia and influenza (480-487)	10	6	4	52.3	47.3	62.1	3	0	3	29.1	-	147.4
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	1	1	10.4	7.9	15.5	3	3	0	29.1	36.3	-
Chronic liver disease and cirrhosis (571)	2	2	0	10.4	15.8	-	2	2	0	19.4	24.2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	-	-	-	1	0	1	9.7	-	49.1
Infections of kidney (590)	0	0	0	-	-	-	1	1	0	9.7	12.1	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	2	2	0	19.4	24.2	-
Certain conditions originating in the perinatal period (760-779)	3	2	1	8.4	9.7	6.7	1	0	1	6.5	-	18.5
Accidents (800-949)	15	10	5	78.4	78.8	77.6	12	10	2	116.5	121.0	98.3
Motor vehicle accidents# (810-825)	9	6	3	47.0	47.3	46.6	9	8	1	87.4	96.8	49.1
Suicide (950-959)	0	0	0	-	-	-	2	1	1	19.4	12.1	49.1
Homicide and legal intervention (960-978)	0	0	0	-	-	-	0	0	0	-	-	-
Symptoms, signs, and ill-defined conditions# (780-799)	3	2	1	15.7	15.8	15.5	4	2	2	38.8	24.2	98.3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF WILKINSON AND WINSTON COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Wilkinson						Winston					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	30	6	24	299.4	182.3	356.7	39	25	14	200.3	214.4	179.2
Diabetes mellitus (250)	6	1	5	59.9	30.4	74.3	7	4	3	35.9	34.3	38.4
Diseases of heart (390-398, 402, 404, 410-429)	48	18	30	479.0	546.8	445.8	75	55	20	385.1	471.6	256.0
Hypertension (401, 403)	0	0	0	-	-	-	1	1	0	5.1	8.6	-
Cerebrovascular diseases (430-438)	13	5	8	129.7	151.9	118.9	25	16	9	128.4	137.2	115.2
Atherosclerosis (440)	1	1	0	10.0	30.4	-	0	0	0	-	-	-
Pneumonia and influenza (480-487)	0	0	0	-	-	-	4	3	1	20.5	25.7	12.8
Emphysema and other chronic obstructive pulmonary diseases (490-496)	1	0	1	10.0	-	14.9	5	5	0	25.7	42.9	-
Chronic liver disease and cirrhosis (571)	1	1	0	10.0	30.4	-	2	2	0	10.3	17.2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	-	-	-	2	1	1	10.3	8.6	12.8
Infections of kidney (590)	2	0	2	20.0	-	29.7	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	10.0	30.4	-	4	2	2	20.5	17.2	25.6
Certain conditions originating in the perinatal period (760-779)	3	0	3	14.8	-	20.0	2	0	2	5.5	-	8.9
Accidents (800-949)	16	5	11	159.7	151.9	163.5	19	7	12	97.6	60.0	153.6
Motor vehicle accidents# (810-825)	4	2	2	39.9	60.8	29.7	15	6	9	77.0	51.4	115.2
Suicide (950-959)	1	0	1	10.0	-	14.9	1	0	1	5.1	-	12.8
Homicide and legal intervention (960-978)	1	0	1	10.0	-	14.9	2	1	1	10.3	8.6	12.8
Symptoms, signs, and ill-defined conditions# (780-799)	9	2	7	89.8	60.8	104.0	18	8	10	92.4	68.6	128.0

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Yalobusha						Yazoo					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	30	24	6	228.3	296.4	119.0	54	30	24	197.4	227.3	169.6
Diabetes mellitus (250)	2	0	2	15.2	-	39.7	7	4	3	25.6	30.3	21.2
Diseases of heart (390-398, 402, 404, 410-429)	46	37	9	350.1	456.9	178.5	98	57	41	358.3	431.9	289.7
Hypertension (401, 403)	4	3	1	30.4	37.0	19.8	2	0	2	7.3	-	14.1
Cerebrovascular diseases (430-438)	16	12	4	121.8	148.2	79.3	30	16	14	109.7	121.2	98.9
Atherosclerosis (440)	0	0	0	-	-	-	4	2	2	14.6	15.2	14.1
Pneumonia and influenza (480-487)	5	3	2	38.0	37.0	39.7	10	5	5	36.6	37.9	35.3
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	1	1	15.2	12.3	19.8	5	4	1	18.3	30.3	7.1
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	3	2	1	11.0	15.2	7.1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	0	2	15.2	-	39.7	1	1	0	3.6	7.6	-
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	7.6	12.3	-	3	0	3	11.0	-	21.2
Certain conditions originating in the perinatal period (760-779)	3	1	2	12.6	8.1	17.7	7	1	6	11.9	4.5	16.3
Accidents (800-949)	7	4	3	53.3	49.4	59.5	23	10	13	84.1	75.8	91.8
Motor vehicle accidents# (810-825)	0	0	0	-	-	-	7	3	4	25.6	22.7	28.3
Suicide (950-959)	3	2	1	22.8	24.7	19.8	1	1	0	3.6	7.6	-
Homicide and legal intervention (960-978)	1	0	1	7.6	-	19.8	9	1	8	32.9	7.6	56.5
Symptoms, signs, and ill-defined conditions# (780-799)	8	4	4	60.9	49.4	79.3	70	16	54	256.0	121.2	381.6

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, STATE OF MISSISSIPPI, 1980

Cause and International Classification Number*	State of Mississippi					
	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	30	15	15	1.2	0.9	1.6
Malignant neoplasms (140-208)	4,383	2,895	1,488	173.9	179.2	164.3
Diabetes mellitus (250)	409	198	211	16.2	12.2	23.3
Diseases of heart (390-398, 402, 404, 410-429)	8,220	5,493	2,727	326.1	340.1	301.2
Hypertension (401, 403)	119	42	77	4.7	2.6	8.5
Cerebrovascular diseases (430-438)	2,323	1,366	957	92.2	84.6	105.7
Atherosclerosis (440)	296	185	111	11.7	11.4	12.2
Pneumonia and influenza (480-487)	482	345	137	19.1	21.4	15.1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	495	400	95	19.6	24.8	10.5
Chronic liver disease and cirrhosis (571)	196	148	48	7.8	9.2	5.3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	240	113	127	9.5	7.0	14.0
Infections of kidney (590)	49	30	19	1.9	1.8	2.1
Maternal causes (630-676)	2	1	1	4.2	4.0	4.3
Congenital anomalies (740-759)	186	107	79	7.4	6.6	8.7
Certain conditions originating in the perinatal period (760-779)	392	121	271	8.2	4.9	11.7
Accidents (800-949)	1,711	985	726	67.9	61.0	80.2
Motor vehicle accidents# (810-825)	743	489	254	29.5	30.3	28.0
Suicide (950-959)	231	188	43	9.2	11.6	4.7
Homicide and legal intervention (960-978)	359	112	247	14.2	6.9	27.3
Symptoms, signs, and ill-defined conditions# (780-799)	1,448	560	888	57.4	34.7	98.1

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

TIME SERIES TABLES

TABLE 20
LIVE BIRTHS AND RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1980,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1980)

	Number			Rate*		
Year	Total	White	Non-white	Total	White	Non-white
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,406	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5

Table 20 - Page 2
Live Births - Mississippi - 1913-1980

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	Not Available	
1973	44,638	23,119	21,519	19.3	Not Available	
1974	44,032	23,023	21,009	18.9	Not Available	
1975	43,336	22,559	20,777	18.5	Not Available	
1976	42,983	22,605	20,378	18.2	Not Available	
1977	45,532	23,369	22,163	19.1	Not Available	
1978	44,373	22,632	21,741	18.5	Not Available	
1979	45,919	23,487	22,432	19.1	Not Available	
1980	47,821	24,687	23,134	19.0	15.3	25.5

* Births per 1,000 population.

TABLE 21
DEATHS AND RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1980, (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1980)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8

Table 21 - Page 2
Deaths - Mississippi - 1913-1980

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	Not Available	
1973	24,007	14,461	9,546	10.4	Not Available	
1974	23,153	14,268	8,885	9.9	Not Available	
1975	22,768	13,790	8,978	9.7	Not Available	
1976	23,124	14,307	8,817	9.8	Not Available	
1977	23,022	14,318	8,704	9.6	Not Available	
1978	23,363	14,631	8,732	9.7	Not Available	
1979	22,932	14,348	8,584	9.5	Not Available	
1980	23,576	14,531	9,045	9.4	9.0	10.0

* Deaths per 1,000 population.

TABLE 22
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1980, (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1980)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0

Table 22 - Page 2
Maternal Deaths - Mississippi - 1913-1980

	Number			Rate**		
Year	Total	White	Non-white	Total	White	Non-white
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3

* Deaths resulting from deliveries and complications of pregnancy, childbirth, and the puerperium.

** Deaths per 100,000 live births.

TABLE 23
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1917-1980, (OCCURRENCE DATA 1917-1943, RESIDENCE DATA 1944-1980)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,489	974	1,515	44.0	38.0	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8

Table 23 - Page 2
Infant Deaths - Mississippi - 1917-1980

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3

* Deaths of children under one year of age.

* Deaths per 1,000 live births.

# Not available.

TABLE 24
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1924-1980,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1980)

	Number			Rate**		
Year	Total	White	Non-white	Total	White	Non-white
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7

Table 24 - Page 2
Neonatal Deaths - Mississippi - 1924-1980

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4

* Deaths of infants under 28 days of age, but figures for 1924-1948 include deaths of infants under one month of age.

** Deaths per 1,000 live births.

TABLE 25
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1924-1980
(OCCURRENCE DATA 1924-1943, RESIDENCE DATA 1944-1980)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,053	313	740	18.6	12.2	23.9
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8

ble 25 - Page 2
stneonatal Deaths - Mississippi - 1924-1980

	Number			Rate**		
ear	Total	White	Non-white	Total	White	Non-white
960	960	164	796	16.2	6.0	24.9
961	849	136	713	14.3	5.0	22.2
962	897	155	742	15.2	5.6	23.6
963	923	140	783	16.1	5.2	25.7
964	858	139	719	15.1	5.4	23.4
965	843	123	720	16.5	5.3	25.9
966	733	134	599	15.2	5.9	23.5
967	592	124	468	12.7	5.5	19.6
968	497	93	404	10.9	4.1	17.6
969	447	89	358	9.5	3.7	15.5
970	427	89	338	8.9	3.6	14.5
71	371	78	293	7.6	3.1	12.5
72	350	97	253	7.6	4.1	11.4
73	361	91	270	8.1	3.9	12.5
74	314	80	234	7.1	3.5	11.1
75	298	99	199	6.9	4.4	9.6
76	301	88	213	7.0	3.9	10.4
77	246	63	183	5.4	2.7	8.2
78	287	75	212	6.5	3.3	9.8
79	295	89	206	6.4	3.8	9.2
80	289	83	206	6.0	3.4	8.9

Deaths of infants 28 days of age or older, but figures for 1924-1948 only include deaths of infants one month of age or older.

Deaths per 1,000 live births.

TABLE 26
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA, MISSISSIPPI, 1926-1980

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551

Table 26 - Page 2
Marriages and Divorces - Mississippi - 1926-1980

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086

* Total number of marriages for 1926 and total number of divorces for 1926 and 1927 furnished by U.S. Bureau of Census; distribution by race not available.

** Includes some records on which the race of the couple was not stated.